

NATIONAL


Furniture with Personality®

Seating Fabric
Grade 4

Crossbox




40102 Chestnut



40107 Birch



40104 Wheat




40105 Moss



40110 Clementine




40109 Poppy



40103 Orchard



40112 Olive



40101 Midnight



40111 Gunmetal



40113 Lapis



40108 Oxblood



40106 Caviar

Available on Quick Delivery
Refer to back of card for specifications

Crossbox

Seating Fabric Grade 4

Specifications

Pattern #	40100
Contents	61% Polyester, 39% Cotton
Width	54"
Repeat	1.3 in./Horizontal 1.44 in./Vertical
Construction	220 ends/in. 150 picks/in.
Weight	12.08 oz./lin. yd.
Backing	Light Acrylic
Finish	Teflon®

Statement of Line

40101	Midnight
40102	Chestnut
40103	Orchard
40104	Wheat
40105	Moss
40106	Caviar
40107	Birch
40108	Oxblood
40109	Poppy
40110	Clementine
40111	Gunmetal
40112	Olive
40113	Lapis

Performance



Abrasion	60,000 Double Rubs, Wyzenbeek
Light Fastness	Class 5/40 hrs. min. (AATCC 16A)
Color Fastness	Class 5 (AATCC 8) Wet Class 5 (AATCC 8) Dry
Physical Properties	Class 3.5 (ASTM D3511) Brush Pill 174 lbs. Warp, 84 lbs. Fill Breaking Strength 34 lbs. Warp, 36 lbs. Fill Seam Slippage

Flammability



Passes	California Tech. Bulletin #117 Section E (CS-191-53) UFAC Class 1
--------	--

Care

Cleanability	W - Water based cleaners may be used.
--------------	---------------------------------------

Please reference price list for product applications. Product details and other data are subject to change without notice.

We will always ship a satisfactory commercial color match. Due to industry standard dye lot variation, colors may not match exactly. Cut yardage and individual memo samples are available. Contact National Customer Service for pricing and availability.

NATIONAL

Furniture with Personality®

www.NationalOfficeFurniture.com

1205 Kimball Boulevard Jasper, IN 47549
800.482.1717, Fax 812.482.8800
©Kimball International, Inc. 2006
Printed in the USA
Form No. NSCCRO Ver.06
A Unit of Kimball International

Due to variations in the configuration, setting, and calibration of various output devices, the digital image colors shown here may vary from actual samples.