
Product Updates

Product Reinstatements

PRODUCT SPECIFICATIONS

Sizes and Shapes

- 36", 42" and 48" round tops in laminate, veneer, and laminate with wood rim
- 6', 8', 10' and 12' rectangular tops in laminate, veneer or laminate with wood rim
- 6', 8', 10' and 12' racetrack tops in laminate, veneer and laminate or laminate with wood rim
- 6', 8', 10' and 12' boat tops in laminate only
- 14' and 16' rectangular tops in veneer or laminate with wood rim
- 14' and 16' racetrack tops in veneer or laminate with wood rim

Conference Tops

- 19/16" thick, bookmatched veneer or HPL (High Pressure Laminate)
- Matte/satin sheen option is not available

Rim Profiles

Veneer Program Offers:

- Reed Rim
- Radius Rim
- Bullnose Rim
- Self Rim (Veneer only)

Laminate with Wood Rim Program Offers:

- Reed Rim
- Radius Rim
- Bullnose Rim
- Softened Rim (Laminate w/wood rim)

Laminate Program Offers:

- Flat Rim

Bases

Bases For Wood Tops Include:

- 2-Prong and 4-Prong (Black Metal)
- Cylinder (Weighted)
- Panel Leg
- Square (Weighted)
- Wood Capped 4-Prong
- Double Doric Leg (Black Metal)
- H-Style Leg (Black Metal)

Bases For HPL (High Pressure Laminate) Tops Include:

- 2-Prong and 4-Prong (Black Metal)
- Cylinder (weighted)
- Panel Leg
- Curved
- Double Doric Leg (Black Metal)
- H-Style Leg (Black Metal)

All bases with the exception of the cylinder base have adjustable leveling glides


Grommet options are available where shown

Cord Management

- Veneer and Laminate with wood rim tops have optional factory installed grommet available

Customer Specified Laminate Program

- Available on National Conference Tables featuring laminate top/wood rim models only (Reference page 13 of the Caseloads Price List for details)



ROUND CUTOUT/GROMMET LOCATIONS

- Grommet also offered as field installable solution – Reference page 536 of the Casegoods Price List
- 120" and 144" tops with center grommets will be located on a seam
- When center location is chosen on 168" and 192" two piece tops – a G10 grommet will be installed on each side of seam at designated locations listed below (Upcharge will reflect two grommets)
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- CUTOUT-G15 and CUTOUT-G16 grommet options are not available as factory installed on CCW table models
- The NACG15EL can be ordered separately and field installed (see page 536 of the Casegoods Price List)

• NACG10 Grommet



• NACG10EL Round Electrical Grommet



• Sold separately

Table Dimensions






Grommet Options	36" X 72"	48" X 96"	48" X 120" (Shown) 48" X 144" (2 Piece Top)	48" X 168" (2 Piece Top)	48" X 192" (2 Piece Top)
G10C Center					
G10E End					
G10LR Left, Right					
G10A All					
G10CE Center, End					

BASE REQUIREMENTS





Reference the chart for the number of bases that must be used with each top size.

N/A denotes the base is not applicable to a specific top size or shape.





BASES






Square (Wood)	Cylinder (Wood or Laminate)	Panel Leg (Wood or Laminate)	Curved (Laminate)	Wood Capped 4-Prong
				
BW-1616, BW-1616K or BW-1717W	BW-16, BP-16	BW-2427S or BP-2427S	BP-2427C	BW-4



TOPS

TOPS	Square (Wood)	Cylinder (Wood or Laminate)	Panel Leg (Wood or Laminate)	Curved (Laminate)	Wood Capped 4-Prong
Round  CCW36RD or CP-36 CCW42RD or CP-42 CCW48RD or CP-48	1 1 1	1 1 1	N/A N/A N/A	N/A N/A N/A	1 1 1
Rectangular  CCW3672RT or CP-S72 CCW4896RT or CP-S96 CCW48120RT or CP-S120 CCW48144RT or CP-S144 CCW48168RT CCW48192RT	2 2 3 3 4 4	2 2 3 3 4 4	2 2 3 3 4 4	2 2 3* 3* 4 4	N/A N/A N/A N/A N/A N/A
Racetrack  CCW3672RC or CP-R72 CCW4896RC or CP-R96 CCW48120RC or CP-R120 CCW48144RC or CP-R144 CCW48168RC CCW48192RC	2 2 3 3 4 4	2 2 3 3 4 4	2 2 3 3 4 4	2 2 3* 3* 4 4	N/A N/A N/A N/A N/A N/A
Boat (Laminate Only)  CP-B72 CP-B96 CP-B120 CP-B144	2 2 3 3	2 2 3 3	2 2 3 3	2 2 3* 3*	N/A N/A N/A N/A

CP Universal Laminate Conference Tops can be found on page 534-535 of the Casegoods Price List



4-Prong 34" (Black Metal)  B34-29MB	4-Prong 28" (Black Metal)  B4-29MB	Double Doric Leg (Black Metal)  CBW3428TT	H-Style Leg (Black Metal)  CBW3428H	2-Prong (Black Metal)  B1-29MB
N/A N/A 1	1 1 N/A	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A
N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	2 2 3 3 4 4	2 2 3 3 4 4	2 3 3 3 4 4
N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	2 2 3 3 4 4	2 2 3 3 4 4	2 3 3 3 4 4
N/A N/A N/A N/A	N/A N/A N/A N/A	2 2 3 3	2 2 3 3	2 3 3 3



***When using curved bases, if three bases are needed, a panel leg may be substituted for the middle curved base.**

UNIVERSAL OPTIONS

Laminate Tops and Rims

Woodgrain Laminate

- HN Honey
- AC2 Autumn 2
- MC Amber
- MH Mocha
- CW Cordovan

Solid Laminate

- 403 Chamois
- 419 Wallaby
- 420 Sandstone
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 480 Antique White

Rim Profile




Flat (E)
All laminate only

To Order All Laminate Tops, Specify:

1. Model Number
2. Top Laminate

Model No.	Description	List Price	Dimensions		Cartoned Weight	Cubic Feet
			DI	H		
Universal Laminate Round Top						
36" Round						
CP-36E	Laminate	\$ 350	36	1 ⁹ / ₁₆	40 lbs.	2.4
42" Round						
CP-42E	Laminate	\$ 403	42	1 ⁹ / ₁₆	54 lbs.	3.2
48" Round						
CP-48E	Laminate	\$ 462	48	1 ⁹ / ₁₆	71 lbs.	4.2



- 1 piece top
- Grommet options not available
- CP-42E is now available as a Quick Ship model

All Wood or Laminate Top with Wood Rim

Base Model	Rim Profile	Grommet Location	Wood Finish	Laminate*	Rim Finish*
CCW36RDW	A Radius	G10C Center	MH Mocha	HN Honey 462 Cinder	MH Mocha
	D Bullnose	G10E End	CW Cordovan	AC2 Autumn 2 480 Antique White	CW Cordovan
	F Softened	G10LR Left, Right	MC Amber	MC Amber 802 White Nebula	MC Amber
		G10A All	AC Autumn	CW Cordovan 805 Titanium Evolv	AC Autumn
	M Reed	G10CE Center, End	HN Honey	MH Mocha 809 Tungsten Evolv	HN Honey
	J Self (Wood only)	X No Grommet	NM Natural	403 Chamois 813 Saffron Tigris	NM Natural
			CL Caramel	419 Wallaby 814 White Tigris	CL Caramel
			DW Judicial	420 Sandstone 817 Olive Legacy	DW Judicial
				425 Shadow 860 Neutral Santos	
				440 Cloud 873 Tawny Legacy	
			461 Graphite 874 Bronze Legacy		

Sample Model Number
CCW36RDW A G10C AC

*Specify on Laminate/Wood units only

Model Number Key

W Wood
LW Laminate w/Wood Rim


Dimension Key

D Depth
W Width
H Height
DI Diameter

Model No.	Description	List Price	Dimensions		Cartoned Weight	Cubic Feet
			DI	H		
CCW36RDW	J	\$ 610	35½	1⅞	40 lbs.	2.4
CCW36RDW	A,D,F,M	1071	35½	1⅞	40 lbs.	2.4
CCW36RDLW	A,D,F,M	1071	35½	1⅞	40 lbs.	2.4
QCCW42RDW	J	\$ 741	42½	1⅞	54 lbs.	3.2
CCW42RDW	J	741	42½	1⅞	54 lbs.	3.2
QCCW42RDW	A	1323	42½	1⅞	54 lbs.	3.2
CCW42RDW	A,D,F,M	1323	42½	1⅞	54 lbs.	3.2
CCW42RDLW	A,D,F,M	1323	42½	1⅞	54 lbs.	3.2
CCW48RDW	J	\$ 942	48	1⅞	71 lbs.	4.2
CCW48RDW	A,D,F,M	1637	48	1⅞	71 lbs.	4.2
CCW48RDLW	A,D,F,M	1637	48	1⅞	71 lbs.	4.2

• Only center grommet location is available

Universal Round Top



Electrical Grommet



			D	W	H		
NACG10EL	\$ 328		4¼	4¼	5	1.6 lbs.	0.12
NACG10	52		4¼	4¼	1⅞	0.6 lbs.	0.06

- NACG10EL features 2 120 Volt receptacles and 2 Cat5E data ports and 6' AC cord; data ports are not pre-wired
- Field installable
- For conference tables only
- Black

Conference and Training Solutions

Seating Capacity

6 foot table accommodates 6 chairs
 8 foot table accommodates 8 chairs
 10 foot table accommodates 10 chairs
 12 foot table accommodates 12 chairs
 14 foot table accommodates 14 chairs
 16 foot table accommodates 16 chairs

Specification Tips

- Wood Top and rim finish must be the same.
- Tables 10' and longer are produced in 2 pieces.

Product Specifications

- Reference base requirements matrix for table tops on page 4-5 of this addendum
- Tops are high pressure laminate with wood banding or veneer with wood banding.
- Refer to page 3 of this addendum for grommet locations; specify and add \$75 US for **EACH** grommet.
- Conference table grommet diameter is 3.465".


Model Number Key

W Wood
 LW Laminate w/Wood Rim

Dimension Key

D Depth
 W Width
 H Height
 DI Diameter

Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
Universal Rectangular Top							
CCW3672RTW	J	\$ 1254	36	72	1 $\frac{1}{16}$	101 lbs.	4.7
CCW3672RTW	A,D,F,M	1730	36	72	1 $\frac{1}{16}$	101 lbs.	4.7
CCW3672RTLW	A,D,F,M	1730	36	72	1 $\frac{1}{16}$	101 lbs.	4.7
CCW4896RTW	J	\$ 1732	48	96	1 $\frac{1}{16}$	180 lbs.	8.3
CCW4896RTW	A,D,F,M	2391	48	96	1 $\frac{1}{16}$	180 lbs.	8.3
CCW4896RTLW	A,D,F,M	2391	48	96	1 $\frac{1}{16}$	180 lbs.	8.3
CCW48120RTW	J	\$ 2393	48	120	1 $\frac{1}{16}$	225 lbs.	10.4
CCW48120RTW	A,D,F,M	3303	48	120	1 $\frac{1}{16}$	225 lbs.	10.4
CCW48120RTLW	A,D,F,M	3303	48	120	1 $\frac{1}{16}$	225 lbs.	10.4
CCW48144RTW	J	\$ 2984	48	144	1 $\frac{1}{16}$	270 lbs.	12.4
CCW48144RTW	A,D,F,M	4117	48	144	1 $\frac{1}{16}$	270 lbs.	12.4
CCW48144RTLW	A,D,F,M	4117	48	144	1 $\frac{1}{16}$	270 lbs.	12.4
CCW48168RTW	J	\$ 3423	48	168	1 $\frac{1}{16}$	315 lbs.	14.3
CCW48168RTW	A,D,F,M	4755	48	168	1 $\frac{1}{16}$	315 lbs.	14.3
CCW48168RTLW	A,D,F,M	4755	48	168	1 $\frac{1}{16}$	315 lbs.	14.3
CCW48192RTW	J	\$ 3881	48	192	1 $\frac{1}{16}$	360 lbs.	16.2
CCW48192RTW	A,D,F,M	5391	48	192	1 $\frac{1}{16}$	360 lbs.	16.2
CCW48192RTLW	A,D,F,M	5391	48	192	1 $\frac{1}{16}$	360 lbs.	16.2



- For 168" and 192" table tops, the center grommet location consists of 2 grommets; add \$75 list for EACH grommet (G10C = \$150, G10A = \$300, G10CE = \$225)

All Wood or Laminate Top with Wood Rim

Base Model	Rim Profile	Grommet Location	Wood Finish	Laminate*	Rim Finish*
CCW36RDW	A Radius	G10C Center	HN Honey	HN Honey 462 Cinder	HN Honey
	D Bullnose	G10E End	AC Autumn	AC2 Autumn 2 480 Antique White	AC Autumn
	F Softened	G10LR Left, Right	MC Amber	MC Amber 802 White Nebula	MC Amber
	M Reed	G10A All	CW Cordovan	CW Cordovan 805 Titanium Evolv	CW Cordovan
	J Self (Wood only)	G10CE Center, End	MH Mocha	MH Mocha 809 Tungsten Evolv	MH Mocha
		X No Grommet	NM Natural	403 Chamois 813 Saffron Tigris	NM Natural
			CL Caramel	419 Wallaby 814 White Tigris	CL Caramel
			DW Judicial	420 Sandstone 817 Olive Legacy	DW Judicial
				425 Shadow 860 Neutral Santos	
				440 Cloud 873 Tawny Legacy	
			461 Graphite 874 Bronze Legacy		

Sample Model Numbers
CCW3672RTW A G10C AC

*Specify on Laminate/Wood units only

Model No.	Rim Profile	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
CCW3672RCW	J	\$ 1374	36	72	1 ¹ / ₁₆	101 lbs.	4.7
CCW3672RCW	A,D,F,M	1897	36	72	1 ¹ / ₁₆	101 lbs.	4.7
CCW3672RCLW	A,D,F,M	1897	36	72	1 ¹ / ₁₆	101 lbs.	4.7
QCCW4896RCW	J	\$ 1853	48	96	1 ¹ / ₁₆	180 lbs.	8.3
CCW4896RCW	J	1854	48	96	1 ¹ / ₁₆	180 lbs.	8.3
QCCW4896RCW	A	2557	48	96	1 ¹ / ₁₆	180 lbs.	8.3
CCW4896RCW	A,D,F,M	2557	48	96	1 ¹ / ₁₆	180 lbs.	8.3
CCW4896RCLW	A,D,F,M	2557	48	96	1 ¹ / ₁₆	180 lbs.	8.3
CCW48120RCW	J	\$ 2633	48	120	1 ¹ / ₁₆	225 lbs.	10.4
CCW48120RCW	A,D,F,M	3636	48	120	1 ¹ / ₁₆	225 lbs.	10.4
CCW48120RCLW	A,D,F,M	3636	48	120	1 ¹ / ₁₆	225 lbs.	10.4
CCW48144RCW	J	\$ 3221	48	144	1 ¹ / ₁₆	270 lbs.	12.4
CCW48144RCW	A,D,F,M	4448	48	144	1 ¹ / ₁₆	270 lbs.	12.4
CCW48144RCLW	A,D,F,M	4448	48	144	1 ¹ / ₁₆	270 lbs.	12.4
CCW48168RCW	J	\$ 3661	48	168	1 ¹ / ₁₆	298 lbs.	14.3
CCW48168RCW	A,D,F,M	5088	48	168	1 ¹ / ₁₆	298 lbs.	14.3
CCW48168RCLW	A,D,F,M	5088	48	168	1 ¹ / ₁₆	298 lbs.	14.3
CCW48192RCW	J	\$ 4121	48	192	1 ¹ / ₁₆	340 lbs.	16.2
CCW48192RCW	A,D,F,M	5724	48	192	1 ¹ / ₁₆	340 lbs.	16.2
CCW48192RCLW	A,D,F,M	5724	48	192	1 ¹ / ₁₆	340 lbs.	16.2

- For 168" and 192" table tops, the center grommet location consists of 2 grommets; add \$75 list for EACH grommet (G10C = \$150, G10A = \$300, G10CE = \$225)

Universal Racetrack Top



Conference and Training Solutions

Base Model

NC2472CBW

Rim Profile

A Radius
D Bullnose
F Softened
M Reed

A

Wood Finish

MH Mocha
CW Cordovan
MC Amber
AC Autumn
HN Honey
NM Natural
CL Caramel
DW Judicial

AC

Laminate*

HN Honey 462 Cinder
AC2 Autumn 2 480 Antique White
MC Amber 802 White Nebula
CW Cordovan 805 Titanium Evolv
MH Mocha 809 Tungsten Evolv
403 Chamois 813 Saffron Tigris
419 Wallaby 814 White Tigris
420 Sandstone 817 Olive Legacy
425 Shadow 860 Neutral Santos
440 Cloud 873 Tawny Legacy
461 Graphite 874 Bronze Legacy
L

Rim Finish*

MH Mocha
CW Cordovan
MC Amber
AC Autumn
HN Honey
NM Natural
CL Caramel
DW Judicial

Sample Model Number
NC2472CBW A AC

*Specify on Laminate/Wood units only

Model No.	Rim Profile	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
NC2472CBW	A,D,F,M	\$ 3325	24	72	35	320 lbs.	43
NC2472CBLW	A,D,F,M	3325	24	72	35	320 lbs.	43

Universal Buffet Credenza



- J Rim not available on this model
- Rim and chassis must be the same finish
- Do not specify grommet
- Matte/satin sheen not available

**Finish Key
(Wood Bases)**

MH Mocha
 CW Cordovan
 MC Amber
 AC Autumn
 HN Honey
 NM Natural
 CL Caramel
 DW Judicial

**Laminate Key
(Laminate Bases)**

MH Mocha
 CW Cordovan
 MC Amber
 AC2 Autumn 2
 HN Honey
 403 Chamois
 419 Wallaby
 420 Sandstone
 425 Shadow
 440 Cloud
 461 Graphite
 462 Cinder
 480 Antique White

To Order, Specify:

1. Model Number
2. Finish Designator

Sample Order Number:


BW-1616 / CW
 \ \
 Model No. Finish

Dimension Key

D Depth
 W Width
 H Height

Model No.	Description	List Price	Dimensions	Cartoned Weight	Cubic Feet
-----------	-------------	------------	------------	-----------------	------------


Cylinder Base



Model No.	Description	List Price	Dimensions		Cartoned Weight	Cubic Feet
			W	H		
BW-16	Wood	\$ 912	16	27½	145 lbs.	5.3
BP-16	Laminate	543	16	27½	145 lbs.	5.3

- Base is weighted for stabilization
- Do not specify base detail
- BW-16 and BP-16 are now available as Quick Ship models


Square Base




BW-1616

Model No.	Description	List Price	D	W	H	Cartoned Weight	Cubic Feet
BW-1616	Wood	\$ 828	16	16	27½	140 lbs.	5.3
BW-1616K	Wood	1005	18	18	27¾	140 lbs.	6.8
BW-1717W	Wood	1041	17½	17½	28	155 lbs.	7.6

- Base is weighted for stability
- BW-1616K and BW-1717W feature base detail on four sides and are notched for wire management



BW-1616K



BW-1717W

Conference and Training Solutions


- Reference base requirements matrix for table tops
- Table tops and bases are shipped separately.


Finish Key (Wood Bases)


MH	Mocha
CW	Cordovan
MC	Amber
AC	Autumn
HN	Honey
NM	Natural
CL	Caramel
DW	Judicial


Laminate Key (Laminate Bases)

MH	Mocha
CW	Cordovan
MC	Amber
AC2	Autumn 2
HN	Honey
403	Chamois
419	Wallaby
420	Sandstone
425	Shadow
440	Cloud
461	Graphite
462	Cinder
480	Antique White

Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
Panel Leg							
	BW-2427S	Wood	\$ 454	2	24	27 ³ / ₄	37 lbs. 1.7
	BP-2427S	Laminate	186	2	24	27 ³ / ₄	37 lbs. 1.7

Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
Curved Base							
	BP-2427C	Laminate	\$ 311	2	24	27 ³ / ₄	39 lbs. 2.9

Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
Double Doric Leg							
	CBW3428TT		\$ 459	8	30	28	29 lbs. 2.8
<ul style="list-style-type: none"> • Some assembly is required • Features side holes at the top and bottom of each leg for wire management • Black metal base 							


Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
H-Style Leg Base							
	CBW3428H		\$ 319	6	29 ¹⁵ / ₁₆	28	16.5 lbs. 3.4
<ul style="list-style-type: none"> • Black metal base 							

Dimension Key

D Depth
W Width
H Height


Model No.	Description	List Price	Dimensions		Cartoned Weight	Cubic Feet
-----------	-------------	------------	------------	--	-----------------	------------

2-Prong Base




			W	H		
B1-29MB	Black Base	\$ 210	29	28	16 lbs.	1.5

4-Prong Base




			W	H		
B4-29MB	Black Base	\$ 270	28	28	32 lbs.	1.4

4-Prong Base



			W	H		
B34-29MB	Black Base	\$ 352	34	28	32 lbs.	2.5

Wood Capped Base



			W	H		
BW-4	Wood Caps	\$ 357	32½	27½	21 lbs.	3.0

- Specify wood finish

WaveWorks

Components

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. Rim Color (Laminate units only)
5. Grommet
6. Sheen (Wood units only)
7. Top Finish
8. Rim Finish (Combo units only)

Specifications Options

See pages 14-15 of the Casegoods Price List for all options available in WaveWorks

Base Model Key

- W Wood Unit
- L Laminate Unit
- LW Laminate Top/Wood Rim
- T Thermofoil

Dimension Key


- D Depth
- W Width
- H Height

Product Specifications

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see page 21 of the Casegoods Price List for details.
- Wood, Laminate, Laminate/Wood and Thermofoil tops available
- Rim on all four sides of Laminate and Wood worksurfaces.
- See pages 14-15 in the Casegoods Price List for product specifications
- If specifying wood, you must specify the same finish for all options.

Sample Model Number

WWN4848WSSQW M T G1C R HN

Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			D	W	H		
Square Worksurface							
							
1 9/16" Top							
WWN4848WSSQW	Wood	\$ 874	48 1/16	48 1/16	1 9/16	76 lbs.	4.5
WWN4848WSSQL	Laminate	470	48 1/16	48 1/16	1 9/16	76 lbs.	4.5
WWN4848WSSQLW	Laminate/Wood	874	48 1/16	48 1/16	1 9/16	76 lbs.	4.5
WWN4242WSSQW	Wood	\$ 784	42 1/16	42 1/16	1 9/16	59 lbs.	3.8
WWN4242WSSQL	Laminate	421	42 1/16	42 1/16	1 9/16	59 lbs.	3.8
WWN4242WSSQLW	Laminate/Wood	784	42 1/16	42 1/16	1 9/16	59 lbs.	3.8
WWN3636WSSQW	Wood	\$ 678	36 1/16	36 1/16	1 9/16	45 lbs.	3.0
WWN3636WSSQL	Laminate	356	36 1/16	36 1/16	1 9/16	45 lbs.	3.0
WWN3636WSSQLW	Laminate/Wood	678	36 1/16	36 1/16	1 9/16	45 lbs.	3.0
1 3/16" Top							
WW4848WSSQW	Wood	\$ 766	48 1/16	48 1/16	1 3/16	76 lbs.	4.5
WW4848WSSQL	Laminate	366	48 1/16	48 1/16	1 3/16	76 lbs.	4.5
WW4848WSSQLW	Laminate/Wood	766	48 1/16	48 1/16	1 3/16	76 lbs.	4.5
WW4242WSSQW	Wood	\$ 676	42 1/16	42 1/16	1 3/16	59 lbs.	3.8
WW4242WSSQL	Laminate	318	42 1/16	42 1/16	1 3/16	59 lbs.	3.8
WW4242WSSQLW	Laminate/Wood	676	42 1/16	42 1/16	1 3/16	59 lbs.	3.8
WW4242WSSQT	Thermofoil	318	42 1/16	42 1/16	1 3/16	63 lbs.	3.0
WW3636WSSQW	Wood	\$ 571	36 1/16	36 1/16	1 3/16	45 lbs.	3.0
WW3636WSSQL	Laminate	243	36 1/16	36 1/16	1 3/16	45 lbs.	3.0
WW3636WSSQLW	Laminate/Wood	571	36 1/16	36 1/16	1 3/16	45 lbs.	3.0
WW3636WSSQT	Thermofoil	243	36 1/16	36 1/16	1 3/16	48 lbs.	2.3

- The only available factory installed grommet is the standard round or racetrack grommet in the Center location of the worksurface
- NACG10 and NACG10EL can be ordered separately and field installed (see page 7 of this addendum)
- NACG15EL can be ordered separately and field installed (see page 536 of the Casegoods Price List)

WaveWorks

To Order, Specify:

1. Model Number
2. Worksurface Type
3. Rim
4. Rim Color (Laminate units only)
5. Grommet
6. Sheen (Wood units only)
7. Top Finish
8. Rim Finish (Combo units only)

Specifications Options

See pages 14-15 of the Casegoods Price List for all options available in WaveWorks

Base Model Key

- W Wood Unit
- L Laminate Unit
- LW Laminate Top/Wood Rim
- T Thermofoil

Dimension Key

- D Depth
- W Width
- H Height
- DI Diameter


Sample Model Number

WWN48WSRNW T G1C R HN

Product Specifications

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see page 21 of the Casegoods Price List for details.
- Wood, Laminate, Laminate/Wood and Thermofoil tops available
- See pages 14-15 in the Casegoods Price List for product specifications
- If specifying wood, you must specify the same finish for all options.

Model No.	Description	List Price	Dimensions	Cartoned Weight	Cubic Feet
Round Worksurface					
1⁹/₁₆" Top			DI H		
WWN48WSRNW	Wood	\$ 887	48 ¹ / ₁₆ 1 ⁹ / ₁₆	71 lbs.	4.5
WWN48WSRNL	Laminate	477	48 ¹ / ₁₆ 1 ⁹ / ₁₆	71 lbs.	4.5
WWN48WSRNLW	Laminate/Wood	887	48 ¹ / ₁₆ 1 ⁹ / ₁₆	71 lbs.	4.5
WWN42WSRNW	Wood	\$ 797	42 ¹ / ₁₆ 1 ⁹ / ₁₆	54 lbs.	3.8
WWN42WSRNL	Laminate	424	42 ¹ / ₁₆ 1 ⁹ / ₁₆	54 lbs.	3.8
WWN42WSRNLW	Laminate/Wood	797	42 ¹ / ₁₆ 1 ⁹ / ₁₆	54 lbs.	3.8
WWN36WSRNW	Wood	\$ 686	36 ¹ / ₁₆ 1 ⁹ / ₁₆	40 lbs.	3.0
WWN36WSRNL	Laminate	353	36 ¹ / ₁₆ 1 ⁹ / ₁₆	40 lbs.	3.0
WWN36WSRNLW	Laminate/Wood	686	36 ¹ / ₁₆ 1 ⁹ / ₁₆	40 lbs.	3.0
1³/₁₆" Top			DI H		
WW48WSRNW	Wood	\$ 779	48 ¹ / ₁₆ 1 ³ / ₁₆	71 lbs.	4.5
WW48WSRNL	Laminate	374	48 ¹ / ₁₆ 1 ³ / ₁₆	71 lbs.	4.5
WW48WSRNLW	Laminate/Wood	779	48 ¹ / ₁₆ 1 ³ / ₁₆	71 lbs.	4.5
WW48WSRNT	Thermofoil	374	48 ¹ / ₁₆ 1 ³ / ₁₆	81 lbs.	3.8
WW42WSRNW	Wood	\$ 689	42 ¹ / ₁₆ 1 ³ / ₁₆	54 lbs.	3.8
WW42WSRNL	Laminate	321	42 ¹ / ₁₆ 1 ³ / ₁₆	54 lbs.	3.8
WW42WSRNLW	Laminate/Wood	689	42 ¹ / ₁₆ 1 ³ / ₁₆	54 lbs.	3.8
WW42WSRNT	Thermofoil	321	42 ¹ / ₁₆ 1 ³ / ₁₆	63 lbs.	3.0
WW36WSRNW	Wood	\$ 578	36 ¹ / ₁₆ 1 ³ / ₁₆	40 lbs.	3.0
WW36WSRNL	Laminate	249	36 ¹ / ₁₆ 1 ³ / ₁₆	40 lbs.	3.0
WW36WSRNLW	Laminate/Wood	578	36 ¹ / ₁₆ 1 ³ / ₁₆	40 lbs.	3.0
WW36WSRNT	Thermofoil	249	36 ¹ / ₁₆ 1 ³ / ₁₆	48 lbs.	2.3



- Do not specify worksurface type
- Zip rim option does not have "run-out" on curve of round worksurface
- The only available factory installed grommet is the standard round or racetrack grommet in the Center location of the worksurface
- NACG10 and NACG10EL can be ordered separately and field installed (see page 7 of this addendum)
- NACG15EL can be ordered separately and field installed (see page 536 of the Casegoods Price List)

Product Specifications


- Refer the base/table matrix on pages 168-169 of the Caseloads Price List for recommended worksurface and base applications

Dimension Key

- D Depth
- W Width
- H Height
- DI Diameter


Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			DI	W	H		
CBV2728CL1	Black	\$ 208	2	26 ⁵ / ₁₆	27 ³ / ₄	10 lbs.	3.8
CBV2128CL1	Black	190	2	20 ¹ / ₂	27 ³ / ₄	9 lbs.	3.0

Basic C-Leg Base Static



- Adjustable glides standard
- Grommets should be field installed on surfaces utilizing a C Leg
- Includes one leg per carton
- For CBV2728CL1 reference the 27" Static C Base Requirements on page 168-169 of the Caseloads Price List
- For CBV2128CL1 reference the 21" Static C Base Requirements on page 168-169 of the Caseloads Price List

Basic C-Leg Base Mobile



Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
			DI	W	H		
CBV2728CLM1	Black	\$ 222	2	26 ⁵ / ₁₆	27 ³ / ₄	10 lbs.	3.8
CBV2128CLM1	Black	202	2	20 ¹ / ₂	27 ³ / ₄	9 lbs.	3.0

- Dual wheel locking casters
- Grommets should be field installed on surfaces utilizing a C Leg
- Includes one leg per carton
- For CBV2728CLM1 reference the 27" Mobile C Base Requirements on page 168-169 of the Caseloads Price List
- For CBV2128CLM1 reference the 21" Mobile C Base Requirements on page 168-169 of the Caseloads Price List

Product Specifications


- Refer the base/table matrix on pages 168-169 of the Casegoods Price List for recommended worksurface and base applications

Dimension Key

- D Depth
- W Width
- H Height
- DI Diameter

Model No.	Description	List Price	Dimensions			Cartoned Weight	Cubic Feet
-----------	-------------	------------	------------	--	--	-----------------	------------


Basic T-Leg Base Static



Model No.	Description	List Price	DI	W	H	Cartoned Weight	Cubic Feet
CBV2128T1	Black	\$ 190	2	20½	27¾	10 lbs.	3.0

- Adjustable glides standard
- Includes one leg per carton
- For CBV2128CT1 reference the 21" Static T Base Requirements on page 168-169 of the Casegoods Price List


Basic T-Leg Base Mobile



Model No.	Description	List Price	DI	W	H	Cartoned Weight	Cubic Feet
CBV2128TM1	Black	\$ 202	2	20½	27¾	10 lbs.	3.0

- Dual wheel locking casters
- Includes one leg per carton
- For CBV2128CTM1 reference the 21" Mobile T Base Requirements on page 168-169 of the Casegoods Price List

Basic Folding Leg



Model No.	Description	List Price	DI	W	H	Cartoned Weight	Cubic Feet
CBV2128TF (Set)	Black	\$ 567	2	20½	27¾	21 lbs.	2.25

- Includes 2 legs per carton
- Folding leg to be used with 24", 30", and 36" deep worksurfaces
- Folding leg to be used on all 48", 54" and 60" long worksurfaces
- For CBV2128TF reference the 21" Static T Base Requirements on page 168-169 of the Casegoods Price List

