



Seating Upholstery Alliance Program

DesignTex Customer Service 800.221.1540 or www.designtex.com

Order memo samples through DesignTex Customer Service or www.designtex.com

All patterns not listed must be ordered as COM

This document is considered the most up-to-date listing of DesignTex graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge.

Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Acacia	O	2	No	08.19: 501, 502, 701	60% Pre-Consumer Recycled Polyester, 40% Post-Consumer Recycled Polyester	Crypton Green	Fluid Barrier	No	TB133 Burn Test Required
Adler	F	None	No		100% Polyester	Stain Repellent	Acrylic	No	Approved
Alcazar	F	None	No	03.20: 101, 102, 401, 502, 701	100% Vinyl	Resilience	Cotton, Knit, Polyester	No	TB133 Burn Test Required
Alchemy	E	1	No		100% Vinyl	BeautyGard Supreme	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Aloft	E	None	No		1% Polyester, 99% Postconsumer recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Annex	G	None	No		100% Vinyl	Morecare	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Anni	M	2,4	No		66% Acrylic, 34% Polyester	None	None	No	TB133 Burn Test Required
Appleseed	H	None	No		57% Polyester, 43% Post-Consumer Recycled Polyester	NaNosphere	None	No	Approved
Arne	E	None	No		100% Polyester	None	Acrylic	No	Approved
Aspect	C	None	No		100% Vinyl	Resilience	Knit, Polyester	No	TB133 Burn Test Required
Atria	M	2	No		25% Nylon (Solution Dyed), 75% Polyester (Postconsumer Recycled)	Nano Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bark Cloth	G	None	No		40% Acrylic, 60% Pre-Consumer Recycled Polyester	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Beguiled by the Wild	M	2	No		100% Polyurethane (Polycarbonate based)	Cleangene & Silicone	Knit, Polyester	No	TB133 Burn Test Required
Big Dot	G	None	Whim Card		100% Polyurethane (Polycarbonate based)	Cleangene & Silicone	Knit, Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Big Texture	I	None	No		43% Acrylic; 57% Polyester	SR	Acrylic	No	TB133 Burn Test Required
Billiard Cloth	F	None	Whim Card		100% Polyester	Crypton	Fluid Barrier	No	TB133 Burn Test Required
Birch Bark Plaid	O	2	No		37% Cotton, 35% Post-Consumer Recycled Polyester, 28% Solution Dyed Nylon	NaNosphere	Acrylic	No	TB133 Burn Test Required
Birdseye	B	None	No		18% Polyester, 82% Polyester (Postconsumer Recycled)	None	None	No	Approved
BitDrift	K	None	No		100% Polyester	Crypton	Acrylic, Fluid Barrier	No	TB133 Burn Test Required
Boucle	J	None	No		100% Post-Consumer Recycled Polyester	GreenShield	None	No	Approved
Boucle Dot	H	None	No		13% Nylon 87% Polyester	Stain Resistant	Acrylic	No	TB133 Burn Test Required
Brushed Flannel	D	None	No		100% Polyester	None	None	No	Approved
Building Blocks	I	None	No		23% Nylon (Solution Dyed), 77% Polyester	Nano Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bunta	J	2	No		37% Polyester, 63% Cotton	NaNotex	Acrylic	No	TB133 Burn Test Required
Burlap Weave	G	4	No		100% Polyester	Water Replent	Polyester	No	TB133 Burn Test Required
Burrard	L	2	No		15% Nylon, 15% Polyester, 70% Cotton	None	Non woven -Polyester Polyurethane	No	TB133 Burn Test Required
Bute Braemar	P	2,3	No		100% Wool	Flame Retardant	None	Yes	Approved
Bute Lewis	N	2,3	No		100% Wool	Flame Retardant	None	Yes	Approved
Bute Melrose	M	3	No		3% Nylon, 97% Wool	Flame Retardant	None	Yes	Approved
Bute Tweed	L	3	No		100% Wool	Flame Retardant	None	Yes	Approved
Carom	S	2	No		16% Nylon (Solution Dyed), 84% Polyester	Nano Stain Resistant	Acrylic	No	TB133 Burn Test Required
Chapiteau	H	2	No		35% Acrylic, 59% Polyester, 6% Rayon	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Clad Celliant	D	None	No		22% Cotton, 78% Polyester	None	Celliant	No	TB133 Burn Test Required
Cloud Velvet	D	4	No		100% Polyester	Water Replent	Polyester	No	TB133 Burn Test Required
Code	L	2	No		32% Solution Dyed Nylon, 68% Post-Consumer Recycled Polyester	Nano Stain Resistant	Acrylic	No	Approved
Collier	K	2	No		46% Polyester (without Antimony); 54% Polyester (Postconsumer Recycled)	Stain Repellent	Acrylic	No	Approved
Colten	H	2	No		5% Polyester; 45% Polyester (without Antimony); 50% Polyester (Preconsumer Recycled)	Stain Repellent	Acrylic	No	Approved

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Concept	M	2	No		100% Post-Consumer Recycled Polyester	None	None	No	Approved
Course	S	2,3	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	None	Acrylic	No	Approved
CrissCross	N	2	No		100% Polyester	Crypton	Acrylic	No	TB133 Burn Test Required
Crosshatch	J	None	No		91% Nylon Microfiber, 4.5% Polycarbonate Polyurethane, 4.5% Polyester	None	None	No	TB133 Burn Test Required
Crossweave	D	None	No		34% Polyester, 66% Post-Consumer Recycled Solution Dyed Polyester	None	None	No	Approved
Crosswind	J	2	No	03.20: 103	100% Vinyl	PBG+ with Silverguard	Knit, Polyester	No	TB133 Burn Test Required
Cubitt	K	1	No		25% Nylon, 75% Polyester	Nano SR	Acrylic	No	TB133 Burn Test Required
Current	H	2	Whim Card		100% Vinyl	PBG & Silvergaurd	Knit, Polyester	No	TB133 Burn Test Required
Dapple	K	None	No		100% Polyester	None	None	No	Approved
Dart	M	2	No		24% Solution Dyed Nylon, 76% Post-Consumer Recycled Polyester	NaNosphere	Acrylic	No	TB133 Burn Test Required
Delaine	G	None	No		100% Polyester	Crypton Green	Acrylic, Fluid Barrier	No	TB133 Burn Test Required
Distressed Texture	G	None	No		100% Polyester	Stain Resistant	Acrylic	No	TB133 Burn Test Required
Double Weave	M	2	No		100% Polyester	None	None	No	TB133 Burn Test Required
Draft	I	None	No		22% Solution Dyed Nylon, 78% Polyester	NaNosphere	Acrylic	No	TB133 Burn Test Required
Drift	F	None	No		100% Polyester	None	Acrylic	No	Approved
Ellipsis	C	None	No		41% Post-Consumer Recycled Polyester, 59% Polyester	None	None	No	Approved
Encircle	J	None	No		100% Polyurethane (Polycarbonate Based)	Advanced Protective Top coat	Knit, Polyester	No	TB133 Burn Test Required
Everywhere Texture	E	None	No		100% Polyester	None	None	No	Approved
Faux Sure	J	None	No	05.20: 502	91% Nylon Microfiber, 4.5% Polycarbonate Polyurethane, 4.5% Polyester	None	None	No	TB133 Burn Test Required
Five Cities	K	None	No		100% Polyester	Crypton	Acrylic, Fluid Barrier	No	TB133 Burn Test Required
Florin	J	2	No		100% Vinyl	Permablok with Silverguard	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Fluent	K	2	No		33% Polyester, 67% Acrylic	Stain Resistant	None	No	TB133 Burn Test Required
Fomo	E	4	No		25% Acrylic 25 % Cotton 41% Polyester 9% Rayon	Stain Resistant	None	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Forestbound	F	None	No		100% Polyurethane (Polycarbonate based)	Sta-Kleen	Knit, Polyester	No	TB133 Burn Test Required
Friendly Faux	J	None	No		91% Nylon Microfiber, 4.5% Polycarbonate Polyurethane, 4.5% Polyester	None	None	No	TB133 Burn Test Required
Gale	G	None	No	03.20: 103, 201, 402, 403	100% Vinyl	PBG+ with Silverguard	Polyester	No	TB133 Burn Test Required
Gamut	B	None	No	08.19: 102, 103, 105, 106, 107, 201, 203, 301, 302, 303, 306, 401, 501, 502, 505, 506, 507, 508, 601, 602, 603, 702, 804, 807, 809 Restricted due to transparency: 101,801,802	100% Post-Consumer Recycled Polyester	Stain Repellent	None	No	Approved
Gamut Celliant	B	None	No		100% Polyester	Stain Repellent	Celliant	No	TB133 Burn Test Required
Gleam	J	None	No		20% Polyester, 35% Solution Dyed Nylon, 45% Post-Consumer Recycled Polyester	Stain Repellent	Acrylic	No	Approved
Gridley	C	None	No		15% Polyester; 85% Polyester (Postconsumer Recycled)	Nano SR	None	No	Approved
Hashtag	D	None	Whim Card		47% Acrylic, 53% Polyester	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Hatchmark	L	None	No		25% Solution Dyed Nylon, 75% Pre-Consumer Recycled Polyester	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Heather	K	3	No	11.19: 102, 103, 104, 105, 201, 301, 302, 303, 304, 501, 502, 503, 504, 505, 601, 602, 603, 604, 701	20% Nylon, 80% Wool	None	None	No	TB133 Burn Test Required
Hem Stitch	E	None	No		1% Polyester, 9% Preconsumer Recycled Polyester, 90% Post-Consumer Recycled Polyester	None	None	No	Approved
Hint	H	None	No		50% Acrylic, 50% Polyester	None	None	No	Approved
Holmes	M	2	No		10% Acrylic, 18% Polyester, 5% Rayon, 67% Cotton	None	None	No	TB133 Burn Test Required
Hyde	B	None	No		100% Vinyl	Resilience	Knit, Polyester	No	TB133 Burn Test Required
Hyphen	H	None	No		30% Pre-Consumer Recycled Polyester, 70% Post-Consumer Recycled Polyester	None	None	No	Approved
Ink	P	2	Whim Card		76% Polyester, 17% Nylon, 7% Post-Consumer Recycled Polyester	Nano Stain Resistant	Acrylic	No	TB133 Burn Test Required
Inkling	M	2	No		31% Nylon, 34% Pre-Consumer Recycled Polyester, 35% Rayon	SR	Acrylic	No	TB133 Burn Test Required
Inside Edge	G	None	No		100% Vinyl	Permablock	Knit, Polyester	Varies by Color	**Approved on many TB133 seating models; restricted on lounge models
Interlock	S	2	No		100% Polyurethane (Polycarbonate based)	Cleangene & Silicone	Knit, Polyester	No	TB133 Burn Test Required
Interlude	S	2	No		100% Polyurethane (Polycarbonate based)	Advanced Protective Topcoat	Knit, Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Jaunt	P	2,3	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	SR	Acrylic	No	Approved
Josef	H	None	No		37% Acrylic, 63% Polyester	None	None	No	TB133 Burn Test Required
Journey	O	None	No		91% Nylon Microfiber, 4.5% Polycarbonate Polyurethane, 4.5% Polyester	None	None	No	TB133 Burn Test Required
Kami	M	2	No		17% Polyester (Non-halogenated Flame Retardant, Trevira CS), 83% Polyester	None	None	Yes	Approved
Keen	K	2	No		100% Vinyl	Advanced Protective Topcoat	Knit, Polyester(without Antimony)	No	TB133 Burn Test Required
Lambert	L	None	No		23% Rayon, 35% Cotton, 36% Wool, 6% Nylon	None	Acrylic	No	TB133 Burn Test Required
Latitude	T	2	No		37% Solution Dyed, Sunbrella Polyester, 63% Solution Dyed, Sunbrella Acrylic	Defiance	None	No	TB133 Burn Test Required
Lattice	M	2,3	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	Stain Repellent	Acrylic	No	Approved
Leap	K	8	No	03.20: 501	100% Vinyl	Knit, Polyester	PBG+ with silverguard	No	TB133 Burn Test Required
Leaves	K	2	No		100% Polyurethane	Cleangene & Silicone	Knit, Polyester	No	TB133 Burn Test Required
Line Variations	K	None	No		100% Polyester	Crypton	Acrylic, Fluid Barrier	No	TB133 Burn Test Required
Linen Like	E	None	No		15% Linen 35% Rayon 50% Polyester	Nano Stain resistant	Acrylic	No	TB133 Burn Test Required
Linnen	G	None	No		100% Polyurethane (Polycarbonate based)	StaKleen	Woven	No	TB133 Burn Test Required
Little Dot	K	2	No		100% Polyurethane (Polycarbonate based)	Cleangene & Silicone	Knit, Polyester	No	TB133 Burn Test Required
Loop to Loop	L	2	Whim Card	08.19: 101, 502, 601, 602, 803	87% Post-Consumer Recycled Polyester, 12% Pre-Consumer Recycled Polyester, 1% Polyester	None	None	No	Approved
Lumi	S	2	No		100% Polyurethane (Polycarbonate based)	None	Polyester	No	TB133 Burn Test Required
Luster	H	None	No		100% Polyurethane (Polycarbonate based)	Cleangene & Silicone	Knit, Polyester	No	TB133 Burn Test Required
Mark	E	None	No		22% Nylon; 78% Polyester	Nano Stain Resistant	Acrylic	No	TB133 Burn Test Required
Mateo	G	None	No		14% Polyester (Preconsumer Recycled), 86% Polyester (Postconsumer Recycled)	None	None	No	TB133 Burn Test Required
Measure	F	2	Whim Card		68% Polyester, 32% Cotton	Synset	Acrylic	No	TB133 Burn Test Required
Melange	F	None	No		100% Polyester	None	None	No	Approved
Metallo	G	None	No		100% Polyurethane (Polycarbonate based)	Advanced Protective Topcoat	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Metta	E	None	No		100% Vinyl	Permablok	Knit, Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Microgrid	F	1	No		100% Polyurethane (Polycarbonate based)	Sta-Kleen	Polyester	No	TB133 Burn Test Required
Migration	M	None	No		91% Nylon Microfiber, 4.5% Polycarbonate Polyurethane, 4.5% Polyester	None	None	No	TB133 Burn Test Required
Minnie	B	None	No		50% Polyester, 50% Post-Consumer Recycled Polyester	None	None	No	Approved
Mod	P	2,6	No		25% Solution Dyed Nylon, 74% Post-Consumer Recycled Polyester	NaNosphere	Acrylic	No	TB133 Burn Test Required
Modern Tweed	M	None	No		15% Acrylic, 85% Polyester	None	None	No	TB133 Burn Test Required
Mohair Plus	S	4	No		49% Mohair, 51% Cotton	None	None	No	TB133 Burn Test Required
Motif	Q	2,3	No		26% Solution Dyed Nylon, 74% Pre-Consumer Recycled Solution Dyed Nylon	Stain Repellent	Acrylic	No	Approved
Mountainous	K	None	No		100% Polyester	None	None	No	TB133 Burn Test Required
Nexus	N	2	No		29% Nylon, 34% Cotton, 37% Polyester	NaNosphere	Acrylic	No	TB133 Burn Test Required
Opulent	D	None	No		100% Polyester	None	Stain Repellent	No	Approved
Pause	G	None	No		100% Polyester (Postconsumer Recycled, Solution Dyed)	None	None	No	TB133 Burn Test Required
Pave	M	2	No		100% Vinyl	Advanced Protective Topcoat	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Pennington	S	2	No		34% Acrylic 66% Polyester	None	None	No	TB133 Burn Test Required
PheNomena	P	2	No		29% Solution Dyed Nylon, 71% Post-Consumer Recycled Polyester	NaN SR	Acrylic	No	Approved
Pigment	L	3	No		100% Wool	None	None	No	Approved
Pika	E	None	No		47% Polyester, 53% Acrylic	Stain Repellent	Acrylic	No	Approved
Pinpoint	M	2,3	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	None	Acrylic	No	Approved
Pivot	F	None	No		100% Polyurethane (Polycarbonate based)	Sta-Kleen	Polyester	No	TB133 Burn Test Required
Pixel	J	None	No		30% Pre-Consumer Recycled Polyester, 70% Post-Consumer Recycled Polyester	none	None	No	Approved
Pixel Cloud	K	None	No		100% Polyester	None	None	No	TB133 Burn Test Required
Plaid	R	2	No		6% Polyester, 94% Acrylic	None	None	No	TB133 Burn Test Required
Pleat	J	None	No		100% Bella-Dura Olefin	Stain Repellent	None	No	TB133 Burn Test Required
Pop Art	N	2	No		100% Polyester (Postconsumer Recycled)	none	none	No	Approved

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Prime	C	None	No	08.19: 301, 601, and 602	100% Vinyl	PreFixx	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Prompt	L	None	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	None	Acrylic	No	Approved
Queue	T	2	No		19% Solution Dyed Nylon, 81% Polyester	NaNo SR	acrylic	No	TB133 Burn Test Required
Rail	S	2,3	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	Stain Repellent	Acrylic	No	Approved
Rainwater	L	None	No		100% Polyurethane (Polycarbonate based)	Advanced Protective Topcoat	Knit, Polyester	No	TB133 Burn Test Required
Reppweave	E	None	No		100% Polyester	Stain Repellent	Acrylic	No	Approved
Revelry	K	2	No		100% Vinyl	Resilience	Knit, Polyester	No	TB133 Burn Test Required
Rise	D	None	No		100% Vinyl	Resilience	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Rocket	C	None	No	05.20: 102, 104, 303, 501, 502, 503, 504, 601, 602, 702	28% Polyester, 72% Post-Consumer Recycled Polyester	naNotex	None	No	Approved
Rodenbach	L	3	No		1% Cotton, 15% Nylon, 18% Rayon, 2% Polyester, 21% Acrylic, 43% Wool	None	Acrylic	No	TB133 Burn Test Required
Rothesay	L	3	No		100% Wool	None	None	No	Approved
Round Leaves	R	2,3	No		100% Nylon (Preconsumer Recycled, Solution Dyed)	Teflon	Acrylic	No	Approved
Rove	G	None	Whim Card		100% Vinyl	None	Cotton, Wove	Yes	**Approved on many TB133 seating models; restricted on lounge models
Rumeli	E	None	No	03.20: 104, 201, 301, 302, 401, 403, 404, 501, 503, 601, 701, 702	100% Vinyl	Permablok	Knit, Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Samba	L	None	No		100% Polyester	Crypton	Fluid Barrier	No	TB133 Burn Test Required
Samba Otra Vez	L	None	No		100% Polyester	Crypton	Fluid Barrier	No	TB133 Burn Test Required
Scale	L	2	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Schism	F	4	No		100% Acrylic	Stain Resistant	Acrylic	No	TB133 Burn Test Required
Shimmering Tide	M	None	No		91% Nylon Microfiber, 4.5% Polycarbonate Polyurethane, 4.5% Polyester	None	None	No	TB133 Burn Test Required
Shortcut	P	2	Whim Card		80% Polyester, 20% Nylon	NaNo Stain Repellent	Acrylic	No	TB133 Burn Test Required
Silicone Element	J	None	No		100% Silicone	None	Polyester	No	TB133 Burn Test Required
Silicone Element Celliant	K	None	No		100% Silicone	None	Celliant	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Silicone Nappa	J	None	No		100% Silicone	None	Knit, Polyester	No	TB133 Burn Test Required
Singing in the Rain	C	None	No		100% Polyester (Postconsumer Recycled)	Nanos Stain Resistant finish	Acrylic	No	TB133 Burn Test Required
Sketch	T	2	No		100% Vinyl	Advanced Protective Topcoat	Knit, Polyester(without Antimony)	No	TB133 Burn Test Required
Social Dance	K	None	No		100% Polyester	Crypton	Acrylic, Fluid Barrier	No	TB133 Burn Test Required
Sorano	D	None	No	03.20: 507	100% Vinyl	Prefixx	Knit, Polyester	No	TB133 Burn Test Required
Span	D	None	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Spandau	E	None	No	03.20: 502	100% Vinyl	None	Knit, Polyester	Varies by Color	TB133 Burn Test Required
Splendor	E	None	No		33% Rayon, 67% Polyester	None	None	No	TB133 Burn Test Required
Splice	K	2	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Split	I	2	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Starburst	R	2	Whim Card		18% Wool, 35% Acrylic, 47% Polyester	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Stride	D	None	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Subtle	F	None	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
System	L	2	No		2% Polyester; 98% Acrylic	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Tack Cloth	K	2	No		1% Polyester, 14% Pre-Consumer Recycled Polyester, 85% Post-Consumer Recycled Polyester	None	None	No	Approved
Tap	L	2	No		27% Nylon , 73% Polyester (Post consumer Recycled)	Nanos Stain Resistant finish	Acrylic	No	TB133 Burn Test Required
Terra	G	None	No		100% Polyurethane (Polycarbonate based)	Sta-Kleen	Cotton, Polyester, Woven	No	TB133 Burn Test Required
Tiny Herringbone	H	None	No		19% Rayon, 81% Polyester	Stain Repellent	None	No	TB133 Burn Test Required
Tramway	O	2	No		23% Polyester, 29% Solution Dyed Nylon, 48% Post-Consumer Recycled Polyester	NaNosphere	Acrylic	No	Approved
Treeline	Q	2	No		100% Polyurethane (Polycarbonate based)	Advanced Protective Topcoat	Knit, Polyester	No	TB133 Burn Test Required
Trove	D	None	No		100% Vinyl	Resilience	Knit, Polyester	No	TB133 Burn Test Required
Tumbleweed	I	None	No		46% Post-Consumer Recycled Polyester, 54% Pre-Consumer Recycled Polyester	Crypton Green	Fluid Barrier	No	TB133 Burn Test Required
Tweed Multi	D	None	No		41% Acrylic, 59% Polyester	Stain Repellent	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Ulster	A	None	No		100% Polyester	None	None	No	Approved
Ulster Upholstery	B	None	No		100% Polyester	Nano SR	Acrylic	No	Approved
Union Cloth	E	None	No		100% Polyester	Acrylic	Water Repellent	No	Approved
Urban Grid	M	2	No		24% Polyester, 31% Solution Dyed Nylon, 45% Post-Consumer Recycled Polyester	NaNosphere	None	No	Approved
Vero	G	None	No		100% Polyurethane (Polycarbonate based)	Sta-Kleen	Cotton, Polyester, Woven	No	TB133 Burn Test Required
Vine	Q	2	No		100% Vinyl	Advanced Protective Topcoat	Knit, Polyester(without Antimony)	Varies by Color	TB133 Burn Test Required
W	G	None	No		18% Cotton, 82% Polyester	Stain Repellent	Acrylic	No	TB133 Burn Test Required
Whim	F	None	Whim Card	Dec. 2020 Deletion	100% Polyester	Stain Repellent	Acrylic	No	Approved
Windowpane	J	2	No		18% Solution Dyed Nylon, 82% Post-Consumer Recycled Polyester	NaNosphere	acrylic	No	TB133 Burn Test Required
Woodcut	H	None	No		100% Polyester	NaNosphere	Acrylic	No	TB133 Burn Test Required
Woolish	C	None	No		15% Polyester; 85% Polyester (Postconsumer Recycled)	Nanos Stain Resistant finish	None	No	TB133 Burn Test Required
Woven Texture	T	2,3	No		2% Nylon, 98% Wool	None	None	No	TB133 Burn Test Required
Yucca	H	None	No		1% Nylon, 13% Post-Consumer Recycled Polyester, 25% Pre-Consumer Recycled Polyester, 27% Polyester, 27% Rayon, 7% Olefin	Stain Repellent	Acrylic	No	TB133 Burn Test Required

Textile Appearance Guidelines

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1-4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1. Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
2. Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
3. Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4. Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

Textile Restriction Guidelines

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5. This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6. Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Textile Application Guidelines

Seating Series	1	2	3	4	5	6
Acquaint	✓		✓	✓		✓
Admire	✓		✓	✓		
Araldo	✓	✓	✓	✓		✓
Arlington	✓		✓	✓		
Arlington Tufted	✓	✓	✓	✓		
Aurora Executive	✓	✓	✓	✓	✓	✓
Aurora guest	✓		✓	✓		✓
Cinch	✓		✓	✓	✓	
Collette	✓		✓	✓		✓
Confide Lounge	✓		✓	✓	✓	✓
Confide Guest	✓		✓	✓		✓
Davari	✓		✓	✓		✓
Delgado	✓		✓	✓	✓	✓
Ditto	✓		✓	✓		
Eloquence Executive/Lounge	✓		✓	✓		✓
Eloquence guest/tandem/bariatric	✓		✓	✓		
Essay upholstered seat	✓		✓	✓	✓	
Farrah	✓		✓	✓		✓
Fringe	✓	✓	✓	✓		✓
Fuel plastic back	✓		✓	✓		
Fuel upholstered back	✓		✓	✓	✓	
Gotcha plastic back	✓		✓	✓		
Gotcha upholstered back	✓		✓	✓	✓	
Grin	✓		✓	✓	✓	✓
Hobsen	✓	✓	✓	✓		✓
Idara	✓	✓	✓	✓		✓
Jiminy	✓		✓	✓		✓
Kozmic	✓	✓	✓	✓		✓
Laudio	✓		✓	✓		✓
Lavoro mesh/plastic back	✓		✓	✓		✓
Lavoro upholstered back	✓		✓	✓	✓	✓
Mabel	✓		✓	✓	✓	✓
Mix-it Mesh/Plastic Back	✓		✓	✓		✓
Mix-it upholstered back	✓		✓	✓	✓	✓
Monterrey	✓		✓	✓		✓
Pennant	✓		✓	✓		✓
Remedy	✓	✓	✓	✓		✓
Reno	✓		✓	✓		✓
Respect	✓	✓	✓	✓		✓
Rizora	✓		✓	✓		
Swift	✓		✓	✓		✓
Tag	✓		✓	✓		✓
Tellaro	✓	✓	✓	✓		✓

Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Timberlane	✓		✓	✓		
Toss Accent Pillow, Bean Bags, Floor Cushions, Wedges & Cushions	✓		✓	✓		✓
Triumph Wood	✓	✓	✓	✓		✓
Vora	✓		✓	✓		✓
Wander	✓		✓	✓		✓
Weitz	✓		✓	✓		
Weli	✓	✓	✓	✓		✓
Whimsy	✓		✓	✓		✓
Whirl	✓		✓	✓		✓

Textile Application Guidelines						
Casegoods series	1	2	3	4	5	6
Alloy, Casbah, Clever, Epic, Renegade, Tessera, and WaveWorks; Mobile Pedestal Cushion Tops	✓		✓	✓		
Marnia			✓	✓		✓
Tessera Benches	✓		✓	✓		✓
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓
Wixler	✓		✓	✓		

Look for the seating series below. If the desired fabric had a TB133 status of "Approved on many TB133 seating models. Restricted on Lounge", the matrix below advises if the fabric is available for TB133.

Series	TB133 Approved	TB133 fabric restrictions vary by model # within series	TB133 Not Approved
Acquaint	✓		
Admire	✓		
Arlington		*✓	
Aurora	✓		
Cinch	✓		
Collette			✓
Confide Lounge			✓
Confide Guest/Side		*✓	
Davari	✓		
Eloquence lounge			✓
Eloquence Guest/executive	✓		
Farrah			✓
Fringe			✓
Fuel	✓		
Grin			✓
Jiminy	✓		
Kozmic			✓
Lavoro (non-mesh)			✓
Mix-it	✓		
Monterrey			✓
Pennant			✓
Remedy	✓		
Reno			✓
Respect	✓		
Swift			✓
Tag	✓		
Tellaro			✓
Timberlane	✓		
Triumph		✓	
Whimsy	✓		

*If fabric is noted "TB133 fabric restrictions vary by model # within series", these are the restricted models:

ARLINGTON

451F
451TF
452F
452TF

CONFIDE GUEST/SIDE

N78PAUF

TRIUMPH

89X-EUEXCF
89X-EUFXCF
89X-MUXXCF
89X-MUFXCF