



## Seating Upholstery Alliance Program

Maharam Customer Service @ 800.645.3943

Order memo samples through Maharam customer service, National's website alliance page or [www.maharam.com](http://www.maharam.com)

All patterns not listed must be ordered as a COM

This document is considered the most up-to-date listing of Maharam graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Abacus	K	2	No		54% Post-Industrial Recycled Polyester, 46% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Abacus Standard	H	2	No		54% Post-Industrial Recycled Polyester, 46% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Across	K	1	No		100% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Akimbo	L	3	No	3/18: 003	100% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Alloy	H	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Alpaca Herringbone	O	None	No	4/19: 002	35% Polyester, 30% Alpaca, 30% Wool, 5% Cotton	None	None	No	TB133 Burn Test Required
Alter	J	1,2	No		64% Post-Industrial Recycled Polyester, 36% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Anagram	T	2	Reference 5		42% Cotton, 32% Polyester, 26% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Apt	J	None	High Performance 5		100% Silicone Face with Polyurethane/Silicone Mid-Layer	None	Polyester	No	TB133 Burn Test Required
Article	E	None	No	3/18: 002, 004, 005, 009, 011, 012, 017, 018, 020, 021, 023, 024, 025, 027, 028	100% Vinyl	Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Banister	Q	2	No		100% Non-Phthalate Vinyl	Protective Top Coat	Polyester	Yes	TB133 Burn Test Required
Bar	C	2	No		60% Post-Consumer Recycled Polyester, 40% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Bar Crypton	K	2	No	4/19: 001, 002, 003, 004, 005, 007	60% Post-Consumer Recycled Polyester, 40% Post-Industrial Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Beam	K	None	No	6/17: 001, 006, 008 1/17: 002, 005, 009 8/16: 003	58% Polyester, 42% Rayon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Beside	K	None	No	4/19: 009 3/18: 006, 008 8/16: 004, 005 1/16: 003	66% Polyester, 34% Cotton	Crypton	Crypton	No	TB133 Burn Test Required
Bevel	H	2	No	3/18: 003, 008 1/17: 001, 002, 006, 012 8/16: 004, 005 1/16: 007, 011	63% Polyester, 24% Post-Consumer Recycled Polyester, 13% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Polyester	No	Approved
Bitmap	F	1	No	4/19: 003, 008, 009, 011 1/17: 001 8/16: 004	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	No	TB133 Burn Test Required
Blip	Q	2	Reference 5	4/19: 001 3/18: 002 8/16: 003 6/16: 005	44% Rayon, 24% Solution-Dyed Nylon, 21% Post-Industrial Recycled Polyester, 11% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bluff	H	None	No		100% Polyurethane	Ink-Resistant Protective Top Coat	Polyester	No	TB133 Burn Test Required
Boundary	L	2	No	4/19: 009 6/18: 007 1/17: 002	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	No	TB133 Burn Test Required
Bright Angle	N	2	No		40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bright Cube	Q	2	No		40% Cotton, 33% Polyester, 27% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bright Grid	N	2	No		39% Cotton, 32% Polyester, 29% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Brindle	C	None	No		100% Polyester	PFOA-FREE STAIN RESISTANT	Acrylic	No	TB133 Burn Test Required
Brio	G	None	High Performance 5		55% Polyester, 29% Post-Industrial Recycled Polyester, 16% Post-Consumer Recycled Polyester	Crypton	Cyrpton	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Buffer	R	2	No		81% Post-Consumer Recycled Polyester, 19% Polyester	None	None	No	TB133 Burn Test Required
Bushel	I	3	No		Industrial Recycled Nylon, 8% Polyester, 2% Polypropylene	None	Acrylic	No	TB133 Burn Test Required
Bureau	E	2	No		41% Polyester, 38% Post-Industrial Recycled Polyester, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Candid	F	1	No	4/19: 003	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	No	TB133 Burn Test Required
Canvas	I	3	No		90% Wool, 10% Nylon	none	None	No	TB133 Burn Test Required
Caper	C	None	No		100% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Cartouche	L	2	No	1/16: 005	58% Post-Consumer Recycled Polyester, 42% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Chalet	K	2	High Performance 5		100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Chance	K	None	No	3/18: 002, 008, 1/17: 007	62% Cotton, 33% Polyester, 5% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Chasm	I	1	No		100% Polyurethane	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Chassis	I	3	No		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Checker	Q	2	No	1/16: 006	77% Cotton, 23% Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Chenille Cord	L	3	No	3/18: 031 6/17: 033	43% Solution-Dyed Post-Industrial Recycled Nylon, 42% Solution-Dyed Nylon, 13% Polyester, 2% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Chime	F	None	No	4/19: 024, 025, 026, 027, 028, 029, 030 3/18: 002 1/17: 006, 008 8/16: 001, 005, 009, 012, 013, 014, 015, 016, 017, 019, 021, 022	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	No	TB133 Burn Test Required
Chock	K	2	No	4/19: 003, 005 3/18: 006	36% Rayon, 35% Cotton, 29% Solution-Dyed Post Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Circuit	H	2	No	6/14: 001, 002, 003, 005, 006, 008, 009, 010	38% Rayon, 34% Post-Industrial Recycled Polyester, 28% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Coast	L	2	No		100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Coin	C	2	No	4/19: 002 Diner	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coin Crypton	J	2	No	4/19: 002, 003, 004	43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Coincide	K	2,5	No		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Coincide High Performance	J	2	No	4/19: 007, 010	100% Polyester	Antimicrobial Stain Resistant	Impermeable	No	TB133 Burn Test Required
Colline	J	3	No		75% Wool, 17% Acrylic, 8% Nylon	None	None	No	TB133 Burn Test Required
Compound	I	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Conduit	C	None	No		100% Polyester	PFOA-FREE STAIN RESISTANT	Acrylic	No	TB133 Burn Test Required
Crew	I	1	High Performance 5	4/19: 011	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Crush	K	3	No	3/18: 024, 025 8/16: 011	41% Solution-Dyed Nylon, 41% Solution-Dyed Post-Industrial Recycled Nylon, 15% Polyester, 3% Polyolefin	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cycle	F	None	No		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Dart	K	None	No	8/13: 022 4/19: 005, 007, 011, 019, 021 6.18: 002 3.18: 001	63% Polyester, 37% Cotton	Crypton	Crypton	No	TB133 Burn Test Required
Decode	L	3	No	4/19: 012, 013, 014, 015 3/18: 001 6/17: 016	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Disc	C	2	No		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Disperse	I	None	No	6/17: 008 8/16: 001	100% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Ditto	M	2,5	No	4/19: 013 6/17: 006 8/16: 005, 008 1/16: 011	77% Post-Consumer Recycled Polyester, 23% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Divide	C	2	No		45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Divide Crypton	K	2	No	3/18: 009	45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Divina	L	3	No		100% Wool	None	None	No	Approved
Divina MD	K	3	No		100% Wool	None	None	No	Approved
Divina Melange	L	3	No	5/19: 220 1/17: 621	100% Wool	None	None	No	Approved
Dwell	D	None	No		68% Post-Industrial Recycled Polyester, 32% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Latex	No	Approved
Edges	P	None	No		66% Cotton, 30% Solution-Dyed Nylon, 4% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Ellipsis	I	None	No		100% Polyurethane	Protective Top Coat	Polyester	No	TB133 Burn Test Required
Embed	I	None	No		46% Cotton, 30% Solution-Dyed Polyester, 17% Post-Industrial Recycled Cotton, 7% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Emboss	K	None	No	4/19: 001, 002, 003, 004, 009, 010, 011	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Emit	F	None	No		55% Post Industrial Recycled Polyester, 45% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Enmesh	H	2	No		100% Vinyl	Resistant Protective Top Coat	Polyester	Yes	TB133 Burn Test Required
Equate	N	2	No		100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Exchange	H	2	No		52% Post-Industrial Recycled Polyester, 48% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Fathom	L	1,2	No	4/19: 008, 010 1/16:009	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	No	TB133 Burn Test Required
Feature	O	2	No	6/7/18: <b>Reactivated Available Colors:</b> 466343_001 SHITAKE and 466343_004 STORM only.	100% Vinyl	Protective Topcoat	Polyester	No	TB133 Burn Test Required
Floret	O	1	No	4/19: 001, 005 6/17: 002 8/16: 004	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Fluent Crypton	H	1	High Performance 5	3/18: 003, 011 6/17: 005 1/17: 007 8/16: 006	52% Polyester, 31% Post-Industrial Recycled Polyester, 17% Post-Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Flurry	N	None	No		35% Cotton, 25% Polyester, 10% Acrylic, 10% Rayon, 10% Wool, 8% Linen, 2% Nylon	None	None	No	TB133 Burn Test Required
Focus	F	None	No	4/19: 001, 004, 006, 008, 011 6/17: 003 8/16: 005	54% Post-Industrial Recycled Polyester, 33% Polyester, 13% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Forest Nap	G	3	No	Due to transparency, the following colors are restricted: 102, 452, 512	95% Wool, 5% Nylon	None	None	No	Approved
Fraction	M	1	No	4/19: 001, 005	100% Non-Phthalate Vinyl with Antimicrobial	Protective Top Coat	Polyester	Yes	TB133 Burn Test Required
Furrow	N	2	No		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Galaxy	K	None	No		100% FR Polyester	None	None	Yes	Approved
Gallant	H	3	No		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	TB133 Burn Test Required
Gild	H	None	No		100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Grove	M	1,2	High Performance 5		56% Post Industrial Recycled Polyester, 44% Post Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Hallingdal	L	3	No		70% Wool, 30% Rayon	None	None	No	TB133 Burn Test Required
Hedge	L	2	No		55% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon, 19% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Herringbone Stripe	Q	2,3	No		100% Wool	None	None	No	Approved
Houndstooth	T	2	No		72% Cotton, 28% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Imbue	M	None	No		70% Rayon, 30% Polyester	None	None	No	TB133 Burn Test Required
Instill	G	None	No		100% Polyurethane	Ink-Resistant Protective Top Coat	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Keen	C	None	No		61% Polyester, 39% Polyolefin	FOA-Free Stain Resista	Acrylic	No	Approved
Kindred	S	1,2	No		90% Polyester, 10% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Knot	O	3	No	3/18: 002, 005	51% Wool, 49% Acrylic	None	Acrylic	No	TB133 Burn Test Required
Lariat	C	None	Lariat	6/17: 017	100% Vinyl	Protective Top Coat	Polyester	No	TB133 Burn Test Required
Lean	G	None	No		100% Vinyl	Ink-Resistant Protective Top Coat	Polyester	No	TB133 Burn Test Required
Ledger	G	None	No	4/19: 034, 038 6.18: 020, 027 3/18: 006, 019 1/16: 007, 018	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Lens	N	2	No	4/19: 001, 003	100% Vinyl	Resistant Protective Topcoat	Polyester	Yes	TB133 Burn Test Required
Lift	R	2	No		100% Polyester	None	None	No	Approved
Lineage	H	1,2	No	4/19: 001, 003, 004, 005, 001 6/18: 006, 012	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	Yes	TB133 Burn Test Required
Link	O	2	No		67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Lithe	L	2, 3	High Performance 5		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	Approved
Loop	F	2	No		48% Post-Industrial Recycled Polyester, 26% Polyester, 26% Post-Consumer Recycled Polyester	PFOA-FREE STAIN RESISTANT	Acrylic	No	TB133 Burn Test Required
Lunar	F	2	No		57% Post Industrial Recycled Polyester, 43% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Manner	B	None	M Series		65% Post-Industrial Recycled Polyester, 35% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Marquee	F	None	No		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Massive Paisley	R	None. Non-matched pattern	No	3/18: 005 1/16: 004	76% Polyester, 24% Cotton	None	None	No	TB133 Burn Test Required
Matrix	L	4	No		100% Trevira CS Polyester	None	None	Yes	Approved

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Mechanism	O	2	No	2/16: 006, 008, 009	100% Polyester	None	None	No	Approved
Medium	B	None	No	6/14: 030, 031, 033, 034, 035, 037, 038, 041, 042, 043	100% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Meld	B	None	M Series	010 Bride and 011 Stark not set up due to transparency issues	68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Memory	K	None	No		100% Trevira CS Polyester	None	None	Yes	Approved
Meridian	K	2	No	4/19: 002 3/18: 004, 005 6/14: 001 1/14: 003	54% Cotton, 46% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Merit	E	None	No		76% Post-Consumer Recycled Polyester, 24% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Messenger	B	None	M Series	1/17: 047 6/14: 027, 043, 049, 055, 056, 057, 073, 074, 075	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No	Approved
Metric	B	None	M Series	3/18: 016	51% Post-Industrial Recycled Polyester, 49% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Micro	F	None	No	4/19: 010 8/16: 002	100% Vinyl	Protective Top Coat	Polyester	Yes	TB133 Burn Test Required
Milestone	B	None	No	3/18: 065 8/16: 081	78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Mimic	L	None	No	4/19: 013, 014	100% Polyurethane with Silane-Based Antimicrobial	None	Polyester	Yes	TB133 Burn Test Required
Mineral	H	3	No	4/19: 001, 009, 010, 011, 012, 013, 015	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Mode	C	None	No		80% Post Consumer Recycled Polyester, 20% Polyester	PFOA-Free Stain Resistant	None	No	Approved
Motley	G	2	No		100% Vinyl	Antimicrobial Ink-Resistant Protective Top Coat	Polyester	Yes	TB133 Burn Test Required
Multiply	H	2	No		57% Post-Consumer Recycled Polyester, 43% Post Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Murmur	B	None	M Series		100% Polyester	PFOA-Free Stain Resistant	None	No	Approved



Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Muse	B	None	M Series	<b>Restricted Due to Transparency:</b> 466487_005 466487_007 466487_011	100% Post-Consumer Recycled Polyester	None	None	No	TB133 Burn Test Required
Nimble	I	None	No		100% Polyurethane/Silicone	Ink-Resistant Protective Top Coat	Polyester	No	TB133 Burn Test Required
Oblique	C	2	No		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Octave	M	2	No	4/19: 002, 003, 006, 008 1/17: 005 1/16: 010	65% Solution-Dyed Acrylic, 35% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Offset	S	2,3,5	No		40% Cotton, 36% Solution-Dyed Nylon, 24% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Orbit	H	2	No		52% Post-Consumer Recycled Polyester, 46% Polyester, 2% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Parquet	R	1, 2	High Performance 5		100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Paver	K	None	No	4/19: 006 3/18: 001, 011, 014, 015 6/17: 008, 009, 010 1/17: 004 8/16: 003, 007	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Pepper	G	None	No		49% Polyester, 41% Post-Industrial Recycled Polyester, 10% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Pick	C	2	No		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Pick Crypton	J	2	No	4/19: 002, 004, 006, 010	100% Polyester	Crypton	Crypton	No	TB133 Burn Test Required
Pitch	G	None	No	4/19: 003, 006, 023, 025	100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	Yes	TB133 Burn Test Required
Plait	H	2	No	4/19: 003	53% Post-Industrial Recycled Polyester, 32% Polyester, 15% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Pocket	L	2	Reference 5		56% Post-Consumer Recycled Polyester, 24% Solution-Dyed Nylon, 20% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Prime	J	None	No		100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant Finish	None	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Quick	F	1	No		100% Vinyl	Antimicrobial Protective Topcoat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Raas	J	3	No		92% Wool, 8% Nylon	None	None	No	TB133 Burn Test Required
Radiant	M	2	No	3/18 008 1/17: 003, 005, 006	48% Rayon, 29% Polyester, 21% Wool, 2% Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Recheck	J	2, 3	No		90% Wool, 10% Nylon	None	None	No	TB133 Burn Test Required
Reel	P	2	Reference 5	6/17: 002, 003, 004 1/17: 005, 008	43% Solution-Dyed Nylon, 36% Cotton, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Regatta	L	2	No		65% Solution-Dyed Acrylic, 35% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Relay	P	2	No		100% Polyester	None	Polyester	No	TB133 Burn Test Required
Remix	J	3,5	No		90% Wool, 10% Nylon	None	None	No	TB133 Burn Test Required
Ring	J	2	No	4/19: 002, 005, 006, 007, 009 6/17: 001 1/17: 003, 008	48% Polyester, 34% Post-Industrial Recycled Polyester, 18% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Roster	I	2	No		68% Post-Consumer Recycled Polyester, 32% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Rove	E	2	No	4/19: 010, 015, 017	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Rule	P	2	No	3/18: 001	67% Solution-Dyed Acrylic, 33% Solution-Dyed Polyester	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Runner	P	1,2	No		57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Runner Standard	K	2	No		57% Post-Industrial Recycled Polyester, 43% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Salon	M	3,5	No	6/18: 010 3/18: 004, 020 6/17: 013	92% Wool, 8% Nylon	None	None	No	TB133 Burn Test Required
Schema	O	2	No		100% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Scuba	H	None	No	6/18: 002, 011 3/18: 003, 019 8/16: 024 1/16: 025	100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Scute	N	2	No		100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Scuttle	H	None	No		100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	No	TB133 Burn Test Required
Sequence	I	2	Reference 5	3/18: 003	100% Solution-Dyed Polyolefin with Silver-Based Antimicrobial	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Sheen	I	None	No	4/19: 001, 006, 008, 012, 013, 014, 015 6/18: 021 3/18: 019, 020, 022	100% Polyurethane w/ Silane-Based Antimicrobial	None	Polyester	Yes	TB133 Burn Test Required
Sift	N	None	No		43% Cotton, 33% Polyester, 9% Rayon, 8% Linen, 7% Nylon	None	None	No	TB133 Burn Test Required
Signal	K	2	No		54% Post Industrial Recycled Polyester, 46% Post Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Skein	E	None	Reference 5	3/18: 006 6/17: 002 1/17: 007 8/16: 003	56% Post-Consumer Recycled Polyester, 44% Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Soft Tweed	N	None	No	3/18: 004 6/17: 002	44% Linen, 22% Cotton, 20% Acrylic, 8 % Bamboo Viscose, 6% Nylon	None	None	No	TB133 Burn Test Required
Sort	F	None	No		100% Vinyl	Antimicrobial Protective Topcoat	Polyester	No	TB133 Burn Test Required
Span	L	2, 3	High Performance 5		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	None	Acrylic	No	Approved
Splay	G	None	No		100% Vinyl	Ink-Resistant Protective Top Coat	Polyester	No	TB133 Burn Test Required
Spry	F	2	No		100% Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Stack	I	2	No	6/17: 004 1/17: 007 8/16: 002	48% Cotton, 46% Polyester, 6% Rayon	PFOA-Free Stain Resistant	None	No	TB133 Burn Test Required
Star by Kvadrat	L	None	No	4/19: 747 747	100% Trevira CS Polyester	None	None	Yes	Approved

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Stature	G	None	No	4/19: 006, 012 6/18: 010	100% Vinyl	Antimicrobial Ink-Resistant Protective Topcoat	Polyester	Yes	TB133 Burn Test Required
Steady	H	5	No	4/19: 003, 010 1/17: 004, 012 8/16: 013	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Steady Crypton	K	1	No	4/19: 002, 004, 006, 010	46% Polyester, 35% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Steelcut	J	3	No		90% Wool, 10% Nylon	None	None	No	TB133 Burn Test Required
Steelcut Trio	K	3	No	3/18: 915, 933, 945, 965 7/17: 144, 225, 235, 245, 325, 333, 353, 395, 413, 415, 425, 465, 565, 653, 665, 675, 683, 733, 745, 753, 815, 825, 845, 853	90% Wool, 10% Nylon	None	None	No	TB133 Burn Test Required
Stick Tree	M	2,3	No		94% Wool, 4% Nylon, 2% Polyester	None	None	No	Approved
Stride	N	2	No	3/18: 001, 002, 005	40% Post-Industrial Recycled Polyester, 39% Polyester, 21% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved
Strum	I	None	No	4/19: 003	100% Polyurethane w/ Silane Based Antimicrobial	None	Polyester/Cotton	Yes	TB133 Burn Test Required
Sundry	L	None	No		30% Post-Consumer Recycled Polyester, 20% Solution-Dyed Nylon, 18% Rayon, 16% Polyester, 16% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Surge	O	2	No		36% Cotton, 36% Rayon, 28% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Swivel	Q	2	No		42% Polyester, 29% Cotton, 29% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Tailor	J	1,2	No	6/18: 002, 004, 005, 007, 008, 009 3/18: 003, 010, 013 6/17: 011 1/17: 001, 006, 012	100% Vinyl	Antimicrobial Protective Topcoat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Tally	R	2	No	6/17: 001, 006, 008, 009 1/16: 002	74% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Tandem	L	2	No		51% Post-Industrial Recycled Polyester, 49% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Impermeable	No	Approved
Technic	B	None	No		60% Post-Industrial Recycled Polyester, 40% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Telary	L	None	No	4/19: 001, 006, 007 3/18: 002	41% Cotton, 33% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Tend	I	None	No		55% Post-Consumer Recycled Polyester, 26% Solution-Dyed Nylon, 19% Post-Industrial Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Terrace	I	1	No	3/18: 001, 005, 006 1/16: 003, 004	46% Solution-Dyed Polyester, 45% Vinyl-Coated Polyester, 9% Solution-Dyed Acrylic	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Tilt	M	2	Reference 5		56% Cotton, 35% Polyester, 9% Rayon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Tonica	I	3	No		100% Wool	None	None	No	Approved
Tonus	J	3	No	1/17: 109, 127, 133, 209, 380, 622, 624, 625, 632, 680, 840 3/16: 106, 111, 119, 122, 123, 124, 126, 201, 211, 215, 450, 505, 509, 614, 620, 623, 627, 628, 629, 630, 633, 635, 640, 690, 780 1/16: 740	90% Wool, 10% Helanca	None	None	No	TB133 Burn Test Required
Trait	I	3,5	No	4/19: 001, 019, 022, 023 3/18: 018, 021 1/17: 011 8/16: 012	50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Transport	N	None	No	4/19: 003, 004	48% Rayon, 32% Polyester, 20% Linen	PFOA-Free Stain Resistant	Polyester	No	TB133 Burn Test Required
Treat	L	1	No	6/17: 007 1/17: 001, 002 8/16: 005	53% Polyester, 24% Cotton, 23% Rayon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trees	N	2	No		55% Cotton, 28% Nylon, 17% Wool	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trellis	K	None	No	3/18: 004, 005	50% Solution-Dyed Nylon, 50% Solution Dyed Post Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Trio	M	2	No	4/19: 003, 005, 006 1/15: 001, 002, 007	76% Cotton, 24% Solution-Dyed Nylon	PFOA-Free Stain Resistant	None	No	Approved
Trundle	C	None	No		59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester	PFOA-FREE STAIN RESISTANT	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Fabric Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Twice	L	2	No	3/18: 001, 003 1/17: 004 8/16: 008	48% Polyester, 23% Rayon, 15% Cotton, 9% Post-Industrial Recycled Polyester, 5% Post-Consumer Recycled Polyester	PFOA-Free Stain Resistant	Acrylic	No	TB133 Burn Test Required
Twill Weave	K	3	No		90% Wool, 10% Nylon	None	None	No	TB133 Burn Test Required
Urban	R	1,2	No	3/18: 004	90% Polyester, 10% Rayon	Crypton	Crypton	No	TB133 Burn Test Required
Venn	M	1,2	No	4/19: 003, 009 3/18: 001, 007	42% Polyester, 29% Cotton, 29% Rayon	Antimicrobial Stain Resistant	Impermeable	No	TB133 Burn Test Required
Vestige	O	2	Reference 5		71% Polyester, 29% Rayon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Waterborn by Kvadrat	P	1	No		85% Polyester, 15% Polyurethane	PFOA-Free Water Repellent	None	No	TB133 Burn Test Required
Waver	I	3	No		50% Solution-Dyed Nylon, 50% Solution-Dyed Post-Industrial Recycled Nylon	PFOA-Free Stain Resistant	Acrylic	No	Approved
Wend	D	None	No		50% Polyester, 32% Post Industrial Recycled Polyester, 18% Post Consumer Recycled Polyester	PFOA-Free Stain Resistant	None	No	Approved
Wool Rib	N	None	No	6/17: 002, 004, 008	38% Cotton, 29% Acrylic, 19% Wool, 7% Alpaca, 7% Nylon	None	None	No	TB133 Burn Test Required
Wrap	H	2	No	4/19: 008	100% Vinyl	Protective Top Coat	Polyester	No	TB133 Burn Test Required

Look for the seating series below. If the desired fabric had a TB133 status of "Approved on many TB133 seating models. Restricted on Lounge", the matrix below advises if the fabric is available for TB133.

Series	TB133 Approved	TB133 fabric restrictions vary by model # within series	TB133 Not Approved
Acquaint	✓		
Admire	✓		
Arlington		*✓	
Aurora	✓		
Cinch	✓		
Collette			✓
Confide Lounge			✓
Confide Guest/Side		*✓	
Davari	✓		
Eloquence lounge			✓
Eloquence Guest/executive	✓		
Farrah			✓
Fringe			✓
Fuel	✓		
Grin			✓
Jiminy	✓		
Kozmic			✓
Lavoro (non-mesh)			✓
Mix-it	✓		
Monterrey			✓
Pennant			✓
Remedy	✓		
Reno			✓
Respect	✓		
Swift			✓
Tag	✓		
Tellaro			✓
Timberlane	✓		
Triumph		✓	
Whimsy	✓		

\*If fabric is noted "TB133 fabric restrictions vary by model # within series", these are the restricted models:

**ARLINGTON**

451F  
451TF  
452F  
452TF

**CONFIDE GUEST/SIDE**

N78PAUF

**TRIUMPH**

89X-EUEXCF  
89X-EUFXCF  
89X-MUXXCF  
89X-MUFXCF

**Textile Appearance Guidelines**

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1-4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1. Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
2. Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
3. Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4. Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

**Textile Restriction Guidelines**

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5. This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6. Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

**Textile Application Guidelines**

Seating Series	1	2	3	4	5	6
Acquaint	✓		✓	✓		✓
Admire	✓		✓	✓		
Arlington	✓		✓	✓		
Arlington Tufted	✓	✓	✓	✓		
Aurora Executive	✓	✓	✓	✓	✓	✓
Aurora guest	✓		✓	✓		✓
Cinch	✓		✓	✓	✓	
Collette	✓		✓	✓		✓
Confide Lounge	✓		✓	✓	✓	✓
Confide Guest	✓		✓	✓		✓
Davari	✓		✓	✓		✓
Delgado	✓		✓	✓	✓	✓
Eloquence Executive/Lounge	✓		✓	✓		✓
Eloquence guest/tandem/bariatric	✓		✓	✓		
Essay upholstered seat	✓		✓	✓	✓	
Farrah	✓		✓	✓		✓
Fringe	✓	✓	✓	✓		✓
Fuel plastic back	✓		✓	✓		
Fuel upholstered back	✓		✓	✓	✓	
Gotcha plastic back	✓		✓	✓		
Gotcha upholstered back	✓		✓	✓	✓	
Grin	✓		✓	✓	✓	✓
Jiminy	✓		✓	✓		✓
Kozmic	✓	✓	✓	✓		✓
Laudio	✓		✓	✓		✓
Lavoro mesh/plastic back	✓		✓	✓		✓
Lavoro upholstered back	✓		✓	✓	✓	✓
Mabel	✓		✓	✓	✓	✓
Mix-it Mesh/Plastic Back	✓		✓	✓		✓
Mix-it upholstered back	✓		✓	✓	✓	✓
Monterrey	✓		✓	✓		✓
Pennant	✓		✓	✓		✓
Remedy	✓	✓	✓	✓		✓
Reno	✓		✓	✓		✓
Respect	✓	✓	✓	✓		✓
Rizora	✓		✓	✓		
Swift	✓		✓	✓		✓
Tag	✓		✓	✓		✓
Tellaro	✓	✓	✓	✓		✓
Timberlane	✓		✓	✓		
Toss Accent Pillow, Bean Bags, Floor Cushions, Wedges & Cushions	✓		✓	✓		✓
Triumph Wood	✓	✓	✓	✓		✓
Wander	✓		✓	✓		✓



Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Weli	✓	✓	✓	✓		✓
Whimsy	✓		✓	✓		✓

Textile Application Guidelines						
Casegoods series	1	2	3	4	5	6
Alloy, Casbah, Clever, Epic, Renegade, Tessera, and WaveWorks; Mobile Pedestal Cushion Tops	✓		✓	✓		
Marnia			✓	✓		✓
Tessera Benches	✓		✓	✓		✓
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓
Wixler	✓		✓	✓		