

NATIONAL[®]

MOMENTUM TEXTILES

Seating Upholstery Alliance Program

Momentum Customer Service 800.366.6839

Order memo samples through Momentum Customer Service, National's Alliance website page, or www.themomgroup.com

All patterns not listed must be ordered as COM

This document is considered the most up-to-date listing of Momentum graded-in patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Ace	C	None	No		100% Polyester	Teflon	Latex	No	Approved
Acoustic	J	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Agora II	D	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Amenity II	O	2,3	No		100% Post Industrial Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Amuse	E	2	No		61% Post Consumer Polyester, 39% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Analog	S	2	No		51% Post Consumer Polyester, 25% Post Industrial Polyester, 24% Solution Dyed Nylon	Crypton Green	Crypton Green	No	TB133 Burn Test Required
April	L	2,3	No		50% Post Industrial Solution Dyed Nylon, 50% Solution Dyed Nylon	None	Nylon	No	Approved
Archer	S	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Ascend	G	2	No		61% Post Consumer Recycled Polyester, 39% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Bandwidth II	L	2,3	No		51% Post Industrial Solution Dyed Recycled Nylon, 49% Solution Dyed Nylon	None	Nylon	No	Approved
Bangle	A	None	No		58% Post Consumer Polyester, 42% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Banter	Q	2,3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Beeline EPU	B	None	Endurance		100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Beep	H	2	No		50% Post Consumer Recycled Polyester, 50% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Beta	C	None	No		67% Repreve® Recycled Polyester; 33% Polyester	None	Acrylic	No	TB133 Burn Test Required

Patterns, pricing, and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Bobby	A	2	No		68% Post Consumer Recycled Polyester, 32% Polyester	None	Acrylic	No	Approved
Boom II	C	None	No		71% Post Consumer Recycled Polyester, 29% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Boxcar	Q	2,6	No		76% Bella-Dura® Solution Dyed Recycled Polyolefin, 24% Solution Dyed Nylon	Teflon	Acrylic	No	TB133 Burn Test Required
Bravo II	D	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Brink	L	2	No		49% Polyester; 33% Post Industrial Recycled Polyester; 18% Post Consumer Recycled Polyester	None	None	No	TB133 Burn Test Required
Brisk	M	2,3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Buoy	L	2	No		76% Bella-Dura® Solution Dyed Polyolefin, 24% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cairns	T	2	No		81% Post Consumer Recycled Polyester, 19% Solution Dyed Nylon	InCase	Acrylic	No	TB133 Burn Test Required
Cairo II	I	None	No	11.18: 09105215, 09105226, 09105248, 09105259, 09105270, 09105281, 09105292, 09105303, 09105314, 09105325, 09105336	51% Post Industrial Recycled Polyester, 32% Bamboo, 17% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Camber	M	2,3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Canter EPU	A	None	Endurance		100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Carlo	Q	2, 6	No		78% Cotton, 22% Nylon	Incase	Acrylic	No	TB133 Burn Test Required
Cashmere II	D	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Central	G	2	No		62% Repreve® Post Consumer Recycled Polyester, 38% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Centric	K	2	No		72% Post Consumer Recycled Polyester, 28% Solution Dyed Nylon	Teflon	Acrylic	No	Approved
Channel	J	2	No		74% Repreve® Post Consumer Recycled Polyester, 26% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Chant	H	None	No		100% Post Consumer Recycled Polyester	Greenshield	None	No	Approved
Chime EPU *Restricted*	N	2	No	09.20 Restricted temporarily	100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Clang	C	None	No		73% Post Consumer Recycled Polyester, 27% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Club EPU *Restricted*	L	2	No	09.20 Restricted temporarily	100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Collect	F	None	No		55% Olefin; 24% Post Consumer Recycled Polyester; 18% Post Industrial Recycled FR Polyester; 3% Polyester	None	Acrylic	No	TB133 Burn Test Required
Colorwheel	N	2	No		71% Post Consumer Recycled Polyester/ 29% Solution Dyed Nylon	Nanotex	Acrylic	No	TB133 Burn Test Required
Cover Cloth	C	1	Endurance		56% Repreve® Post Consumer Recycled Polyester, 44% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Cube	O	2	No		74% Post Consumer Recycled Polyester; 26% Solution Dyed Nylon	INCASE	Acrylic	No	TB133 Burn Test Required
Culture	I	None	No		70% Post Industrial Recycled Polyester; 20% Polyester; 10% Post Consumer Recycled Polyester	None	None	No	TB133 Burn Test Required
Current	B	None	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Cycle	H	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Dart	F	2	No		89% Post Consumer Recycled Polyester, 11% Polyester	None	Acrylic	No	Approved
Dash	L	2	No		67% Post Consumer Recycled Polyester, 33% Solution Dyed Nylon	Teflon	Acrylic	No	Approved
Dayspell	I	None	No		77% Post Consumer Recycled Polyester, 23% Solution Dyed Nylon	Incase	Acrylic	No	TB133 Burn Test Required
Decode	C	2	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Delano	J	None	No		69% Polyester, 31% Rayon	Teflon	Acrylic	No	TB133 Burn Test Required
Dive	M	2	No		100% Terratex® Post Consumer Recycled Polyester	None	None	No	Approved
Domain	K	2	No		70% Repreve® Post Consumer Recycled Polyester, 30% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Echo II	L	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Edison	L	1,2	No		78% Post Consumer Recycled Polyester, 22% Solution Dyed Nylon	Incase	Acrylic	No	TB133 Burn Test Required
Embark	J	2	No		70% Bella-Dura® Solution Dyed Polyolefin, 30% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Endurance EPU	C	None	Endurance		100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Eon EPU	C	1	No		100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Epic	B	None	No		50% Polyester, 32% Post Industrial Recycled Polyester, 18% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Essay	N	2,3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Evolve	T	2	No		42% Post Consumer Recycled Polyester, 33% Solution Dyed Nylon, 25% Post Industrial Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required

Patterns, pricing, and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Expo	A	None	No		65% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Faux Felt	D	None	Endurance		62% Post Consumer Polyester, 38% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Faux Mo	E	4	Endurance	9.9 Temporarily Unavailable	58% Post Consumer Polyester, 42% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Fleet	M	2,6	No		67% Bella-Dura® Solution Dyed Polyolefin, 33% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Flock	D	None	Endurance		53% Recycled Polyester/ 47% Polyester	Crypton Green	None	No	TB133 Burn Test Required
Flow	L	2	No		64% Bella-Dura® Solution Dyed Polyolefin, 36% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Flux	L	2,5	No		70% Cotton, 26% Nylon, 4% Rayon	Incase	Polyester	No	TB133 Burn Test Required
Focal	E	2	No		57% Post Consumer Recycled Polyester, 43% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Foray	F	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Free	B	2	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Fringe	E	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Fuse	A	None	No		65% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester	Soil + Stain Resistant	Latex	No	Approved
Glide	N	2	No		44% Polyester; 32% Post Industrial Recycled Polyester; 24% Post Consumer Recycled Polyester	None	None	No	Approved
Graph	A	None	No		75% Post Consumer Recycled Polyester, 25% Polyester	None	Acrylic	No	Approved
Grid	B	None	No		64% Post Consumer Recycled Polyester, 36% Polyester	None	Acrylic	No	Approved
Groove EPU	C	None	Endurance		100% EPU Polyurethane	None	None	No	TB133 Burn Test Required
Habit	C	2	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Halo	S	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Hark EPU *Restricted*	F	None	No	09.20 Restricted temporarily	100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Highline	T	2	No		76% Bella-Dura® Sol. Dyed Recycled Polyolefin; 24% Solution Dyed Nylon	None	None	No	TB133 Burn Test Required
Hitch	M	2	No		65% Post Consumer Recycled Polyester; 20% Post Industrial Recycled FR Polyester; 15% Polyester	None	Acrylic	No	TB133 Burn Test Required
Hive	H	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required

Patterns, pricing, and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Hobnob	D	None	Endurance		51% Recycled Polyester; 49% Polyester	Crypton Green	None	No	TB133 Burn Test Required
Hop	L	2	No		35% Post Industrial Recycled Polyester; 33% Polyester; 32% Post Consumer Recycled Polyester	None	None	No	TB133 Burn Test Required
Hue	D	None	No		65% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester	Teflon	Latex	No	Approved
Imperial Mohair	M	4	No		100% Mohair Face	Mothproof	None	No	TB133 Burn Test Required
Infinity CZERO	A	None	No		74% Post Consumer Recycled Polyester, 26% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Infusion	K	1,2	No		49% Post Industrial Recycled Polyester, 39% Rayon, 12% Post Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Intermix II	H	2	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Jitney	H	None	No		69% Bella-Dura® Solution Dyed Polyolefin, 31% Solution Dyed Nylon	Teflon	Acrylic	No	TB133 Burn Test Required
Jot	F	2	No		100% Post Consumer Recycled Polyester	None	Acrylic	No	Approved
Keynote	D	1	No		100% Post-Consumer Recycled Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Kindle	K	2	No		100% Terratex® Post Consumer Recycled Polyester	None	None	No	Approved
Kindred	G	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Kinney	E	2	No		56% Post Consumer Recycled Polyester, 44% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Kit	E	None	Endurance		57% Recycled Polyester; 43% Polyester	Crypton Green	None	No	TB133 Burn Test Required
Knack	B	2,5,6	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Lana	L	3,5	No		100% Lambswool	None	None	No	Approved
Ledge	G	2	No		69% Post Consumer Recycled Polyester, 31% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Lella	L	2	No		51% Cotton, 28% Nylon, 11% Rayon, 10% Post Consumer Recycled Polyester	Incase	Acrylic	No	TB133 Burn Test Required
Leno	K	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Lens	G	2	No		81% Post Consumer Recycled Polyester	None	Acrylic	No	Approved
Level	P	2	No		73% Sol. Dyed Recycled Polyolefin; 27% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Lina	T	2	No		54% Cotton, 24% Nylon, 22% Post Consumer Recycled Polyester	Incase	Acrylic	No	TB133 Burn Test Required

Patterns, pricing, and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Lineup	B	2	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Linq	Q	4	No	05.18: 9061655, 9061699, 9061710, 9061721, 9061732, 9061820	54% Cotton, 46% Wool	Teflon	None	No	TB133 Burn Test Required
Lore	J	3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Loupe	M	None	No		90% Polyester, 10% Cotton	None	None	No	TB133 Burn Test Required
Mandala	O	2	No		53% Post Consumer Recycled Polyester; 28% Polyester; 19% Post Industrial Recycled Polyester	None	None	No	TB133 Burn Test Required
Marathon CZERO	A	None	No		75% Post Consumer Recycled Polyester, 25% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Millenium CZERO	A	None	No		85% Post Consumer Recycled Polyester, 15% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Mogul EPU	E	None	No		100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Nagoya	S	2	No		51% Post Consumer Recycled Polyester, 31% Solution Dyed Nylon, 18% Post Industrial Recycled Polyester	InCase	Acrylic	No	Approved
Nifty	D	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Odyssey CZERO	A	None	No		67% Post Consumer Recycled Polyester, 33% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Ohs II	S	2	No		59% Post Consumer Recycled Polyester, 25% Solution Dyed Nylon, 16% Rayon	Teflon	Acrylic	No	TB133 Burn Test Required
Origin	A	None	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Otto	C	None	No		50% Repreve® Polyester; 50% Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Parable	I	3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Parenthesis	A	None	No		50% Post Consumer Recycled Polyester, 50% Polyester	None	Acrylic	No	Approved
Perk	A	None	No		100% Post Consumer Recycled Polyester, 50% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Photon	L	2	No		76% Post Consumer Recycled Polyester, 24% Solution Dyed Nylon	Incase	Acrylic	No	TB133 Burn Test Required
Ping	H	2	No		54% Post Consumer Recycled Polyester, 46% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Pip	C	None	No		53% Repreve® Recycled Polyester; 47% Polyester	None	Acrylic	No	TB133 Burn Test Required
Pique	C	None	No		83% Post Consumer Recycled Polyester, 17% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Plan	J	2	No		44% Polyester; 37% Post Consumer Recycled Polyester; 19% Post Industrial Recycled FR Polyester	None	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Plus	I	None	No		100% Post Consumer Recycled Polyester	Greenshield	None	No	Approved
Point	D	2	No		85% Post Consumer Recycled Polyester; 15% Polyester	None	None	No	TB133 Burn Test Required
Propel	P	2	No		41% Post Industrial Recycled Polyester; 33% Post Consumer Recycled Polyester; 26% Polyester	None	None	No	TB133 Burn Test Required
Prospect	F	3	No		50% Post Industrial Solution Dyed Nylon, 50% Solution Dyed Nylon	None	Nylon	No	Approved
Proximity	N	2,3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Pursue	K	3	No		100% Repreve Solution Dyed Recycled Nylon	None	Nylon	No	TB133 Burn Test Required
Raft	N	2	No		100% Bella-Dura™	None	None	No	TB133 Burn Test Required
Rein II	E	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Revolve	T	2	No		57% Cotton, 30% Nylon, 13% Polyester	Incase	Polyester	No	TB133 Burn Test Required
Riga	N	2	No		40% Post Consumer Recycled Polyester, 35% Solution Dyed Nylon, 25% Post Industrial Recycled Polyester	Incase	Acrylic	No	Approved
Rivet	C	2	No		57% Post Consumer Recycled Polyester, 43% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Sail	S	2, 6	No		80% Bella-Dura® Solution Dyed Polyolefin, 20% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required
Scrabble	C	None	No		73% Post Consumer Recycled Polyester, 27% Polyester	None	None	No	Approved
Sidestep	I	None	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Silica	F	None	No		100% Silicone	None	Polyester	No	Approved
Silica Arc	J	None	No		100% Silicone	None	Polyester	No	TB133 Burn Test Required
Silica Bracket	J	2	No		100% Silicone	None	Polyester	No	TB133 Burn Test Required
Silica Checker	O	2	No		100% Silicone	None	Polyester	No	TB133 Burn Test Required
Silica Chopsticks	J	None	No		100% Silicone	None	Polyester	No	TB133 Burn Test Required
Silica Compass	N	2	No		100% Silicone	None	Polyester	No	Approved
Silica Cusp	P	2	No		100% Silicone	None	Polyester	No	Approved
Silica Deflect	L	2	No		100% Silicone	None	Polyester	No	Approved

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Silica Efforesce	P	2	No		100% Silicone	None	Polyester	No	Approved
Silica Etch	F	None	No		100% Silicone	None	Polyester	No	Approved
Silica Flick	J	None	No		100% Silicone	None	Polyester	No	Approved
Silica Hoop	M	2	No		100% Silicone	None	Polyester	No	Approved
Silica Jig	T	2	No		100% Silicone	None	Polyester	No	Approved
Silica Kip	J	None	No		100% Silicone	None	Polyester	No	Approved
Silica Leather	F	None	No		100% Silicone	None	Polyester	No	Approved
Silica Likely	I	None	No		100% Silicone	None	Polyester	No	TB133 Burn Test Required
Silica Strata	K	2	No		100% Silicone	None	Polyester	No	Approved
Silica Stride	K	None	No		100% Silicone	None	Polyester	No	Approved
Silica Tech	H	None	No		100% Silicone	None	Polyester	No	Approved
Silica Thatch	L	2	No		100% Silicone	None	Polyester	No	Approved
Silica Triad	I	None	No		100% Silicone	None	Polyester	No	Approved
Site Line	T	2	No		55% Post Industrial Recycled Polyester; 29% Post Consumer Recycled Polyester; 16% Nylon	None	Acrylic	No	TB133 Burn Test Required
Skip	B	None	No		55% Post Consumer Recycled Polyester, 45% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Slice	A	2	No		84% Post Consumer Recycled Polyester, 16% Polyester	None	Acrylic	No	Approved
Small Talk	N	2	No		75% Post Consumer Polyester, 22% Solution Dyed Nylon, 3% Polyester	Incase	Acrylic	No	TB133 Burn Test Required
Solace	C	None	No		49% Polyester, 41% Post Industrial Recycled Polyester, 10% Post Consumer Recycled Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Solitaire	F	None	No		50% Repreve® Post Consumer Recycled Polyester; 50% Polyester	Crypton Green	None	No	TB133 Burn Test Required
Solo2	D	3	No		100% Recycled Nylon	Soil + Stain Resistant	Acrylic	No	Approved
Sport	D	None	Endurance		98% Post Consumer Recycled Polyester; 2% Polyester	Crypton Green	None	No	TB133 Burn Test Required
Starboard	N	2	No		78% Bella-Dura® Solution Dyed Recycled Polyolefin, 22% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	TB133 Burn Test Required

Patterns, pricing, and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
Strum	I	None	No		100% Bella-Dura™	None	None	No	TB133 Burn Test Required
Strut	I	2	No		52% Post Consumer Recycled Polyester, 48% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Synergy	D	None	Endurance		71% Post Consumer Recycled Polyester, 29% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Syntax	B	None	No		50% Post Consumer Recycled Polyester, 50% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Tack	C	None	No		57% Repreve® Recycled Polyester; 43% Polyester	None	Acrylic	No	TB133 Burn Test Required
Tact II	J	None	No		100% Polyurethane / PVC Free	None	Polyester Resin	No	TB133 Burn Test Required
Tanner	C	None	No		100% Polyurethane / PVC Free	None	Polyester	No	TB133 Burn Test Required
Tesla	K	2	No		74% Post Consumer Polyester, 26% Solution Dyed Nylon	Incase	Acrylic	No	TB133 Burn Test Required
Tetra	D	1,6	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Tradition CZERO	A	None	No		72% Post Consumer Recycled Polyester, 28% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Trapeze	R	2,3	No		100% Repreve Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Turin	L	2	No		57% Post Consumer Recycled Polyester, 30% Solution Dyed Nylon, 13% Post Industrial Polyester	Incase	Acrylic	No	Approved
Uplift	M	2	No		67% Solution Dyed Recycled Polyolefin, 33% Solution Dyed Nylon	Soil + Stain Resistant	Acrylic	No	Approved
Veer	T	2	No		100% Terratex® Post Consumer Recycled Polyester	None	None	No	Approved
Velocity	D	2	No		100% Polyurethane	None	Polyester	No	TB133 Burn Test Required
Via	B	None	No		69% Post Consumer Recycled Polyester, 31% Polyester	Soil + Stain Resistant	Acrylic	No	Approved
Vox	A	None	No		100% Post Consumer Recycled Polyester	Soil + Stain Resistant	Latex	No	Approved
Wander	M	2	No		71% Post Consumer Polyester, 29% Solution Dyed Nylon	Teflon	Acrylic	No	Approved
Waver	H	2	No		63% Post Consumer Recycled Polyester, 37% Polyester	Crypton Green	Crypton Green	No	TB133 Burn Test Required
Weaving Palettes	J	None	No		54% Cotton, 30% Solution Dyed Nylon, 16% Post Consumer Recycled Polyester	Incase	Acrylic	No	TB133 Burn Test Required
Whim	I	3	No		100% Repreve® Solution Dyed Recycled Nylon	None	Nylon	No	Approved
Whit EPU	C	None	Endurance		100% EPU Polyurethane	None	Polyester	No	TB133 Burn Test Required
Zipped	J	None	No		100% Polyurethane / PVC Free	None	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added?	TB133 Status
---------	-------	------------------------	--------	-----------	----------	--------	---------	-----------------------------	--------------

Textile Appearance Guidelines

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1-4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1. Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
2. Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
3. Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4. Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

Textile Restriction Guidelines

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5. This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6. Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Textile Application Guidelines

Seating Series	1	2	3	4	5	6
Acquaint	✓		✓	✓		✓
Admire	✓		✓	✓		
Araldo	✓	✓	✓	✓		✓
Arlington	✓		✓	✓		
Arlington Tufted	✓	✓	✓	✓		
Aurora Executive	✓	✓	✓	✓	✓	✓
Aurora guest	✓		✓	✓		✓
Cinch	✓		✓	✓	✓	
Collette	✓		✓	✓		✓
Confide Lounge	✓		✓	✓	✓	✓
Confide Guest	✓		✓	✓		✓
Davari	✓		✓	✓		✓
Delgado	✓		✓	✓	✓	✓
Ditto	✓		✓	✓		
Eloquence Executive/Lounge	✓		✓	✓		✓
Eloquence guest/tandem/bariatric	✓		✓	✓		
Essay upholstered seat	✓		✓	✓	✓	
Farrah	✓		✓	✓		✓
Fringe	✓	✓	✓	✓		✓
Fuel plastic back	✓		✓	✓		
Fuel upholstered back	✓		✓	✓	✓	
Gotcha plastic back	✓		✓	✓		
Gotcha upholstered back	✓		✓	✓	✓	
Grin	✓		✓	✓	✓	✓
Hobsen	✓	✓	✓	✓		✓
Idara	✓	✓	✓	✓		✓
Jiminy	✓		✓	✓		✓
Kozmic	✓	✓	✓	✓		✓
Laudio	✓		✓	✓		✓
Lavoro mesh/plastic back	✓		✓	✓		✓
Lavoro upholstered back	✓		✓	✓	✓	✓
Mabel	✓		✓	✓	✓	✓
Mix-it Mesh/Plastic Back	✓		✓	✓		✓
Mix-it upholstered back	✓		✓	✓	✓	✓
Monterrey	✓		✓	✓		✓
Pennant	✓		✓	✓		✓
Remedy	✓	✓	✓	✓		✓
Reno	✓		✓	✓		✓
Respect	✓	✓	✓	✓		✓
Rizora	✓		✓	✓		
Swift	✓		✓	✓		✓
Tag	✓		✓	✓		✓
Tellaro	✓	✓	✓	✓		✓

Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Timberlane	✓		✓	✓		
Toss Accent Pillow, Bean Bags, Floor Cushions, Wedges & Cushions	✓		✓	✓		✓
Triumph Wood	✓	✓	✓	✓		✓
Vora	✓		✓	✓		✓
Wander	✓		✓	✓		✓
Weitz	✓		✓	✓		
Weli	✓	✓	✓	✓		✓
Whimsy	✓		✓	✓		✓
Whirl	✓		✓	✓		✓

Textile Application Guidelines						
Casegoods series	1	2	3	4	5	6
Alloy, Casbah, Clever, Epic, Renegade, Tessera, and WaveWorks; Mobile Pedestal Cushion Tops	✓		✓	✓		
Marnia			✓	✓		✓
Tessera Benches	✓		✓	✓		✓
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓
Wixler	✓		✓	✓		