



Seating Upholstery Alliance Program

CF Stinson Customer Service 800-841-6279 or customerrelations@cfstinson.com

Order memo samples through CF Stinson Customer Service, National's Alliance website page, or www.cfstinson.com

All patterns not listed must be ordered as a COM

This file is considered the most up-to-date listing of CF Stinson patterns

Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the Alliance partner.

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Ace	E	None	No	02.19: 6536	80% Post Industrial Recycled Polyester, 20% Post Consumer Recycled Polyester	NanoTex®	Polyester	No	Approved
Acrobat	R	1,2	No		50% Post-Industrial Recycled Polyester, 33% Post-Consumer Recycled Polyester, 17% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Adagio	E	None	Enhance		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Adirondack	J	None	No		100% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Affinity	G	None	No		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Alfresco	G	None	No		58% Polyester, 27% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Alignment	I	2	No		70% Post Consumer Recycled Polyester, 30% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Amplify	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Anagram	F	None	No		57% Polyester, 31% Post Consumer Recycled Polyester, 12% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Apex Crypton® REVL™	E	None	No	09.20 Pattern Deletion	100% Vinyl	Advanced Soil and Stain Resistant Top Coat + ink resistance	Polyester/Cotton	Yes	TB133 Burn Test Required
Ardent	C	None	No		Vinyl Surface	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required
Armature	N	1, 2	Enhance		36% Sunbrella® Solution Dyed Polyester, 34% Sunbrella® Solution Dyed Acrylic, 30% Non-phthalate PVC Coated Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Artisan	B	None	No		100% Polyester	Enhanced Soil and Stain Protection	SBR Synthetic Backing	No	TB133 Burn Test Required
Atlas	B	None	No	09.20 Pattern Deletion	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester/Cotton	No	TB133 Burn Test Required
Avant	B	1	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester/Cotton	Yes	**Approved on many TB133 seating models; restricted on lounge models
Banyan - Patty Madden	F	None	No	02.20: 11	100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Bari - Patty Madden	I	1	No	02.20: 02	100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Basket	K	None	No		47% Upcycled Cotton, 31% Polyester, 11% Post Industrial Recycled Cotton, 11% Cotton	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Bass Line	L	2,3	No		100% Post Industrial Recycled Solution Dyed Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
Beatbox	I	2,3	No		100% Post Industrial Recycled Solution-Dyed Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
Bespoke	E	None	No	7.20: 63690, 63692	50% Post Consumer Recycled Polyester, 50% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Blip	B	None	No		70% Polyester, 20% Eco Intelligent Polyester, 6% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Bliss	R	2	No		63% Sunbrella Solution Dyed Acrylic, 37% Sunbrella Solution Dyed Polyester	Sunbrella Assure	Acrylic	No	TB133 Burn Test Required
Block Party	J	None	No		100% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Bongo	L	3	No		96% Post Industrial Recycled Nylon, 4% Post Consumer Recycled Solution Dyed Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
Boost w/Celiant	L	2	No	Effective Immediately, Temporarily Unavailable	60% Celiant® Polyester, 40% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Borderline	P	2	No		60% Sunbrella® Solution Dyed Acrylic, 40% Sunbrella® Solution Dyed Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Breton	L	1,2	No		67% Polyester, 33% Post-Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Brilliant	C	None	No		50% Post Consumer Recycled Polyester, 50% Pre-Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Brixton	J	3	No		100% Wool	None	None	No	TB133 Burn Test Required
Brushwork	H	None	No		41% Post Industrial Recycled Polyester, 35% Post Consumer Recycled Polyester, 24% Solution Dyed Nylon	None	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Bryant Park	B	None	No		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Calibration	P	2	No		94% Polyester, 6% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Cannon Beach	N	2	No		67% Sunbrella® Solution Dyed Acrylic, 33% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Carlisle	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Casablanca	I	1,2	No	07.20: 16, 20, 22 02.20: 18	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Cassidy	B	None	No	02.20: 22, 49, 73	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Catalina	I	None	No		55% Sunbrella® Solution Dyed Acrylic, 45% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	Approved
Celeste	T	1,2	No	02.19: 62760; 62769	53% Polyester, 31% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Channel	K	2	No		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Charlotte	H	2	No		47% Post Industrial Recycled Polyester, 27% Polyester, 26% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Chroma	G	None	No	02.19: 15, 16, 18, 21, 24 12.18: 10, 12, 13, 14	Hybrid Vinyl Matrix	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Circulate w/Celiant	M	2	No	Effective Immediately, Temporarily Unavailable	65% Celiant® Polyester, 35% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Cirque	H	1	No	02.20: 18, 30, 32	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Cirro	H	None	No		78% Post Consumer Recycled Polyester, 22% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	None	No	Approved
Citadel	C	None	No		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Clean Slate	D	None	No		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Coco	I	2	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Color Block	I	None	Enhance		75% Post Consumer Recycled Polyester, 25% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Comeback	J	2	No		50% Post-Industrial Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon	Blockaide™ Soil and Stain Protection	Acrylic	No	Approved

**Reference last page of this document for approved models

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Concentric	L	2	No		44% Polyester, 38% Solution Dyed Nylon, 18% Solution Dyed Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Connect	C	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Continuum	F	2	No		47% Post-Industrial Recycled Polyester, 33% Post Consumer Recycled Polyester, 20% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Core	C	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Cottonwood	M	1,2	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Criss Cross	D	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Crystalline	I	None	No		62% Post Consumer Recycled Polyester, 32% Nylon, 6% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Current	L	1	No		38% Post Consumer Recycled Polyester, 31% Post Industrial Recycled Polyester, 31% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Dakota	F	None	No	02.19: 23, 25, 28, 29, 30, 34, 35, 36, 42 05.18: 24, 31, 32, 33, 39	100% Polyurethane	Enhanced Soil and Stain Protection	Polyester	No	TB133 Burn Test Required
Dart	C	None	No		58% Polyester, 27% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Deflection	L	2	No		52% Polyester, 24% Post Industrial Recycled Polyester, 24% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Deza	L	2	No		63% Sunbrella® Solution Dyed Acrylic, 37% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn test Required
Didi	F	None	No		Polyurethane made with Polycarbonate resins	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required
Diva	D	1,2	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Division	L	2	No		78% Polyester, 22% Acrylic	Non-PFOA Stain Resistant	Acrylic	No	Approved
Dodgeball	K	2	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Donegal	F	None	No		53% Polyester, 26% Post Industrial Recycled Polyester, 21% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Drift	F	None	No		84% Olefin, 12% Nylon, 4% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Drizzle	K	3	No		67% Post Consumer Recycled Solution Dyed Nylon, 33% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved

**Reference last page of this document for approved models

Patterns, pricing and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Duet	F	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Eddy	K	3	No		56% Wool, 25% Nylon, 19% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Effervescence	G	None	No		100% Polyurethane	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Elderberry	L	2	No		36% Nylon, 23% Cotton, 21% Rayon, 20% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Eli - Patty Madden	G	None	No	02.19: 21	100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Enhance w/ Celliant®	H	None	Enhance	Effective Immediately, Temporarily Unavailable	43% Celliant® Polyester, 26% Polyester, 17% Acrylic, 14% Rayon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Essential	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Etch	G	None	Impress		100% Polyurethane	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester/Cotton	No	TB133 Burn Test Required
Euclid	F	2	No		45% Polyester, 35% Post Industrial Recycled Polyester, 20% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Fast Lane	C	None	No		54% Polyester, 30% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Fenestra	M	1,2	No	02.20: 62203, 62205, 62207, 62208	45% Polyester, 29% Rayon, 26% Cotton	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Figment	Q	2	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Fizz	E	1	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Recycled Polyester	No	TB133 Burn Test Required
Flanders	D	None	No		Vinyl Face with Polyester Backing	Advanced Soil and Stain Resistant Top Coat	Polyester Fabric	No	TB133 Burn Test Required
Fleck	B	None	No		100% Polyester	Enhanced Soil and Stain Protection	SBR Synthetic Backing	No	TB133 Burn Test Required
Flip Flops	M	2	No		58% Sunbrella® Solution Dyed Acrylic, 42% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Florentine	M	2,1	No		51% Acrylic, 49% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Folio	L	1, restricted on Mix-it	No		68% Polyester, 22% Cotton, 10% Acrylic	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Fractal	L	2	No		58.8% Polyester, 27% Post Industrial Recycled Polyester, 14.2% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Frequency	L	2	Impress		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Furrows	C	None	No		51% Post Industrial Recycled Polyester, 49% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Fuse	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Galileo	G	None	Impress		Polyurethane made with Polycarbonate resins	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester/Cotton	No	TB133 Burn Test Required
Geomet	F	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Gradation	F	2	No		67% Polyester, 26% Post Industrial Recycled Polyester, 6% Post Consumer Recycled Polyester, 1% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Gravity	E	None	Enhance		85% Polyester, 14% Post Consumer Recycled Polyester, 1% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Grille	E	2	No		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required
Grove	O	2	No		68% Post-Consumer Recycled Polyester, 32% Post-Industrial Recycled Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	Approved
Handwork	M	1, 2	No		86% Polyester, 9% Post Industrial Recycled Polyester, 5% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic Back Coating	No	Approved
Hashtag	F	None	No		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Haven	F	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Helix	I	3	No		50% Post-Industrial Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon	Blockaide™ Soil and Stain Protection	Acrylic	No	Approved
Hexie	Q	2	No		37% Cotton, 35% Post Consumer Recycled Polyester, 28% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Hi-Fi	D	2	No		47% Polyester, 34% Post Industrial Recycled Polyester, 19% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Highlight	B	None	No		70% Post Consumer Recycled Polyester, 30% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Hive	D	2	No		88% Polyester, 8% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Hotspot	L	2	No		66% Polyester, 22% Post-Industrial Recycled Polyester, 12% Post-Consumer Recycled Polyester,	Non-PFOA Stain Resistant	Acrylic	No	Approved
Hush	H	None	No		49% Polyester, 22% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
I Spy	H	None	No		71% Post Consumer Recycled Polyester, 29% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Impress w/ Sta-kleen	F	None	Impress		100% Polyurethane	Sta-Kleen ink® + Stain Resistant	Polyester/Cotton	No	TB133 Burn Test Required
Infinity Plush	R	2, 4 Delgado restriction	No		100% Polyester	Enhanced Soil and Stain Protection	Acrylic	No	Approved
Inside Track	C	None	No		56% Polyester, 32% Post Consumer Recycled Polyester, 12% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Interval	E	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Jala	T	2	No		67% Post Consumer Recycled Polyester, 21% Nylon, 12% Polyester	INCASE®	Acrylic	No	TB133 Burn Test Required
Jambi Stripe	M	1,2	No		70% Polyester, 30% Rayon	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Jillian	E	2	No		65% Post Consumer Recycled Polyester, 35% Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Juxy - Patty Madden	F	None	No		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Kennebunk	M	2	No		52% Polyester, 20% Post Consumer Recycled Polyester, 28% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Kinetic	E	None	Enhance		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Knock Knock	S	2,3	No		100% Post Industrial Recycled Solution Dyed Nylon	INCASE®	Acrylic	No	Approved
Knot	F	None	No		86% Olefin, 14% Polyester	Non-PFOA Stain Resistant	Latex	No	TB133 Burn Test Required
Kusari	D	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Lara	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Laredo	B	None	No	02.19: 25, 28, 34	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Lateral	C	2	No		65% Post Consumer Recycled Polyester, 35% Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	Approved
Lava - Patty Madden	M	2	No		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required

**Reference last page of this document for approved models

Patterns, pricing and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Level	D	None	Impress		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Lifecycle	P	2, 3	Enhance		100% Post Industrial Recycled Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Lift	S	2	No		38% Post Industrial Recycled Nylon, 32% Cotton, 25% Rayon, 5% Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Live Wire	H	None	No		Vinyl Face with Polyester Backing	Zeron® Protective Finish	Polyester Fabric	No	TB133 Burn Test Required
Loophole	L	2	No		Vinyl Face	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Lucent	L	3	No		81% Solution Dyed Nylon, 19% Post Consumer Recycled Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Luster	F	None	No		66% Polyester, 22% Post Industrial Recycled Polyester, 12% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Mandala	P	2	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Marimba	K	2,3	No		86% Post Industrial Recycled Nylon, 14% Post Consumer Recycled Nylon	Non-Flourine Stain Resistant	Nylon	No	Approved
Marquetry	N	2	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Martini - Patty Madden	F	1	No		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Maxwell	F	2	No		37% Post Consumer Recycled Polyester, 32% Post Industrial Recycled Polyester, 31% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Maze	J	None	No		83% Polyester, 17% Nylon	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Median	H	None	No		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Mesa	L	None	No	02.19: 22, 31, 33, 34	100% Polyurethane	Enhanced Soil and Stain Protection	Rayon	No	TB133 Burn Test Required
Mica	D	1	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Migration	Q	2, 3	Enhance		100% Post Industrial Recycled Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Mingle	I	None	No		100% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Moby	B	None	No		100% Polyester	Non-PFOA Stain Resistant	Acrylic Latex	No	TB133 Burn Test Required

**Reference last page of this document for approved models

Patterns, pricing and availability are subject to change

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Moccasin	B	1	No	02.19: 15, 34 12.18: 11,12,13,14,18,23	100% Vinyl	Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Mod	L	2	No		74% Post Consumer Recycled Polyester, 26% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Modena	G	None	No		100% Polyurethane	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Monhegan	M	2	No		71% Post Consumer Recycled Polyester, 29% Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Montage	E	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Montana	C	1	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	**Approved on many TB133 seating models; restricted on lounge models
Moxie	H	None	No		100% Polyurethane	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Natural World	H	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Nest	R	2	No		61% Post Consumer Recycled Polyester, 25% Solution Dyed Nylon, 14% Post Industrial Recycled Nylon	INCASE ®	Acrylic	No	TB133 Burn Test Required
Network	M	2	No		57% Post Consumer Recycled Polyester, 43% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
New Hempstead	B	None	No	02.20: 416	100% Polyester	Non-PFOA Stain Resistant	Polyester	No	Approved
Nimble	L	2	Enhance		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Nishiki	C	None	Impress		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester Knit	Varies by color	TB133 Burn Test Required
Nova	E	2	No		65% Post Consumer Recycled Polyester, 35% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Obscura	L	2	No		100% Post Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Offset	N	2	No		71% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Enhanced Soil and Stain Protection	Acrylic	No	TB133 Burn Test Required
Olivia	B	None	No		100% Polyester	Enhanced Soil and Stain	Acrylic	No	TB133 Burn Test Required
Olympus - Patty Madden	I	None	No	02.19: 03	100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Orbit	K	2	No		100% Vinyl	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Outlander	C	None	No		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Overlay	E	None	No		Vinyl Surface	Advanced Soil & Stain Resistant Top Coat + Ink Resistance	Polyester	Yes	TB133 Burn Test Required
Oxford	E	None	No	02.20: 02, 03, 04, 05, 06, 09, 10, 13, 14, 19, 20, 21, 22, 23 02.19: 11, 15, 18	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Pacifica	L	2	No		63% Sunbrella® Solution Dyed Acrylic, 37% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Paloma	C	None	No		100% Polyester	Non-PFOA Stain Resistant	None	No	TB133 Burn Test Required
Park Avenue	H	None	No		82% Polyester, 18% Cotton	Enhanced Soil and Stain Protection	Acrylic	No	TB133 Burn Test Required
Passport	F	None	No		66% Post Consumer Recycled Polyester, 34% Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Patriot Plus	C	1	No		100% Vinyl	PermaBlok3	Polyester/Cotton	Varies by color	TB133 Burn Test Required
Penelope	F	None	No		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Pergola	I	2	No		52% Polyester, 26% Post Industrial Recycled Polyester, 22% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Perimeter	I	None	No		65% Post Consumer Recycled Polyester, 35% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Acrylic	No	TB133 Burn Test Required
Piccadilly	K	2	No		63.5% Post Consumer Recycled Polyester, 36.5% Eco Intelligent® Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Pinball	L	2	No		53% Polyester, 25% Post Industrial Recycled Polyester, 22% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Pivot	B	None	No		100% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic Latex	No	Approved
Polka	C	None	No		50% Polyester, 32% Post Industrial Recycled Polyester, 18% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Portico	I	2	No		51% Acrylic, 49% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Posey	I	2	No		57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Posh	F	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Power Grid	T	2	No		67% Post Consumer Recycled Polyester, 33% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Prisma - Patty Madden	H	None	No		100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Progression	L	2, 3	No		50% Post Industrial Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon	None	Acrylic	No	TB133 Burn Test Required
Promenade	M	2	No		100% Vinyl	Advanced Soil and Stain resistant Top Coat + Ink Resistance	Polyester	Varies by color	TB133 Burn Test Required
Queue	L	2	No		82% Polyester, 18% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Radiance	M	2,3	No		66% Solution Dyed Nylon, 34% Solution Dyed Post Consumer Recycled Polyester	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Raffia	D	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Rainier	C	None	No	09.20 Pattern Deletion	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Rally	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester/Cotton	Yes	**Approved on many TB133 seating models; restricted on lounge models
Raquette	K	2	No		100% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Raya	S	2	No		100% Vinyl	Zeron Protective Finish	Polyester	No	TB133 Burn Test Required
Realm	E	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Recharge with Celliant®	J	2	Enhance	Effective Immediately, Temporarily Unavailable	58% Polyester, 42% Celliant® Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Refraction	B	None	No		70% Post Consumer Recycled Polyester, 30% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Retrograde	E	2	No		97% Polyester, 2% Post Industrial Recycled Polyester, 1% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Revolution	L	2	No		55% Polyester, 45% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Revolve - Patty Madden	O	2	No		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Rialto	C	None	No	09.20: 11, 13, 15, 21, 24, 26, and 31	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Riddle	F	2	No		100% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Ripple - Patty Madden	I	None	Impress		100% Vinyl	Zeron® Protective Finish	Polyester	No	TB133 Burn Test Required
Ritz	E	4	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Rivera - Patty Madden	F	1	No	02.20: 07	100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Route	K	2	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
San Simeon	L	2	No		67% Sunbrella® Solution Dyed Acrylic, 33% Sunbrella® Solution Dyed Polyester	Defiance™ Non-PFOA Soil + Stain Protection	Acrylic Latex	No	TB133 Burn Test Required
Satellite	E	2	No		59% Post Industrial Recycled Polyester, 41% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Scintillate	O	2	No		64% Post-Consumer Recycled Polyester, 36% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Scout	C	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Script	D	None	No	02.20: 32, 34, 38	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Season	O	2	No		64% Sunbrella® Solution Dyed Acrylic, 36% Subrella® Solution Dyed Polyester	Sunbrella Assure	Acrylic	No	TB133 Burn Test Required
Sebago	H	None	No		88% Polyester, 8% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Sedona	L	None	No	02.19: 32, 54, 59, 61, 66, 70, 71, 72, 73	100% Polyurethane	Enhanced Soil and Stain Protection	Polyester Rayon	No	TB133 Burn Test Required
Semaphore	N	2	No		59.5% Post Consumer Recycled Polyester, 40.5% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Sensor	I	None	No		100% Bella-Dura Polyolefin	None	None	No	TB133 Burn Test Required
Sentry	D	2	No	09.20: 43, 44, 47	100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Sequence	C	None	No		78% Polyester, 22% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Shantung	E	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Shift	B	None	No		75% Post Consumer Recycled Polyester, 25% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Shimmy	E	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Sideline	I	2	No		100% Post-Industrial Recycled Polyester	Non-PFOA Stain Resistant	Polyester	No	Approved

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Silicone-Avail	I	6	Impress		100% Silicone	None	Polyester Knit	No	Approved
Silver Point	L	2	No		49% Polyester, 30% Polypropylene, 21% Nylon	None	Acrylic	No	TB133 Burn Test Required
Sleek	D	1	No	12.18: 22,27,31	100% Vinyl	None	Polyester/Cotton	No	TB133 Burn Test Required
Sleeping Bear Dunes	J	2	No		53% Post Consumer Recycled Polyester, 42% Nylon, 5% Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Smile	M	2	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Smoothie	C	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Varies by color	TB133 Burn Test Required
Splice	O	2	No		58% Cotton, 28% Nylon, 14% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Sprint	B	None	No		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Square One	C	None	No		63% Polyester, 37% Olefin	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Squire	F	1	No		60% Post Consumer Recycled Polyester, 40% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Staple	B	None	No		100% Polyurethane	None	Polyester/Cotton	No	TB133 Burn Test Required
Stellar	D	None	No		90% Polyester, 7% Post Industrial Recycled Polyester, 3% Post Consumer Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Steppe	L	2, 3	Enhance		61% Post Consumer Recycled Solution Dyed Nylon, 39% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Strand	C	2	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Stratford	P	2	No		49% Rayon, 26% Cotton, 25% Nylon	GreenShield® patented, nano-particle based, reduced environmental impact soil and stain protection	Acrylic	No	TB133 Burn Test Required
Stride	D	None	No		Vinyl Surface	Advanced Soil and Stain Resistant Top Coat	Nylon	No	TB133 Burn Test Required
Summit	F	None	No		100% Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Sunburst	K	2	No		100% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Sundance with Sta-Kleen™	F	None	No	12.18: 17,18,20,23,27	100% Polyurethane	Sta-Kleen ink® + Stain Resistant	Polyester/Cotton	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Supersiliness	S	2,3	No		100% Post Industrial Recycled Solution Dyed Nylon	INCASE ®	Acrylic	No	Approved
Swipe	P	2	No		94% Polyester, 4% Post Industrial Recycled Polyester, 2% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Swivel	M	2	No		74% Post Consumer Recycled Polyester, 26% Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Symmetry	P	2	No		57% Polyester, 43% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Sync	J	None	No		69% Sunbrella® Solution Dyed Acrylic, 31% Sunbrella® Solution Dyed Polyester	Sunbrella Assure	Acrylic	NO	TB133 Burn Test Required
Tangram	I	2	No		74% Polyester, 17% Post Industrial Recycled Polyester, 9% Post Cconsumer Recycled Polyester	Non-PFOA Stain Resistant	none	No	Approved
Tendril	B	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Tessellate	L	2	No		47% Polyester, 24% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Tessuto	F	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Thrive	T	2	No		63% Sunbrella Solution Dyed Acrylic, 37% Sunbrella Solution Dyed Polyester	Sunbrella Assure	Acrylic	No	TB133 Burn Test Required
Torus	M	2	No		65% Polyester, 20% Post Consumer Recycled Polyester, 15% Post Industrial Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Touch Base	D	None	No		43% Olefin, 30% Polyester, 27% Post Consumer Recycled Polyester	None	Acrylic	No	TB133 Burn Test Required
Tranquility	Q	2	No		71% Post Consumer Recycled Polyester, 29% Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Tribeca	B	None	No		100% Polyester	Enhanced Soil and Stain Protection	Latex	No	Approved
Trio	J	None	No		60% Polyester, 22% Nylon, 9% Post Industrial Recycled Polyester, 4% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Intergrated Fluid Barrier	No	TB133 Burn Test Required
Tweed	G	1	No		51% Post Industrial Recycled Polyester, 49% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Twiggy	J	2	No		55% Polyester, 29% Post Industrial Recycled Polyester, 16% Post Consumer Recycled Polyester	Crypton® Non-PFOA Soil & Stain Protection	Crypton® Fluid Barrier	No	TB133 Burn Test Required
Twist	M	2	No		100% Vinyl	Zeron Protective Finish	Polyester	No	TB133 Burn Test Required
Vanish	I	3	No		100% Post Industrial Recycled Solution Dyed Nylon	Non-PFOA Stain Resistant	Acrylic	No	Approved
Velocity	H	None	No		66% Post Consumer Recycled Polyester, 34% Post Industrial Recycled Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved
Voltage	S	2,3	No		50% Post-Industrial Recycled Nylon 35% Cotton, 8% Poly, 7% Rayon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required

Pattern	Grade	Application Guidelines	Carded	Deletions	Contents	Finish	Backing	Are Flame Retardants Added	TB133 Status
Volterra-HC	L	None	No	02.19: 10, 18, 38	100% Polyurethane	Enhanced Soil and Stain Protection	Polyester Rayon	No	TB133 Burn Test Required
Vortexia	I	1,2	No		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Waterwand	K	None	No		100% Vinyl	Zeron® Protective Finish	Polyester Knit	Varies by color	TB133 Burn Test Required
Weft	C	None	No		100% Vinyl	Advanced Soil and Stain Resistant Top Coat	Polyester	No	TB133 Burn Test Required
Whirl	M	2	No		73% Post Consumer Recycled Polyester, 27% Nylon	Non-PFOA Stain Resistant	Acrylic	No	TB133 Burn Test Required
Wicker - Patty Madden	G	None	No		100% Vinyl	Zeron® Protective Finish	Polyester	Varies by color	TB133 Burn Test Required
Winnly	E	None	No		100% Vinyl	Zeron Protective Finish	Polyester	No	TB133 Burn Test Required
Wyatt	D	None	No		100% Polyurethane	Enhanced Soil and Stain Protection	Polyester	No	TB133 Burn Test Required
Ybor - Patty Madden	I	None	No	02.20: 10, 13	100% Vinyl	Zeron® Protective Finish	Polyester	Yes	**Approved on many TB133 seating models; restricted on lounge models
Zoom	F	None	No		100% Polyester	Non-PFOA Stain Resistant	Acrylic	No	Approved

Textile Appearance Guidelines

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1-4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1. Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
2. Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
3. Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4. Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

Textile Restriction Guidelines

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5. This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6. Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Acquaint	✓		✓	✓		✓
Admire	✓		✓	✓		
Araldo	✓	✓	✓	✓		✓
Arlington	✓		✓	✓		
Arlington Tufted	✓	✓	✓	✓		
Aurora Executive	✓	✓	✓	✓	✓	✓
Aurora guest	✓		✓	✓		✓
Cinch	✓		✓	✓	✓	
Collette	✓		✓	✓		✓
Confide Lounge	✓		✓	✓	✓	✓
Confide Guest	✓		✓	✓		✓
Davari	✓		✓	✓		✓
Delgado	✓		✓	✓	✓	✓
Ditto	✓		✓	✓		
Eloquence Executive/Lounge	✓		✓	✓		✓
Eloquence guest/tandem/bariatric	✓		✓	✓		
Essay upholstered seat	✓		✓	✓	✓	
Farrah	✓		✓	✓		✓
Fringe	✓	✓	✓	✓		✓
Fuel plastic back	✓		✓	✓		
Fuel upholstered back	✓		✓	✓	✓	
Gotcha plastic back	✓		✓	✓		
Gotcha upholstered back	✓		✓	✓	✓	
Grin	✓		✓	✓	✓	✓
Hobsen	✓	✓	✓	✓		✓
Idara	✓	✓	✓	✓		✓
Jiminy	✓		✓	✓		✓
Kozmic	✓	✓	✓	✓		✓
Laudio	✓		✓	✓		✓
Lavoro mesh/plastic back	✓		✓	✓		✓
Lavoro upholstered back	✓		✓	✓	✓	✓
Mabel	✓		✓	✓	✓	✓
Mix-it Mesh/Plastic Back	✓		✓	✓		✓
Mix-it upholstered back	✓		✓	✓	✓	✓
Monterrey	✓		✓	✓		✓
Pennant	✓		✓	✓		✓
Remedy	✓	✓	✓	✓		✓
Reno	✓		✓	✓		✓
Respect	✓	✓	✓	✓		✓
Rizora	✓		✓	✓		
Swift	✓		✓	✓		✓
Tag	✓		✓	✓		✓
Tellaro	✓	✓	✓	✓		✓

Textile Application Guidelines						
Seating Series	1	2	3	4	5	6
Timberlane	✓		✓	✓		
Toss Accent Pillow, Bean Bags, Floor Cushions, Wedges & Cushions	✓		✓	✓		✓
Triumph Wood	✓	✓	✓	✓		✓
Vora	✓		✓	✓		✓
Wander	✓		✓	✓		✓
Weitz	✓		✓	✓		
Weli	✓	✓	✓	✓		✓
Whimsy	✓		✓	✓		✓
Whirl	✓		✓	✓		✓

Textile Application Guidelines						
Casegoods series	1	2	3	4	5	6
Alloy, Casbah, Clever, Epic, Renegade, Tessera, and WaveWorks; Mobile Pedestal Cushion Tops	✓		✓	✓		
Marnia			✓	✓		✓
Tessera Benches	✓		✓	✓		✓
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓
Wixler	✓		✓	✓		

Look for the seating series below. If the desired fabric had a TB133 status of "Approved on many TB133 seating models. Restricted on Lounge", the matrix below advises if the fabric is available for TB133.

Series	TB133 Approved	TB133 fabric restrictions vary by model # within series	TB133 Not Approved
Acquaint	✓		
Admire	✓		
Arlington		*✓	
Aurora	✓		
Cinch	✓		
Collette			✓
Confide Lounge			✓
Confide Guest/Side		*✓	
Davari	✓		
Eloquence lounge			✓
Eloquence Guest/executive	✓		
Farrah			✓
Fringe			✓
Fuel	✓		
Grin			✓
Jiminy	✓		
Kozmic			✓
Lavoro (non-mesh)			✓
Mix-it	✓		
Monterrey			✓
Pennant			✓
Remedy	✓		
Reno			✓
Respect	✓		
Swift			✓
Tag	✓		
Tellaro			✓
Timberlane	✓		
Triumph		✓	
Whimsy	✓		

*If fabric is noted "TB133 fabric restrictions vary by model # within series", these are the restricted models:

ARLINGTON

451F
451TF
452F
452TF

CONFIDE GUEST/SIDE

N78PAUF

TRIUMPH

89X-EUEXCF
89X-EUFXCF
89X-MUEXCF
89X-MUFXCF