

TESSERA CASEGOODS PRODUCT SPECIFICATIONS

CASEGOOD MODELS

WORKSURFACES

- Available in wood veneer or laminate; CSL not available

Wood Veneer

- 1 $\frac{3}{16}$ " plain, sliced slipmatched cherry veneer: Autumn (AC), Amber (MC), Mocha (MH), and Truffle (TF)
- 1 $\frac{3}{16}$ " plain, sliced slipmatched maple veneer: Caramel (CL), Honey (HN), Brighton (IM), and Natural (NM)
- Plain, sliced bookmatched walnut veneer: Cordovan (CW) and Judicial (DW)
- Quarter cut walnut veneer: Almond (AD), Portobello (PB), and Sable (792)
- Grain direction runs left-to-right
- Standard or Matte/Satin sheen

Laminate

- 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate)
- Grain direction runs left-to-right unless otherwise noted
- Autumn 2 (AC2), Caramel (CL), Cordovan (CW), Judicial (DW), Honey 2 (HN2), Brighton (IM), Amber (MC), Mocha (MH), Natural (NM), Portobello (PB), Portobello Horizontal (PBH), Truffle (TF), Palisander (791), Palisander Horizontal (791H), Sable (792), Sable Horizontal (792H), and Acorn (793) woodgrain laminates
- Designer White (405), Mojave (417), Mouse (418), Wallaby (419), Shadow (425), Cloud (440), Graphite (461), Cinder (462), Platinum Grey (478), Frosty White (488), Designer White Linear (491), Designer White Linear Horizontal (491H), Cinder Linear (492), Cinder Linear Horizontal (492H) solid laminates

INTEGRACLEAR® WOOD FINISH

- Wood tops are finished with IntegraClear® UV technology and feature a full finish in standard or matte/satin sheen
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards
- This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RECESSED FAÇADE

- Flat profile in veneer or laminate that matches the chassis material; 1 $\frac{3}{16}$ " thick

WORKSURFACE SUPPORT


- Slant Leg Taper Base: Available in wood finish or paint color; sold as a set of two; leg width is 3" at the top and tapers down to 1 $\frac{1}{2}$ " at the bottom
- U-Style Support Panel: Available in Cinder (462), Platinum Metallic (501), Satin Nickel Nickel Metallic (503), and Designer White (405) paint
- Slab Base: Available in wood or laminate

Worksurface Support Planning Tips

- Consider worksurface load when planning support. For worksurfaces that will hold office equipment (printers and copiers), support in addition to standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard
- Vertical wood surfaces feature an open pore matte finish
- End panels and support panels are 1 $\frac{1}{8}$ " thick, modesty panels are $\frac{3}{4}$ " thick
- Back panels are fully finished unless otherwise noted
- Wood modesty panels have vertical grain direction unless otherwise noted; laminate modesty panels have horizontal grain direction unless otherwise noted: Palisander Horizontal (791H), Portobello Horizontal (PBH), Sable Horizontal (792H), Designer White Linear Horizontal (491H), and Cinder Linear Horizontal (492H) will always have horizontal grain direction



TESSERA CASEGOODS

PRODUCT SPECIFICATIONS

ADJUSTABLE HEIGHT TABLE DESK

ADJUSTABILITY

- Height adjustable range: 29³/₁₆"-44"
- Duty cycle: 2 minutes ON/18 minutes OFF; maximum surface load should not exceed 85 lbs.
- No pull or locking options

WORKSURFACES

- Available in wood veneer or laminate; CSL not available

Wood Veneer

- 1³/₁₆" plain, sliced slipmatched cherry veneer: Autumn (AC), Amber (MC), Mocha (MH), and Truffle (TF)
- 1³/₁₆" plain, sliced slipmatched maple veneer: Caramel (CL), Honey (HN), Brighton (IM), and Natural (NM)
- Plain, sliced bookmatched walnut veneer: Cordovan (CW) and Judicial (DW)
- Quarter cut walnut veneer: Almond (AD), Portobello (PB), and Sable (792)
- Grain direction runs left-to-right
- Standard or Matte/Satin sheen

Laminate

- 1³/₁₆" HPL (high pressure laminate) or 1¹/₁₆" TFL (thermally fused laminate)
- Grain direction runs left-to-right unless otherwise noted
- Autumn 2 (AC2), Caramel (CL), Cordovan (CW), Judicial (DW), Honey 2 (HN2), Brighton (IM), Amber (MC), Mocha (MH), Natural (NM), Portobello (PB), Portobello Horizontal (PBH), Truffle (TF), Palisander (791), Palisander Horizontal (791H), Sable (792), Sable Horizontal (792H), and Acorn (793) woodgrain laminates
- Designer White (405), Mojave (417), Mouse (418), Wallaby (419), Shadow (425), Cloud (440), Graphite (461), Cinder (462), Platinum Grey (478), Frosty White (488), Designer White Linear (491), Designer White Linear Horizontal (491H), Cinder Linear (492), Cinder Linear Horizontal (492H) solid laminates

INTEGRACLEAR® WOOD FINISH

- Wood tops are finished with IntegraClear® UV technology and feature a full finish in standard or matte/satin sheen
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards
- This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

PANEL LEGS AND MODESTY

- Available in wood, wood/laminate, and laminate
- Modesty and leg shroud will be the same color

Wood

- Wood worksurface with wood modesty and wood interior leg shroud
- Vertical grain direction unless otherwise noted

Laminate

- Laminate worksurface with laminate modesty and laminate interior leg shroud
- Horizontal grain direction unless otherwise noted
- Palisander Horizontal (791H), Portobello Horizontal (PBH), Sable Horizontal (792H), Designer White Linear Horizontal (491H), and Cinder Linear Horizontal (492H) will always have horizontal grain direction

Wood/Laminate

- Wood worksurface with laminate modesty and laminate interior leg shroud
- Modesty units feature interior leg shroud (only visible when the desk is in the up position) and modesty
- Vertical grain direction unless otherwise noted



TESSERA CASEGOODS

PRODUCT SPECIFICATIONS

STORAGE AND FILING

STORAGE COMPONENTS

Pedestals/Undersurface Storage

- Full height options available
- Unfinished backs; can be finished with full overlay modesty panels, ped back panels, or if a ped is against a wall and a back panel is not used, a filler strip can be used

Overhead Storage

- Overheads are available in 3 heights: 24", 18", and 12" and can be mounted to the wall panels or directly to the architectural wall
- See price list for mounting application guidelines and a list of recommended fasteners

Vertical Storage Units

- Vertical storage units are available in 2 heights: 75" and 53" high
- 75" high wardrobes include two coat hooks and two shelves (one top section; one lower section)
- 53" high wardrobes include two coat hooks and one shelf

Credenzas

- Credenzas are available in 2 different heights
- Maple wood foot available in wood finish (Autumn, Almond, Caramel, Cordovan, Judicial, Honey, Brighton, Amber, Mocha, Natural, Portobello, Truffle, and Sable) or paint (Designer White, Cinder, Platinum Metallic, and Satin Nickel Metallic) options

ACCENT SLIDING DOORS

- Available on reception set-on, select credenza, and overhead storage models
- Wood doors available on wood components, laminate doors available on laminate or wood components, and white back painted glass doors available on wood or laminate components.
- Sliding door track is only available in anodized aluminum

DRAWERS AND FILING

- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Drawer interiors come standard in Designer White (405)
- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Drawer sides, back, and front are ½" thick white vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain

Drawer Suspension

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

Filing

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- All file drawers will accommodate A4 and British fools cap filing
- No-tool, easy installation allows for quick, interchangeable filing capabilities
- Two drawer lateral file features an interlock mechanism which allows only one drawer to be open at a time

PULLS

- One pull style, Mosaic (92)
- Available in Satin Nickel Metallic (503), Cinder (462), Platinum Metallic (501), and Designer White (405)

LOCKING

- Locking is optional
- Black and silver lock cores are available
- Locking for sliding doors is located on the side of the unit

Key Random

- Lock cores/keys are randomly picked (1-5) and factory installed in unit

Key Specific

- You can select any number for black (1-200) or for silver (1-50) lock core/key.



TESSERA CASEGOODS PRODUCT SPECIFICATIONS

POWER+DATA

CORD MANAGEMENT

- Round grommets and racetrack grommets are optional on worksurfaces
- Undersurface wire managers are available for additional cable management requirements
- Cords can be routed out the bottom side of the pedestal

GROMMETS

Round Grommet (G1)

- Black nylon; field installable

Racetrack Grommet (G11)

- Zinc two-piece grommet; available in Platinum Metallic or Cinder
- Field installable

One Touch Pivoting Power Grommet (G17, G172, G173)


- One touch door remains open during use
- 10 foot, 15 Amp cord; includes a voice/adaptor kit to accept couplers and jacks when required; UL Listed
- Die-cast zinc; available in black or silver powder coat
- Field installable
- G17 grommet includes one power outlet and one blank voice/data port
- G172 grommet includes two power outlets
- G173 grommet includes one power outlet and two charging USBs (2.1)

GROMMET LOCATION OPTIONS

- Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence.
- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components
- Center grommet not recommended with breakfront modesty
- 24" pedestals not to be used with a 30" worksurface when specifying grommets


Worksurface Grommet Locations

- The distance to the center of the grommet is the same for the Round Grommet (G1), Racetrack Grommet (G11), or the One Touch Pivoting Power Grommet (CUT-G17) cutout option.
- The same locations are available for the round or racetrack grommet.




36" DEEP WORKSURFACES

- G17 cut is 11 15/16" off the back surface




30", 24" AND 20" DEEP WORKSURFACES


- G17 cut is 6" off the back surface



ROUND GROMMET (G1)



RACETRACK GROMMET (G11)



G17 CUTOUT OPTION



TESSERA CASEGOODS

PRODUCT SPECIFICATIONS

WALL PANELS AND SHELVES

WALL PANELS

- Wall panels are available in 2 different heights (52" and 46") and widths of 48"-24" in 6" increments
- 52" high wall panels allow 3 rows of shelves max and the 46" wall panels allow 2 rows of shelves
- All wall panels have vertical grain direction except horizontal laminates
- Back mounted LED light kits are available; see price list for ordering information
- Wall panels can be mounted as a stand alone model, shelves added, or wall mounted overheads hung on the panels
- Wall panels can be mounted at any height
- See price list for mounting application guidelines and a list of recommended fasteners

TV Wall Panel

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available; see price list for ordering information
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant

SHELVES

- Shelves are ¾" thick and 10" deep
- Shelves and lighted shelves are available in lengths of 120"-24" in 6" increments
- Different lengths of shelves can be mounted horizontally in 12" increments on the wall panels; mounting brackets included
- Shelves must be the same size or smaller than the overall width of the wall panels
- 52" wall panels allow 3 horizontal rows of shelves and
- 46" allow 2 horizontal rows of shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum); reference price list for additional information

Lighted Shelves

- LED light strips are recessed on the bottom side of the shelf
- LED Light Kit 3 (NACLTK3) is required when using lighted shelves to turn the shelf lighting on and off; sold separately

Sliding Shelf Sets

- Shelves are available in lengths of 120"-36" in 6" increments and can only be used with 52" wall panels
- Can be ordered with or without LED light strips
- Sliding door panels are sold separately; reference price list for ordering information

Sliding Door Sets

- One sliding door, two sliding door, and three sliding door options; sliding roller hardware included
- Doors available in wood, laminate, and white back painted glass
- Doors will only work with the sliding shelf sets and 52" wall panels

LED LIGHT KITS

- LED light kits can be added to the back side of the wall panels
- Light Multi-Driver (NACLMD) must be used when ganging two light kits together; sold separately
- Order the 5mm Spool of Lights (NACLSP) when additional lights are needed but an additional light kit is not required

Light Kit 1

- For use with larger walls
- Includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice
- Will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall
- Will light all 3 sides of wall panels that are 120" wide x 52" tall down to 90" wide x 52" tall

Light Kit 2

- For use with smaller walls
- Includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice
- Will accommodate all sizes smaller than what requires Kit 1

Light Kit 3

- For use with Lighted Shelves only; required to turn on shelf lighting
- Includes one driver and one rocker switch



TESSERA CASEGOODS

PRODUCT SPECIFICATIONS

OCCASIONAL TABLES

MODELS

End table

- Round or square
- 24D x 24W x 23¾H

Coffee table

- Round or square
- 36½D x 36½W x 16¾H

Magazine table

- Rectangular
- 24D x 48W x 16¾H

TOPS

- Available in wood veneer or laminate
- Grain direction runs left-to-right unless otherwise noted
- Rims are available in 3mm softened profile
- No grommet cutouts available

Wood Veneer

- 1¾" plain, sliced slipmatched cherry veneer: Autumn (AC), Amber (MC), Mocha (MH), and Truffle (TF)
- 1¾" plain, sliced slipmatched maple veneer: Caramel (CL), Honey (HN), Brighton (IM), and Natural (NM)
- Plain, sliced bookmatched walnut veneer: Cordovan (CW) and Judicial (DW)
- Quarter cut walnut veneer: Almond (AD), Portobello (PB), and Sable (792)
- Grain direction runs left-to-right
- Full finish is Standard or Matte/Satin sheen

Laminate

- 1¾" or 1½" HPL (high pressure laminate) or 1½" TFL (thermally fused laminate)
- Grain direction runs left-to-right unless otherwise noted
- Autumn 2 (AC2), Caramel (CL), Cordovan (CW), Judicial (DW), Honey 2 (HN2), Brighton (IM), Amber (MC), Mocha (MH), Natural (NM), Portobello (PB), Portobello Horizontal (PBH), Truffle (TF), Palisander (791), Palisander Horizontal (791H), Sable (792), Sable Horizontal (792H), and Acorn (793) woodgrain laminates
- CSL not available

INTEGRACLEAR® WOOD FINISH

- Occasional tables are finished with IntegraClear® UV technology and feature a full finish in standard or matte/satin sheen
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards
- This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

LEGS

- Slant, tapered legs
- Available in wood finish or paint color
- Autumn (AC), Almond (AD), Caramel (CL), Cordovan (CW), Judicial (DW), Honey (HN), Brighton (IM), Amber (MC), Mocha (MH), Natural (NM), Portobello (PB), Truffle (TF), and Sable (792) finish
- Satin Nickel Metallic (503), Cinder (462), Platinum Metallic (501), and Designer White (405) paint

