

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10BBD48		4.40				87.5
N10BBS55		3.50				67.5
N10FPSQ2424		1.40	3.00	4.30	6.00	27.7
N10FPSQ2424X	Seat	0.90	1.00	1.50	1.50	16.1
	Upholstery	0.90	2.00	3.30	5.30	16.7
	Piping	0.30	0.30	0.30	0.30	6.0
N10FPSQ3030		2.20	3.00	4.30	6.00	43.2
N10FPSQ3030X	Seat	1.00	1.30	1.50	1.50	20.0
	Upholstery	1.40	2.00	3.30	5.30	26.6
	Piping	1.90	1.90	1.90	1.90	8.0
N10FPSQ3636		2.40	3.00	4.30	7.30	47.6
N10FPSQ3636X	Seat	1.20	1.30	1.50	2.30	23.3
	Upholstery	1.40	2.00	3.30	5.80	26.6
	Piping	2.20	2.20	2.20	2.20	10.0
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.30	0.30	0.50	0.70	3
N10PSQ1414		0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
N10PSQ1414P		0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Piping	0.10	0.10	0.10	0.10	2
N10PSQ1414B		0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1414BP		0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery	0.60	0.70	0.70	0.80	6
	Back	0.60	0.70	0.70	0.80	6
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.10	0.10	0.10	0.10	1
N10PSQ1616		0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
N10PSQ1616P		0.70	1.10	1.10	2.00	14
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	13
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.40	0.50	0.60	0.80	4
N10PWD1816		0.90	1.20	1.50	1.80	18
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	7
	Back	0.60	0.60	0.90	0.80	6
	Accent	0.60	0.60	0.90	0.80	6
N10PWD2116		1.10	1.20	1.50	1.80	22
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	7
	Back	0.60	0.60	0.90	0.80	6
	Accent	0.60	0.60	0.90	0.80	6
N10PWD2416		1.20	1.50	1.90	1.80	24
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	7
	Back	0.60	0.60	0.90	0.80	6
	Accent	0.60	0.60	0.90	0.80	6
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.30	0.30	0.50	0.70	3
N12AAC(S)		1.20	1.50	1.90	2.10	24
N12AAY		1.20	1.50	1.90	2.10	24
N12AR		1.20	1.50	1.90	2.10	24
N12ARS		1.20	1.50	1.90	2.10	24
N12ARY		1.20	1.50	1.90	2.10	24
N12BBC(S)		1.50	1.70	2.00	3.00	31

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N12BBY		1.50	1.70	2.00	3.00	31
N12BR		1.50	1.70	2.00	3.00	31
N12BRS		1.50	1.70	2.00	3.00	31
N12BRY		1.50	1.70	2.00	3.00	31
N12CCC(S)		1.20	1.50	1.90	2.10	24
N12CCY		1.20	1.50	1.90	2.10	24
N12CR		1.20	1.50	1.90	2.10	24
N12CRS		1.20	1.50	1.90	2.10	24
N12CRY		1.20	1.50	1.90	2.10	24
N12DDC(S)		1.50	1.70	2.00	3.00	31
N12DDY		1.50	1.70	2.00	3.00	31
N12DR		1.50	1.70	2.00	3.00	31
N12DRS		1.50	1.70	2.00	3.00	31
N12DRY		1.50	1.70	2.00	3.00	31
N12EEC(S)		1.30	1.50	2.00	2.10	26
N12ER		1.30	1.50	2.00	2.10	26
N12ERS		1.30	1.50	2.00	2.10	26
N12HHC(S)		1.60	1.70	2.50	3.00	33
N12HR		1.60	1.70	2.50	3.00	33
N12HRS		1.60	1.70	2.50	3.00	33
N12JJC(S)		1.20	1.50	1.90	2.10	24
N12JJCE		1.20	1.50	1.90	2.10	24
N12JJCES		1.20	1.50	1.90	2.10	24
N12JJY		1.20	1.50	1.90	2.10	24
N12JJYE		1.20	1.50	1.90	2.10	24
N12JR		1.20	1.50	1.90	2.10	24
N12JRE		1.20	1.50	1.90	2.10	24
N12JRES		1.20	1.50	1.90	2.10	24
N12JRS		1.20	1.50	1.90	2.10	24
N12JRY		1.20	1.50	1.90	2.10	24
N12JRYE		1.20	1.50	1.90	2.10	24
N12KKC(S)		1.50	1.70	2.00	3.00	31
N12KKCE		1.50	1.70	2.00	3.00	31
N12KKCES		1.50	1.70	2.00	3.00	31
N12KKY		1.50	1.70	2.00	3.00	31
N12KKYE		1.50	1.70	2.00	3.00	31
N12KR		1.50	1.70	2.00	3.00	31
N12KRE		1.50	1.70	2.00	3.00	31
N12KRES		1.50	1.70	2.00	3.00	31
N12KRS		1.50	1.70	2.00	3.00	31
N12KRY		1.50	1.70	2.00	3.00	31
N12KRYE		1.50	1.70	2.00	3.00	31
N12MMC(S)		1.30	1.50	2.00	2.10	26
N12MMCE		1.30	1.50	2.00	2.10	26
N12MMCES		1.30	1.50	2.00	2.10	26
N12MR		1.30	1.50	2.00	2.10	26
N12MRE		1.30	1.50	2.00	2.10	26
N12MRES		1.30	1.50	2.00	2.10	26
N12MRS		1.30	1.50	2.00	2.10	26
N12PPC(S)		1.60	1.70	2.50	3.00	33
N12PPCE		1.60	1.70	2.50	3.00	33
N12PPCES		1.60	1.70	2.50	3.00	33

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N12PR		1.60	1.70	2.50	3.00	33
N12PRE		1.60	1.70	2.50	3.00	33
N12PRES		1.60	1.70	2.50	3.00	33
N12PRS		1.60	1.70	2.50	3.00	33
N12QQ		1.40	1.60	2.20	3.00	28
N12RR		1.10	1.50	1.90	2.00	22
N15AAY		0.90	1.10	1.30	1.20	18
N15ARY		0.90	1.10	1.30	1.20	18
N15CCY		0.90	1.10	1.30	1.20	18
N15CRY		0.90	1.10	1.30	1.20	18
N15EE		0.90	1.10	1.30	1.20	18
N15EES		0.90	1.10	1.30	1.20	18
N15ER		0.90	1.10	1.30	1.20	18
N15ERS		0.90	1.10	1.30	1.20	18
N15GG		0.90	1.10	1.30	1.20	18
N15GGS		0.90	1.10	1.30	1.20	18
N15GR		0.90	1.10	1.30	1.20	18
N15GRS		0.90	1.10	1.30	1.20	18
N15HH		0.90	1.10	1.30	1.20	18
N15HHS		0.90	1.10	1.30	1.20	18
N15HR		0.90	1.10	1.30	1.20	18
N15HRS		0.90	1.10	1.30	1.20	18
N15JJY		0.90	1.10	1.30	1.20	18
N15JJYE		0.90	1.10	1.30	1.20	18
N15JRY		0.90	1.10	1.30	1.20	18
N15JRYE		0.90	1.10	1.30	1.20	18
N15LL		0.90	1.10	1.30	1.20	18
N15LLS		0.90	1.10	1.30	1.20	18
N15LR		0.90	1.10	1.30	1.20	18
N15LRS		0.90	1.10	1.30	1.20	18
N15MM		0.90	1.10	1.30	1.20	18
N15MME		0.90	1.10	1.30	1.20	18
N15MMES		0.90	1.10	1.30	1.20	18
N15MMS		0.90	1.10	1.30	1.20	18
N15MR		0.90	1.10	1.30	1.20	18
N15MRE		0.90	1.10	1.30	1.20	18
N15MRES		0.90	1.10	1.30	1.20	18
N15MRS		0.90	1.10	1.30	1.20	18
N15PP		0.90	1.10	1.30	1.20	18
N15PPE		0.90	1.10	1.30	1.20	18
N15PPES		0.90	1.10	1.30	1.20	18
N15PPS		0.90	1.10	1.30	1.20	18
N15PR		0.90	1.10	1.30	1.20	18
N15PRE		0.90	1.10	1.30	1.20	18
N15PRES		0.90	1.10	1.30	1.20	18
N15PRS		0.90	1.10	1.30	1.20	18
N15RR		0.90	1.00	1.20	1.10	18
N21AAUC, N21AAUG N21AATUC, N21AATUG N21BBUC, N21BBUG N21BBTUC, N21BBTUG N21CCUC, N21CCUG, N21UPH		0.70	0.70	0.70	0.90	7

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N22HMM, N22HMA, N22HMMS, N22HMAS		0.90	1.10	1.40	2.40	18
N23AAC, N23AAC		0.90	1.80	2.00	2.00	18
N23BBC, N23BBCY		1.50	2.50	2.90	2.90	30
N23CCC, N23CCCY		0.90	1.80	2.00	2.00	18
N23CCCD		0.90	1.80	2.00	2.00	18
N23CCCYD		0.90	1.80	2.00	2.00	18
N23DDC		1.00	1.80	2.00	2.00	19
N23DDCD		1.00	1.80	2.00	2.00	19
N23EEC, N23EECY		1.50	2.50	2.90	2.90	30
N23EECD		1.50	2.50	2.90	2.90	30
N23EECYD		1.50	2.50	2.90	2.90	30
N23HHC		1.60	2.60	2.90	3.00	31
N23HHCD		1.60	2.60	2.90	3.00	31
N23JJC		0.90	1.80	2.00	2.00	18
N23KKC		1.00	1.80	2.00	2.00	19
N23MMC		1.50	2.50	2.90	2.90	30
N23PPC		1.60	2.60	2.90	3.00	31
N23RRC		1.60	2.60	2.90	3.00	31
N23SSC		1.00	1.80	2.00	2.00	19
N24AAC		0.90	1.80	2.00	2.00	18
N24BBC		1.50	2.50	2.90	2.90	30
N24CCC		0.90	1.80	2.00	2.00	18
N24CCCD		0.90	1.80	2.00	2.00	18
N24DDC		1.00	1.80	2.00	2.00	19
N24DDCD		1.00	1.80	2.00	2.00	19
N24EEC		1.50	2.50	2.90	2.90	30
N24EECD		1.50	2.50	2.90	2.90	30
N24HHC		1.60	2.60	2.90	3.00	31
N24HHCD		1.60	2.60	2.90	3.00	31
N24JJC		0.90	1.80	2.00	2.00	18
N24KKC		1.00	1.80	2.00	2.00	19
N24MMC		1.50	2.50	2.90	2.90	30
N24PPC		1.60	2.60	2.90	3.00	31
N24RRC		1.60	2.60	2.90	3.00	31
N24SSC		1.00	1.80	2.00	2.00	19
N25AAC, N25AAC		0.90	1.80	2.00	2.00	18
N25BBC, N25BBCY		1.50	2.50	2.90	2.90	30
N25CCC, N25CCCY		0.90	1.80	2.00	2.00	18
N25CCCD		0.90	1.80	2.00	2.00	18
N25CCCYD		0.90	1.80	2.00	2.00	18
N25DDC		1.00	1.80	2.00	2.00	19
N25DDCD		1.00	1.80	2.00	2.00	19
N25EEC, N25EECY		1.50	2.50	2.90	2.90	30
N25EECD		1.50	2.50	2.90	2.90	30
N25EECYD		1.50	2.50	2.90	2.90	30
N25HHC		1.60	2.60	2.90	3.00	31
N25HHCD		1.60	2.60	2.90	3.00	31
N25JJC		0.90	1.80	2.00	2.00	18
N25KKC		1.00	1.80	2.00	2.00	19
N25MMC		1.50	2.50	2.90	2.90	30
N25PPC		1.60	2.60	2.90	3.00	31
N25RRC		1.60	2.60	2.90	3.00	31

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N25SSC		1.00	1.80	2.00	2.00	19
N26AAC		0.90	1.80	2.00	2.00	18
N26BBC		1.50	2.50	2.90	2.90	30
N26CCC		0.90	1.80	2.00	2.00	18
N26CCCD		0.90	1.80	2.00	2.00	18
N26DDC		1.00	1.80	2.00	2.00	19
N26DDCD		1.00	1.80	2.00	2.00	19
N26EEC		1.50	2.50	2.90	2.90	30
N26EECD		1.50	2.50	2.90	2.90	30
N26HHC		1.60	2.60	2.90	3.00	31
N26HHCD		1.60	2.60	2.90	3.00	31
N26JJC		0.90	1.80	2.00	2.00	18
N26KKC		1.00	1.80	2.00	2.00	19
N26MMC		1.50	2.50	2.90	2.90	30
N26PPC		1.60	2.60	2.90	3.00	31
N26RRC		1.60	2.60	2.90	3.00	31
N26SSC		1.00	1.80	2.00	2.00	19
N27MM1P, N27MM1PS N27MM2P, N27MM2PS N27MM3P, N27MM3PS N27MHM2P, N27MHM2PS N27MHM3P, N27MHM3PS		0.90	1.00	2.00	2.50	10
N28AMML33LSS, N28AMML34LSS, N28CML13L, N28CML23L, N28CML33L, N28CML43L, N28MML13L, N28MML13LSS, N28MML14L, N28MML14LSS, N28MML23L, N28MML23LSS, N28MML24L, N28MML24LSS, N28MML33L, N28MML33LSS, N28MML34L, N28MML34LSS, N28MML43L, N28MML43LSS, N28MML44L, N28MML44LSS N28SML13L, N28SML23L, N28SML33L, N28SML43L		0.86	1.00	1.30	1.30	17.16
N30HM1SP, N30HM1SSP N30HM1SN, N30HM1SSN N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML1SP, N30HML1SSP N30HML1SN, N30HML1SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN		0.80	1.00	1.20	2.10	16

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
	Contact customer service 800-482-1717 for ydg requirements		4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30HP1SP, N30HP1SSP N30HP1SN, N30HP1SSN N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN		1.30	1.50	2.10	3.40	26
N30HP1SPX, N30HP1SSPX N30HP1SNX, N30HP1SSNX N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX	Back Seat	0.90 0.80	1.10 1.00	1.50 1.20	2.50 2.10	18 16
N30HU1SP, N30HU1SSP N30HU1SN, N30HU1SSN N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN		1.50	1.80	2.60	4.40	30
N30HU1SPX, N30HU1SSPX N30HU1SNX, N30HU1SSNX N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX	Back Extreme Back Seat	0.90 0.60 0.80	1.10 1.00 1.00	1.50 1.40 1.20	2.50 1.50 2.10	18 18 16
N30MP1SP, N30MP1SSP N30MP1SN, N30MP1SSN N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP1SP, N30SP1SPG N30SP1SN, N30SP1SNG N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG		1.20	1.50	2.20	3.00	24

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET	
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL		
N30MP1SPX, N30MP1SSPX N30MP1SNX, N30MP1SSNX N30MP2SPX, N30MP2SSPX N30MP2SNX, N30MP2SSNX N30MP3SPX, N30MP3SSPX N30MP3SNX, N30MP3SSNX N30MP9SPX, N30MP9SSPX N30MP9SNX, N30MP9SSNX N30MP8SNX, N30MP8SSNX N30SP1SPX, N30SP1SPGX N30SP1SNX, N30SP1SNGX N30SP2SPX, N30SP2SPGX N30SP2SNX, N30SP2SNGX N30SP3SPX, N30SP3SPGX N30SP3SNX, N30SP3SNGX N30SP9SPX, N30SP9SPGX N30SP9SNX, N30SP9SNGX N30SP8SNX, N30SP8SNGX	Back Seat	0.80 0.80	0.90 1.00	1.40 1.20	1.90 2.10	16 16	
N30MU1SP, N30MU1SSP N30MU1SN, N30MU1SSN N30MU2SP, N30MU2SSP N30MU2SN, N30MU2SSN N30MU3SP, N30MU3SSP N30MU3SN, N30MU3SSN N30MU9SP, N30MU9SSP N30MU9SN, N30MU9SSN N30MU8SN, N30MU8SSN N30SU1SP, N30SU1SPG N30SU1SN, N30SU1SNG N30SU2SP, N30SU2SPG N30SU2SN, N30SU2SNG N30SU3SP, N30SU3SPG N30SU3SN, N30SU3SNG N30SU9SP, N30SU9SPG N30SU9SN, N30SU9SNG N30SU8SN, N30SU8SNG			1.40	1.60	2.60	3.60	28
N30MU1SPX, N30MU1SSPX N30MU1SNX, N30MU1SSNX N30MU2SPX, N30MU2SSPX N30MU2SNX, N30MU2SSNX N30MU3SPX, N30MU3SSPX N30MU3SNX, N30MU3SSNX N30MU9SPX, N30MU9SSPX N30MU9SNX, N30MU9SSNX N30MU8SNX, N30MU8SSNX N30SU1SPX, N30SU1SPGX N30SU1SNX, N30SU1SNGX N30SU2SPX, N30SU2SPGX N30SU2SNX, N30SU2SNGX N30SU3SPX, N30SU3SPGX N30SU3SNX, N30SU3SNGX N30SU9SPX, N30SU9SPGX N30SU9SNX, N30SU9SNGX N30SU8SNX, N30SU8SNGX	Back Extreme Back Seat	0.80 0.80 0.80	0.90 1.00 1.00	1.40 1.30 1.20	1.90 1.40 2.10	16 16 16	
N30GU1UPC, N30GU1UP N30GU1UNC, N30GU1UN N30GU9UPC, N30GU9UP N30GU9UNC, N30GU9UN			0.90	1.20	1.80	2.80	18
N30GU1UPCX, N30GU1UPX N30GU1UNCX, N30GU1UNX N30GU9UPCX, N30GU9UPX N30GU9UNCX, N30GU9UNX	Back Extreme Back Seat	0.60 0.40 0.90	0.80 0.60 1.10	1.20 0.90 1.40	1.80 1.30 2.40	12 8 18	

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N30GM1UPC, N30GM1UP N30GM1UNC, N30GM1UN N30GM9UPC, N30GM9UP N30GM9UNC, N30GM9UN		0.90	1.10	1.40	2.40	18
N30GP1UPC, N30GP1UP N30GP1UNC, N30GP1UN N30GP9UPC, N30GP9UP N30GP9UNC, N30GP9UN		0.90	1.20	1.70	2.80	18
N30GP1UPCX, N30GP1UPX N30GP1UNCX, N30GP1UNX N30GP9UPCX, N30GP9UPX N30GP9UNCX, N30GP9UNX	Back Seat	0.60 0.90	0.80 1.10	1.20 1.40	1.80 2.40	12 18
N30GP1PPC, N30GP1PP N30GP1PNC, N30GP1PN N30GP9PPC, N30GP9PP N30GP9PNC, N30GP9PN		0.60	0.80	1.20	1.80	12
N30GU1PPC, N30GU1PP N30GU1PNC, N30GU1PN N30GU9PPC, N30GU9PP N30GU9PNC, N30GU9PN N30GU1PPCX, N30GU1PPX N30GU1PNCX, N30GU1PNX N30GU9PPCX, N30GU9PPX	Back Extreme Back	0.60 0.40	0.80 0.60	1.20 0.90	1.80 1.30	12 8
N32AAM, N32AAW, N32BBM, N32BBW, N32CCML, N32CCMR, N32CCWL, N32CCWR, N32DDMR, N32DDML, N32DDWR, N32DDWL		4.90	5.60	7.30	8.90	98
N32SAAM, N32SAAW, N32SBBM, N32SBBW, N32SCCML, N32SCCMR, N32SCCWL, N32SCCWR, N32SDDMR, N32SDDML, N32SDDWR, N32SDDWL		5.00	6.40	6.90	8.30	100
N32HHM, N32HHW, N32JJMR, N32JJML, N32JJMB, N32JJWR, N32JJWL, N32JJWB		9.00	10.00	10.70	12.30	179
N32SHM, N32SHW, N32SJJMR, N32SJJML, N32SJJMB, N32SJJWR, N32SJJWL, N32SJJWB		9.30	10.80	10.90	13.20	185
N32LLM, N32LLW, N32MMMR, N32MMML, N32MMMB, N32MMWR, N32MMWL, N32MMWB		8.90	13.50	14.70	16.90	177
N32SLLM, N32SLLW, N32SMMMR, N32SMMML, N32SMMMB, N32SMMWR, N32SMMWL, N32SMMWB		8.60	10.90	15.50	17.80	171
N32AAMX, N32AAWX, N32BBMX, N32BBWX, N32CCMLX, N32CCMRX, N32CCWLX, N32CCWRX, N32DDMRX, N32DDMLX, N32DDWRX, N32DDWLX	Arm Seat Back	2.80 1.20 2.00	3.40 1.80 2.20	3.80 2.10 2.50	6.00 2.40 2.20	56 24 40

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N32SAAMX, N32SAAWX, N32SBBMX, N32SBBWX, N32SCCMLX, N32SCCMRX, N32SCCWLX, N32SCCWRX, N32SDDMRX, N32SDDMLX, N32SDDWRX, N32SDDWLX	Arm Seat Back	3.00 1.60 1.90	3.10 1.70 2.00	3.40 2.40 2.10	4.00 3.40 2.40	60 32 38
N32HHMX, N32HHWX, N32JJMRX, N32JJMLX, N32JJMBX, N32JJWRX, N32JJWLX, N32JJWBX	Arm Seat Back	2.80 2.90 3.90	3.40 3.40 4.20	3.80 3.90 5.00	6.00 2.90 5.20	56 58 78
N32SHHMX, N32SHHWX, N32SJMRX, N32SJMLX, N32SJJMBX, N32SJJWRX, N32SJJWLX, N32SJJWBX	Arm Seat Back	3.00 3.70 3.70	3.10 3.90 3.90	3.40 4.90 4.10	4.00 6.20 5.10	60 74 74
N32LLMX, N32LLWX, N32MMMRX, N32MMMLX, N32MMMBX, N32MMWRX, N32MMWLX, N32MMWBX	Arm Seat Back	2.80 3.40 3.90	3.40 4.80 6.30	3.80 5.00 7.40	6.00 6.40 6.20	56 68 78
N32SLLMX, N32SLLWX, N32SMMMRX, N32SMMMLX, N32SMMMBX, N32SMMWRX, N32SMMWLX, N32SMMWBX	Arm Seat Back	3.00 3.40 3.70	3.10 4.60 3.80	3.40 7.30 5.80	4.00 9.40 6.40	60 68 74
N32AAMS, N32AAWS, N32BBMS, N32BBWS, N32CCMLS, N32CCMRS, N32CCWLS, N32CCWRS, N32DDMRS, N32DDMLS, N32DDWRS, N32DDWLS		5.00	6.20	7.80	9.00	100
N32SAAMS, N32SAAWS, N32SBBMS, N32SBBWS, N32SCCMLS, N32SCCMRS, N32SCCWLS, N32SCCWRS, N32SDDMRS, N32SDDMLS, N32SDDWRS, N32SDDWLS		5.40	6.10	7.20	8.10	107.5
N32HHMS, N32HHWS, N32JJMRS, N32JJMLS, N32JJMBS, N32JJWRS, N32JJWLS, N32JJWBS		10.10	11.00	12.30	14.50	201
N32SHHMS, N32SHHWS, N32SJJMRS, N32SJJMLS, N32SJJMBS, N32SJJWRS, N32SJJWLS, N32SJJWBS		9.90	10.90	12.30	13.20	197
N32KKC, N32KKM, N32KKW		1.60	2.30	3.40	4.80	32
N32LLMS, N32LLWS, N32MMMRMS, N32MMMLS, N32MMMBMS, N32MMWRS, N32MMWLS, N32MMWBS		9.70	14.80	16.30	17.00	193
N32SLLMS, N32SLLWS, N32SMMMRMS, N32SMMMLS, N32SMMMBMS, N32SMMWRS, N32SMMWLS, N32SMMWBS		8.60	10.50	16.70	18.20	171
N32AAMSX, N32AAWSX, N32BBMSX, N32BBWSX, N32CCMLSX, N32CCMRSX, N32CCWLSX, N32CCWRSX, N32DDMRSX, N32DDMLSX, N32DDWRSX, N32DDWLSX	Arm Seat Back	2.80 1.50 2.00	3.40 2.20 2.20	3.80 2.60 2.50	6.00 2.50 2.20	56 30 40

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N32SAAMXS, N32SAAWSX, N32SBBMSX, N32SBBWSX, N32SCCMLSX, N32SCCMRSX, N32SCCWLSX, N32SCCWRSX, N32SDDMRSX, N32SDDMLSX, N32SDDWRSX, N32SDDWLSX	Arm Seat Back	3.00 1.90 1.90	3.10 1.90 2.00	3.40 2.70 2.10	4.00 3.20 2.40	60 38 38
N32HHMSX, N32HHWSX, N32JJMRSX, N32JJMLSX, N32JJMBSX, N32JJWRSX, N32JJWLSX, N32JJWBSX	Arm Seat Back	2.80 4.00 3.90	3.40 4.30 4.20	3.80 4.40 5.00	6.00 4.50 5.20	56 80 78
N32SHHMSX, N32SHHWSX, N32SJJMRSX, N32SJJMLSX, N32SJJMBSX, N32SJJWRSX, N32SJJWLSX, N32SJJWBSX	Arm Seat Back	3.00 4.10 3.70	3.10 4.10 3.90	3.40 5.10 4.10	4.00 6.20 5.10	60 82 74
N32LLMSX, N32LLWSX, N32MMMRSX, N32MMMLSX, N32MMMBSX, N32MMWBSX, N32MMWRSX, N32MMWLSX	Arm Seat Back	2.80 3.80 3.90	3.40 4.70 6.30	3.80 6.90 7.40	6.00 6.50 6.20	56 76 78
N32SLLMSX, N32SLLWSX, N32SMMMRSX, N32SMMMLSX, N32SMMMBSX, N32SMMWBSX, N32SMMWRSX, N32SMMWLSX	Arm Seat Back	3.00 3.70 3.70	3.10 3.80 3.80	3.40 7.50 5.80	4.00 9.20 6.40	60 74 74
N32HKM, N32HKW N32LKM, N32LKW		3.40 3.20	4.60 3.70	5.10 7.00	7.20 7.20	68 64
N32THHW, N32MHHM, N32MHHW		6.60	7.00	8.20	7.50	132
N32MAAM, N32MAAW, N32MBBM, N32TAAW, N32MBBW		2.80	3.00	4.20	4.40	56
N32MAAMX, N32MAAWX, N32MBBMX, N32MBBW, N32TAAWX	Seat Back	1.30 1.90	2.10 2.00	2.50 2.30	2.70 2.50	26 38
N32MHHMX, N32MHHWX, N32THHWX	Seat Back	3.10 3.60	3.50 3.90	3.70 5.30	4.20 4.50	62 72
N32MLLM, N32MLLW, N32TLLW		5.70	6.10	10.60	8.00	113.5
N32MLLMX, N32MLLWX, N32TLLWX	Seat Back	2.40 3.60	3.30 3.70	5.00 6.60	4.20 4.50	48 72
N32STAAM, N32SMAAM, N32SMAAW, N32SMBBM, N32SMBBW		2.70	2.80	4.00	4.40	54
N32STHHW, N32SMHHM, N32SMHHW		6.40	6.80	7.80	7.50	127.5
N32STLLW, N32SMLLM, N32SMLLW		5.40	5.70	10.20	7.50	107.5
N32STAAMX, N32SMAAMX, N32SMAAWX, N32SMBBMX, N32SMBBWX	Seat Back	1.30 1.70	2.10 1.80	2.40 2.20	2.70 2.40	26 34
N32STHHWX, N32SMHHMX, N32SMHHWX	Seat Back	3.20 3.40	3.50 3.60	3.70 4.50	4.20 4.40	64 68
N32STLLWX, N32SMLLMX, N32SMLLWX	Seat Back	2.40 3.40	3.30 3.40	4.90 5.90	4.20 4.40	48 68
N33M1B	Complete	2.80	–	–	–	–
N33M1BX	Seat Upholstery	1.90 2.10	– –	– –	– –	– –
N33M2B	Complete	4.40	–	–	–	–
N33M2BX	Seat Upholstery	2.60 2.90	– –	– –	– –	– –

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N33M1M, N33M1MG, N33M1MGL, N33M1MGR	Complete	2.10	–	–	–	–
N33M1MX, N33M1MGX, N33M1MGLX, N33M1MGRX	Seat Upholstery	1.40 1.40	– –	– –	– –	– –
N33M1RG, N33M1LG	Complete	2.30	–	–	–	–
N33M1RGX, N33M1LGX	Seat Upholstery	1.30 1.40	– –	– –	– –	– –
N33MIN9G	Complete	3.20	–	–	–	–
N33MIN9GX	Seat Upholstery	1.80 1.90	– –	– –	– –	– –
N33MOUG9	Complete	2.70	–	–	–	–
N33MOUG9GX	Seat Upholstery	1.70 1.80	– –	– –	– –	– –
N35JAC		1.10	1.80	2.10	2.20	21
N35JCC		1.10	1.80	2.10	2.20	21
N35MAC		2.60	3.10	3.40	3.70	50.5
N35MBC		2.60	3.10	3.40	3.70	50.5
39A-GWXX, 39A-GWXXT						
39A-GRXX		1.10	1.30	2.30	2.40	22
39A-GWXXX, 39A-GWXXTX	Seat	0.80	0.90	1.20	1.00	7
39A-GRXXX	Back	0.60	0.80	1.40	1.40	12
39A-TAA, 39A-TAAT		1.80	2.10	3.80	4.40	36
39A-TAAX, 39A-TAATX	Seat Back	0.80 1.10	1.60 1.40	2.10 2.00	2.10 2.40	16 22
39A-TAAA, 39A-TAAAT		2.70	3.30	5.90	6.40	54
39A-TAAAX, 39A-TAAATX	Seat Back	1.50 1.60	2.20 1.90	3.00 3.20	3.10 3.40	30 32
39A-BWAA, 39A-BWAAT		1.90	2.10	2.30	2.50	38
39A-BWAAX, 39A-BWAATX	Seat Back	0.90 1.10	1.00 1.30	1.20 1.40	1.10 1.40	18 22
39H-GWXX, 39H-GWXXT		0.80	1.50	1.40	2.00	14
39H-GWXXX, 39H-GWXXTX	Seat	0.80	0.90	1.20	1.10	7
39H-GRXXX	Back	0.70	0.90	0.80	1.00	14
39B-GWXX, 39B-GWXXT						
39S-GWXX, 39S-GWXXT						
39L-GWXX, 39L-GWXXT						
39D-GWXX, 39D-GWXXT						
39B-GRXX, 39L-GRXX						
39S-GRXX, 39D-GRXX		0.80	0.90	1.20	1.10	7
39U-GWXX, 39U-GWXXT		1.30	1.50	2.40	3.00	23
39U-GWXXX, 39U-GWXXTX	Seat Back	0.80 0.70	0.90 0.90	1.20 1.40	1.10 2.00	7 14
39U-GRXX		1.30	1.50	1.50	3.00	23
39E-GRXXX	Seat Back	0.80 0.70	0.90 0.90	1.10 0.80	1.10 2.00	7 14
39E-GWXX, 39E-GWXXT						
39E-GRXX		1.30	1.50	1.40	2.00	23
39E-GWXXX, 39E-GWXXTX	Seat	0.80	0.90	1.20	1.10	7
39E-GRXXX	Back	0.70	0.90	0.80	1.00	14
N40GU1, N40CU1, N40BU1		0.50	0.70	0.90	1.25	5
N40GU2, N40CU2, N40BU2		0.50	0.70	0.90	1.80	10

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N45AUR, N45BUR, N45HU, N45HUL, N45JU, N45JUL, N45U1, N45U2		0.70	0.80	0.80	0.90	5
N45AU, N45BU, N45U3		1.30	1.50	1.40	4.00	24.5
48-EK, 48-EKN		2.90	3.10	3.90	3.90	59
48-ES, 48-ESN		2.90	3.10	3.90	3.90	59
48-GC, 48-GCN		2.90	3.10	3.90	3.90	59
N48GFA, N48GFM		1.70	1.70	2.90	3.00	31.5
N48GFAX	Back	0.90	0.90	1.00	1.30	8
N48GFMX	Extreme	0.80	0.90	0.90	0.80	6.5
	Seat	1.10	1.10	1.20	1.10	19
N49D14LM, N49D1DM	Complete	1.40	1.50	2.30	3.70	26.6
N49D14LMP, N49D1DMP	Upholstery	1.30	1.40	2.30	3.70	24.4
	Piping	0.20				2.8
N49D14LMX, N49D1DMX	Seat	1.00	1.20	1.50	1.60	20
	Seat Accent	0.50	0.70	1.40	2.70	7.2
N49GMD1, N49GMS1, N49GMSC1, N49GMS1H, N49GMS1W		2.20	2.40	3.80	4.10	44
N49GMD1X, N49GMS1X, N49GMSC1X, N49GMS1HX, N49GMS1WX	Upholstery	1.40	1.60	2.20	2.60	28
	Extreme	1.00	1.20	1.90	2.20	20
N49GMD1P, N49GMS1P, N49GMSC1P, N49GMS1HP, N49GMS1WP	Upholstery	2.20	2.40	3.10	3.40	44
	Piping	0.30	0.30	0.30	0.30	6
N49GUW, N49GUM	Complete	1.30	1.50	2.50	3.50	26.6
N49GUWX, N49GUMX	Upholstery	0.80	1.00	1.80	2.50	14.9
	Extreme back (include part under the seat)	0.80	1.00	1.30	2.00	14.9
N49BUW, N49BUM N49CUW, N49CUM	Complete	0.90	1.30	2.00	2.50	17.2
N49BUWX, N49BUMX, N49CUWX, N49CUMX	Upholstery	0.80	1.00	1.40	1.80	14.9
	Extreme back (include part under the seat)	0.60	0.80	1.00	1.80	12.2
N49GUNW, N49GUNM	Complete	1.10	1.40	2.00	2.70	22.1
N49GUNWX, N49GUNMX	Upholstery	0.70	0.80	1.00	1.80	13.8
	Extreme back (include part under the seat)	0.80	1.00	1.20	1.80	14.9
N49BUNW, N49BUNM, N49CUNW, N49CUNM	Complete	0.70	1.00	1.50	2.30	13.8
N49BUNWX, N49BUNMX, N49CUNWX, N49CUNMX	Upholstery	0.60	0.80	1.00	1.80	11.1
	Extreme back (include part under the seat)	0.60	0.80	1.00	1.80	12.2
N49GMND1, N49GMNS1H, N49GMNS1W, N49GMNS1, N49GMNSC1	Complete	2.10	2.50	3.50	4.00	42.6
N49GMND1X, N49GMNS1HX, N49GMNS1WX, N49GMNS1X, N49GMNSC1X	Upholstery	1.30	1.50	2.00	2.50	24.9
	Extreme back (include part under the seat)	1.00	1.30	2.00	2.80	19.9
N49DN1DM, N49DN14LM	Complete	0.80	1.00	2.30	3.20	16.6
N49DN1DMX, N49DN14LMX	Seat	0.70	0.80	1.00	1.30	14.4
	Seat Accent	0.50	0.60	1.70	2.70	10
N51GFA, N51GFM	Complete	1.20	1.60	2.20	3.50	21.2
N51GFAX, N51GFMX	Back	0.70	1.00	1.60	2.40	11.2
	Seat	0.80	1.00	1.40	2.50	13.4
N52GHA, N52GHAC, N52GHM, N52GHMC		0.80	0.80	1.10	1.00	14

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N52GUM, N52GUA						
N52GUMC, N52GUAC		0.70	0.90	1.50	1.80	13.8
N52GUMX, N52GUAX	Back	0.50	0.70	0.50	1.10	9.4
N52GUMCX, N52GUACX	Seat	0.70	0.70	0.90	1.00	13.8
N53GU4LM, N53GU4HM, N53GU4HW, N53GU5LMC, N53GU5LAMC, N53GURKW						
N53GUMD	Complete	2.90	3.20	4.00	4.50	57.6
N53GU4LMX, N53GU4HMX, N53GU4HWX, N53GU5LMCX, N53GU5LAMCX, N53GURKW	Seat	0.90	1.00	1.40	1.50	17.2
N53GUMDX	Back	0.90	1.00	1.40	1.50	17.2
N53GUMDX	Extreme	1.30	1.00	1.40	1.50	24.4
N53GW4LM, N53GW4HM, N53GW4HW, N53GW5LMC, N53GW5LAMC, N53GWRKW						
N53GWMD	Complete	1.70	1.90	2.30	2.50	33.8
N53GW4LMX, N53GW4HMX, N53GW4HWX, N53GW5LMCX, N53GW5LAMCX, N53GWRKW	Seat	0.90	1.00	1.40	1.50	17.2
N53GWMDX	Back	0.90	1.00	1.40	1.50	17.2
N54AMM3KT, N54AMM3ST, N54AMM3KT, N54CM1ST, N54CM3ST, N54MM1ST, N54MM1KT, N54MM3ST, N54MM3KT, N54SM1ST, N54SM3ST		0.89	1.25	1.50	1.50	17.71
N55AA, N55BB		1.20	1.50	2.30	2.90	23
N55CC, N55DD		0.80	1.00	1.10	1.10	10
N55EE, N55HH		0.80	1.20	1.70	1.80	15
N55AAX	Back	0.70	0.70	0.70	0.90	6.5
N55BBX	Extreme	0.70	0.70	0.70	0.90	6
N55BBX	Seat	0.80	0.80	1.00	1.10	7.5
N55EEX	Back	0.50	0.50	0.60	0.80	4.5
N55HHX	Extreme	0.40	0.50	0.60	0.80	3.5
N55HHX	Seat	0.80	0.80	1.00	1.10	7.5
N58D1	Complete	1.00	1.00	1.50	1.50	17
N58GMA	Complete	2.83	3.50	6.75	6.75	56.45
N58GMAX	Back	1.25	1.80	2.50	2.50	24.9
N58GMAX	Seat	0.97	1.20	2.00	2.00	19.37
N58GMAX	Extreme	1.25	1.80	2.50	2.50	24.9
N58GMAX	Accent	0.56	1.00	1.60	2.00	11.07
N59AA, N59AAT, N59AL		0.90	1.40	1.60	2.40	18
N59BB, N59BBT, N59BL		1.20	1.60	1.90	3.40	24
N59CC, N59CCT, N59CL		0.90	1.10	1.20	1.10	18
N59DD, N59DDT, N59DL		0.90	1.30	1.50	1.90	18
N59HAA, N59HAAT		0.90	1.40	1.60	2.40	18
N59HCC, N59HCCT		0.90	1.10	1.20	1.10	18
N59HH, N59HHT, N59HL		0.90	1.40	1.60	2.40	18
N59JJ, N59JJT, N59JL		1.10	1.60	1.80	2.90	22
N59KK, N59KKT		0.90	1.00	1.20	1.50	18
N59MM, N59MMT		1.50	1.60	2.10	2.30	30
N59PP, N59PPT		1.40	1.50	1.70	2.20	28
N59AAX	Back	0.40	0.60	0.70	0.90	2.6
N59AATX, N59HAATX	Extreme	0.40	0.60	0.70	0.90	2.6
N59ALX	Seat	0.90	1.10	1.20	1.10	18

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET	
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL		
N59BBX	Back	0.40	0.60	0.70	0.90	2.6	
N59BBTX	Lumbar	0.40	0.60	0.70	0.90	2.6	
N59BLX	Extreme Back	0.40	0.60	0.70	0.90	2.6	
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6	
	Seat	0.90	1.10	1.20	1.10	18	
N59DDX	Back	0.40	0.60	0.70	0.90	2.6	
N59DDTX	Extreme Back	0.30	0.40	0.60	0.80	1.5	
N59DLX	Seat	0.90	1.10	1.20	1.10	18	
N59HHX	Lumbar	0.40	0.60	0.70	0.90	2.6	
N59HHTX	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6	
N59HLX	Seat	0.90	1.10	1.20	1.10	18	
N59JJX	Back	0.40	0.60	0.70	0.90	2.6	
N59JJTX	Lumbar	0.40	0.60	0.70	0.90	2.6	
N59JLX	Extreme Back	0.30	0.40	0.60	0.80	1.5	
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6	
	Seat	0.90	1.10	1.20	1.10	18	
N59MMX	Back	0.40	0.50	0.60	0.90	4	
N59MMTX	Extreme Back	0.40	0.50	0.60	0.90	4	
	Seat	0.90	1.00	1.10	1.40	18	
N59PPX	Back	0.40	0.50	0.60	0.90	4	
N59PPTX	Extreme Back	0.20	0.30	0.50	0.70	2.5	
	Seat	0.90	1.00	1.10	1.40	18	
N60AA, N60SAA, N60BB, N60SBB, N60CC, N60SCC, N60DD, N60SDD, N60SAAC, N60SBBC, N60SCCC, N60SDDC, N60SFA, N60SFB, N60SFC, N60SFD, N60STA, N60STB, N60STC, N60STD		0.90	1.00	1.40	2.30	18	
N60AAX, N60SAAX, N60BBX, N60SBBX, N60SAACX, N60SBBCX, N60SFAX, N60SFBX, N60STAX, N60STBX		Back Seat	0.50 0.90	0.60 0.90	0.70 1.10	1.30 1.00	10 7
N60AW, N60BW, N60CW, N60DW, N60SAW, N60SBW, N60SAWC, N60SBWC, N60SFAW, N60SFBW, N60STAW, N60STBW, N60STCW, N60STDW, N60SCW, N60SDW, N60SCWC, N60SDWC, N60SFCW, N60SFDW		1.00	1.00	1.30	1.30	7	
N60CCX, N60SCCX, N60DDX, N60SDDX, N60SCCCX, N60SDDCX, N60SFCX, N60SFDX, N60STCX, N60STDX		Back Seat	0.60 0.90	0.60 0.90	0.70 1.10	1.30 1.00	12 7
N60EM, N60SEM, N60PM, N60SPM		1.20	1.60	1.90	1.90	22	
N60EMX, N60SEM, N60PMX, N60SPMX		Back Seat	0.60 0.80	0.90 0.90	1.00 1.10	1.40 1.00	9 14
N60EMW, N60GMW, N60SEM, N60SGMW, N60RMW, N60PMW, N60SRMW, N60SPMW		0.80	0.90	1.10	1.00	14	
N60EE, N60SEE, N60GG, N60SGG, N60PP, N60SPP, N60RR, N60SRR		1.60	1.80	2.10	2.30	30.5	
N60EEX, N60SEEX, N60GGX, N60SGGX, N60PPX, N60SPPX, N60RRX, N60SRRX		Back Seat	0.80 0.90	0.90 1.00	1.10 1.20	1.00 1.30	14 17

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N60EW, N60SEEW, N60GW, N60SGGW, N60PW, N60SPPW, N60RW		0.80	0.90	1.10	1.00	14
N60GM, N60SGM, N60RM, N60SRRW		1.20	1.70	2.20	1.90	22
N60GMX, N60SGMX, N60RMX, N60SRMX	Back Seat	0.60 0.80	0.90 0.90	1.30 1.10	1.40 1.00	9 14
N61PES, N61PESR		0.70	0.75	1.00	1.30	6.5
62X-GUXX		2.15	2.81	5.00	6.03	44
64X-GWXX		1.36	1.58	2.97	2.97	28
N65AAA		1.90	2.80	3.10	4.10	37
N65AAP		1.90	2.80	3.10	4.10	37
N65AASA		1.90	2.80	3.10	4.10	37
N65AASP		1.90	2.80	3.10	4.10	37
N65BBA		1.80	2.40	3.00	3.40	36
N65BBP		1.80	2.40	3.00	3.40	36
N65BBSA		1.80	2.40	3.00	3.40	36
N65BBSP		1.80	2.40	3.00	3.40	36
N65CCA		1.90	2.80	3.10	4.10	37
N65CCP		1.90	2.80	3.10	4.10	37
N65CCSA		1.90	2.80	3.10	4.10	37
N65CCSP		1.90	2.80	3.10	4.10	37
N65DDA		1.80	2.40	3.00	3.40	36
N65DDP		1.80	2.40	3.00	3.40	36
N65DDSA		1.80	2.40	3.00	3.40	36
N65DDSP		1.80	2.40	3.00	3.40	36
N65EEA		1.00	1.50	2.00	2.40	19
N65EEP		1.00	1.50	2.00	2.40	19
N65GGA		1.00	1.10	1.30	1.20	11
N65GGP		1.00	1.10	1.30	1.20	11
N66RD16G, N66RD16C, N66RD16TC, N66RD16TG		1.10	1.30	1.60	3.30	22
N66RD16GX, N66RD16CX, N66RD16TCX, N66RD16TGX	Seat Upholstery	0.60 1.10	0.80 1.30	0.90 1.90	1.30 2.30	12 22
N66RD16CL, N66RD16CS, N66RD16GL, N66RD16GS		1.25	1.50	1.50	3.50	23
N66RD18C, N66RD18G, N66RD18TC, N66RD18TG		1.20	1.50	1.60	3.40	24
N66RD18CX, N66RD18GX, N66RD18TCX, N66RD18TGX	Seat Upholstery	0.60 1.20	0.70 1.40	0.70 1.50	0.90 2.90	6.5 24
N66RD18CL, N66RD18CS, N66RD18GL, N66RD18GS		1.25	1.50	2.00	3.50	25.25
N66RD22C, N66RD22G, N66RD22TC, N66RD22TG N66RD22GW, N66RD22TGW		1.30	2.20	2.60	3.90	26
N66RD22CX, N66RD22GX, N66RD22TCX, N66RD22TGX, N66RD22GWX, N66RD22TGWX	Seat Upholstery	0.80 1.20	0.80 2.20	1.00 1.90	0.90 2.90	8.5 24
N66RD22CL, N66RD22CS, N66RD22GL, N66RD22GS		1.25	2.25	2.50	3.50	25.25
N66RD36C, N66RD36TC, N66RD36G, N66RD36TG, N66RD36GW, N66RD36TGW		2.54	3.00	3.50	3.75	50.65
N66RD36CX, N66RD36TCX, N66RD36GX, N66RD36TGX, N66RD36GWX, N66RD36TGWX	Boxings Seat	1.53 1.14	2.00 1.50	2.25 1.50	2.50 2.25	30.44 22.69

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N66RD36CL, N66RD36GL, N66RD36CS, N66RD36GS		1.69	2.00	2.25	3.50	33.76
N66RD42C, N66RD42TC, N66RD42G, N66RD42TG, N66RD42GW, N66RD42TGW		2.72	3.25	3.50	3.75	54.24
N66RD42CX, N66RD42TCX, N66RD42GX, N66RD42TGX, N66RD42GWX, N66RD42TGWX	Boxings Seat	1.53 1.31	2.00 1.50	2.25 1.75	2.50 2.25	30.44 26.01
N66RD42CL, N66RD42GL, N66RD42CS, N66RD42GS		1.69	2.00	2.25	3.50	33.76
N66RD48C, N66RD48TC, N66RD48G, N66RD48TG, N66RD48GW, N66RD48TGW		2.89	3.50	3.75	3.75	57.56
N66RD48CX, N66RD48TCX, N66RD48GX, N66RD48TGX, N66RD48GWX, N66RD48TGWX	Boxings Seat	1.53 1.47	2.00 2.00	2.25 2.00	2.50 2.25	30.44 29.33
N66RD48CL, N66RD48GL, N66RD48CS, N66RD48GS		1.69	2.00	2.25	3.50	33.76
N66SQ16G, N66SQ16C		1.10	1.90	2.40	2.70	22
N66SQ16GX, N66SQ16CX	Seat Upholstery	0.60 1.10	0.80 1.30	0.90 1.90	1.30 2.30	12 22
N66SQ18C, N66SQ18G		1.80	1.90	1.90	4.90	36
N66SQ18CX, N66SQ18GX	Seat Upholstery	0.60 1.20	0.70 1.40	0.70 1.30	0.90 3.90	6.5 24
N66SQ22C, N66SQ22G		1.90	2.10	1.90	4.90	38
N66SQ22CX, N66SQ22GX	Seat Upholstery	0.70 1.20	0.70 1.40	1.00 1.30	0.90 3.90	7 24
N66RT44C, N66RT44G	Complete	2.39	3.00	5.50	8.50	47.5
N66RT44CX, N66RT44GX	Seat Upholstery	0.72 1.78	1.00 2.25	2.25 4.50	2.50 6.50	14.5 35.5
N66RT66C, N66RT66G	Complete	3.44	4.50	8.00	8.50	69.0
N66RT66CX, N66RT66GX	Seat Upholstery	1.25 2.33	1.50 3.00	3.00 5.50	3.00 6.50	25.0 46.5
N66TZ16G, N66TZ16C		1.00	1.30	1.90	2.30	20
N66TZ16GX, N66TZ16CX	Seat Upholstery	0.50 1.00	0.60 1.30	0.90 1.60	1.30 1.80	10 20
N66TZ18G, N66TZ18C		1.10	1.60	2.20	3.40	22
N66TZ18GX, N66TZ18CX	Seat Upholstery	0.60 1.10	0.80 1.40	0.90 1.60	1.30 3.30	12 22
N66TZ22G, N66TZ22C		1.40	1.90	2.20	3.90	28
N66TZ22GX, N66TZ22CX	Seat Upholstery	0.60 1.10	0.80 1.40	1.00 1.60	1.40 3.40	12 22
N71M1M, N71MS1M		1.70	2.70	3.40	4.80	34
N71M1A, N71MS1A		2.10	2.80	4.10	5.20	42
N71M1R, N71M1L		1.90	2.80	3.90	5.00	38
N71M1MX, N71MS1MX	Back Seat	1.10 1.10	1.30 1.70	1.50 2.60	2.30 3.20	22 22
N71M1AX, N71MS1AX	Back Seat Arm	1.10 1.10 0.90	1.30 1.70 1.00	1.50 2.60 1.70	2.30 3.20 2.70	22 22 18
N71M1RX, N71M1LX	Back Seat Arm	1.10 1.10 0.90	1.30 1.70 1.00	1.50 2.60 1.60	2.30 3.20 1.70	22 22 18
N71D1		1.10	1.70	2.60	3.20	22
N71D2		1.50	2.50	4.00	4.00	28
72X-GUXT, 72-GUXX		1.20	1.70	1.80	2.20	25
N74M1A		5.60	7.00	8.20	9.40	111

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N74M1AX	Back	0.70	1.00	1.50	2.30	14
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	4.50	4.90	5.60	8.40	90
N74M1AT		6.80	8.00	9.00	10.20	136
N74M1ATX	Back	1.20	1.70	2.00	2.90	23
	Seat	1.40	1.70	2.50	3.30	27
	Upholstery	4.50	4.90	5.60	8.40	90
N74M1ATB		6.20	7.80	8.90	10.00	124
N74M1ATBX	Back	1.20	1.70	2.00	2.90	23
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	4.50	4.90	5.60	8.40	90
N74M1AUW, N74M1AC, N74M1AUM		4.80	6.50	8.00	9.50	94.7
N74M1AUWX, N74M1ACX, N74M1AUMX	Back	0.70	1.00	1.50	2.30	14
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1ATUW, N74M1ATC, N74M1ATUM		6.00	7.00	9.00	10.50	119
N74M1ATUWX, N74M1ATCX, N74M1ATUMX	Back	1.20	1.70	2.00	2.90	23
	Seat	1.40	1.70	2.50	3.30	27
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1ATBUW, N74M1ATBC, N74M1ATBUM		5.50	7.00	8.50	10.00	109.1
N74M1ATBUWX, N74M1ATBCX, N74M1ATBUMX	Back	1.20	1.70	2.00	2.90	23
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1ASUW, N74M1ASC, N74M1ASUM		4.80	6.50	7.80	9.00	94.1
N74M1ASUWX, N74M1ASCX, N74M1ASUMX	Back	0.80	1.00	1.50	1.80	15.5
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1AS		5.50	7.00	8.50	9.00	108.5
N74M1SAX	Back	0.80	1.00	1.50	1.80	15.5
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	4.50	4.90	5.60	8.40	90
N74M2A		9.50	10.50	12.90	14.50	189
N74M2AX	Back	1.60	1.90	2.50	4.90	31
	Seat	2.40	2.90	4.00	4.90	48
	Upholstery	5.80	6.50	7.20	8.70	115
N74M2AT		11.00	12.00	14.00	16.50	219
N74M2ATX	Back	2.70	3.00	3.90	5.90	53
	Seat	2.80	3.30	4.30	5.80	55
	Upholstery	5.80	6.50	7.20	8.70	115
N74M2ATB		10.60	11.90	14.00	16.00	211
N74M2ATBX	Back	2.70	3.00	3.90	5.90	53
	Seat	2.40	2.90	4.00	4.90	48
	Upholstery	5.80	6.50	7.20	8.70	115
N74M2AUW, N74M2AC, N74M2AUM		8.60	10.00	12.00	15.00	171.1
N74M2AUWX, N74M2ACX, N74M2AUMX	Back	1.60	1.90	2.50	4.90	31
	Seat	2.40	2.90	4.00	4.90	48
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2ATUW, N74M2ATC, N74M2ATUM		10.00	11.50	14.00	16.50	199.3
N74M2ATUWX, N74M2ATCX, N74M2ATUMX	Back	2.70	3.00	3.90	5.90	53
	Seat	2.80	3.30	4.30	5.80	55
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2ATBUW, N74M2ATBC, N74M2ATBUM		9.60	11.00	13.00	15.50	190.4

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N74M2ATBUWX, N74M2ATBCX, N74M2ATBUMX	Back	2.70	3.00	3.90	5.90	53.0
	Seat	2.40	2.90	4.00	4.90	48.0
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2ASUW, N74M2ASC, N74M2ASUM		8.40	10.00	11.50	13.50	167.2
N74M2ASUWX, N74M2ASCX, N74M2ASUMX	Back	1.50	2.00	2.50	4.00	29.9
	Seat	2.40	2.90	4.00	4.90	48.0
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2AS		9.50	11.00	13.00	14.00	188.8
N74M2ASX	Back	1.50	2.00	2.50	4.00	29.9
	Seat	2.40	2.90	4.00	4.90	48.0
	Upholstery	5.80	6.50	7.20	8.70	115.0
N74M4A		10.00	17.00	21.00	25.20	198
N74M4AX	Back	2.10	3.30	4.40	6.70	42
	Seat	2.80	4.60	7.50	9.00	56
	Upholstery	6.60	9.00	10.20	10.80	132
N74M4AT		14.90	20.40	23.80	29.00	297
N74M4ATX	Back	4.40	5.50	7.00	9.00	88
	Seat	4.90	6.00	8.00	10.80	97
	Upholstery	6.60	9.00	10.20	10.80	132
N74M4ATB		12.80	19.30	23.70	27.00	255
N74M4ATBX	Back	4.40	5.50	7.00	9.00	88
	Seat	2.80	4.60	7.50	9.00	56
	Upholstery	6.60	9.00	10.20	10.80	132
N74M4AUW, N74M4AC, N74M4AUM		9.10	16.00	20.50	25.00	179.9
N74M4AUWX, N74M4ACX, N74M4AUMX	Back	2.10	3.30	4.40	6.70	42.0
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4ATUW, N74M4ATC, N74M4ATUM		14.00	19.00	24.00	28.50	277.3
N74M4ATUWX, N74M4ATCX, N74M4ATUMX	Back	4.40	5.50	7.00	9.00	88.0
	Seat	4.90	6.00	8.00	10.80	97.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4ATBUW, N74M4ATBC, N74M4ATBUM		11.90	18.50	23.50	25.00	235.3
N74M4ATBUWX, N74M4ATBCX, N74M4ATBUMX	Back	4.40	5.50	7.00	9.00	88.0
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4ASUW, N74M4ASC, N74M4ASUM		8.90	15.50	19.00	22.00	176.0
N74M4ASUWX, N74M4ASCX, N74M4ASUMX	Back	2.20	3.50	4.30	5.00	43.2
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4AS		10.00	17.00	21.00	22.00	197.6
N74M4ASX	Back	2.20	3.50	4.30	5.00	43.2
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	6.60	9.00	10.20	10.80	132.0
N75BAC		2.30	3.10	3.50	5.40	47
N75BBC		2.30	3.10	3.50	5.40	47
N75BCC		2.20	2.60	3.00	5.00	45
N75BDC		2.20	2.60	3.00	5.00	45
N75SAC		2.30	3.10	3.50	5.40	47
N75SBC		2.30	3.10	3.50	5.40	47
N75SCC		2.20	2.60	3.00	5.00	45
N75SDC		2.20	2.60	3.00	5.00	45
N75SPC		2.20	2.60	3.00	5.00	45
N75SSC		2.30	3.10	3.50	5.40	47

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N75WS		1.30	1.50	2.20	2.90	26
N77D14LM		0.80	1.00	2.00	3.20	14.4
N77D14LMX	Seat	0.70	0.80	1.00	1.40	12.2
	Seat Accent	0.40	0.70	1.40	2.70	7.2
N77GL4LM, N77GL4HM, N77GL4HW		1.80	1.90	3.40	3.40	34.9
N77GL4LMX, N77GL4HMX, N77GL4HWX	Back	1.20	1.50	1.80	2.50	22.2
	Extreme	1.20	1.50	2.00	2.50	22.2
N77GM4LM, N77GM4HM, N77GM4HW		2.00	2.40	3.90	4.00	38.2
N77GM4LMX, N77GM4HMX, N77GM4HWX	Back	1.30	1.70	2.20	2.50	24.9
	Extreme	1.20	1.70	2.30	2.50	22.2
N77GH4LM, N77GH4HM, N77GH4HW		2.10	2.80	4.80	4.80	41.6
N77GH4LMX, N77GH4HMX, N77GH4HWX	Back	1.30	1.70	2.20	2.50	24.9
	Extreme	1.20	1.70	2.30	2.50	22.2
	Accent	0.50	1.70	1.50	1.80	10.0
N77HUA5HP, N77HUA5HA	Complete	1.36	2.00	2.50	3.50	27.12
	Upholstery	0.78	1.00	1.50	2.50	15.50
	Extreme	0.92	1.50	1.75	2.25	18.26
N78PAU		1.80	2.20	2.90	3.00	35.5
N78GEAU		2.10	2.30	3.50	3.90	41.5
N78GEAW		1.90	2.00	3.20	3.50	36.5
N78GFAU, N78GFMU, N78SFAU, N78SFMU, N78AFLAU, N78AFRAU, N78AFLMU, N78AFRMU		1.50	1.70	2.60	2.90	30
N78T2AU, N78B2AU, N78B2EU		2.80	3.40	4.10	5.90	55
N78T3AU, N78B3AU, N78B3EU		4.10	5.10	6.50	8.90	80
N78GFAW, N78GFMW, N78SFAW, N78SFMW, N78AFLAW, N78AFRAW, N78AFLMW, N78AFRMW		1.40	1.50	2.20	2.90	26.5
N78T2AW, N78B2AW, N78B2EW		2.40	2.80	3.70	5.40	46.5
N78T3AW, N78B3AW, N78B3EW		3.70	4.30	5.60	7.90	72
N78D1M		1.10	1.20	1.30	1.70	21.5
N78D2M, N78D2A		1.80	1.90	2.20	3.20	34
N78D3M, N78D3A		2.20	2.30	2.90	4.70	43
N78PAUX	Back	1.00	1.20	1.20	1.10	20
	Extreme	1.00	1.10	1.20	1.10	19.5
	Seat	0.90	1.00	1.10	1.30	17
N78GEAUX	Back	0.80	0.80	1.40	1.40	14.5
	Extreme	0.70	0.80	0.80	0.90	12.75
	Seat	1.00	1.10	2.10	1.90	20
N78GEAWX	Back	0.60	0.70	1.20	1.30	12
	Extreme	0.60	0.70	0.70	0.90	10.5
	Seat	1.00	1.10	2.10	1.90	20
N78GFAUX, N78GFMUX, N78SFAUX, N78SFMUX, N78AFLAUX, N78AFRAUX, N78AFLMUX, N78AFRMUX	Back	0.80	0.90	1.10	1.00	14.5
	Extreme	0.70	0.80	0.70	0.90	7
	Seat	0.90	1.00	1.10	1.30	17
N78T2AUX, N78B2AUX, N78B2EUX	Back	1.30	1.50	1.40	2.00	25
	Extreme	0.70	1.40	1.30	1.90	12
	Seat	1.60	1.80	2.00	2.30	31

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N78T3AUX,	Back	1.50	1.80	2.30	3.00	28
N78B32AUX,	Extreme	1.30	2.10	2.00	2.90	24.5
N78B32EUX	Seat	2.40	2.50	3.00	3.30	47
N78GFAWX, N78GFMWX,	Back	0.60	0.70	0.70	0.90	12
N78SFAWX, N78SFMWX,	Extreme	0.60	0.70	0.70	0.90	5
N78AFLAWX, N78AFRAWX, N78AFLMWX, N78AFRMWX	Seat	0.90	1.00	1.10	1.30	17
N78T2AWX,	Back	0.90	1.20	1.30	1.30	18
N78B2AWX,	Extreme	0.60	1.30	1.30	1.40	10.5
N78B2EWX	Seat	1.60	1.80	2.00	2.30	31
N78T3AWX,	Back	1.20	1.30	1.90	2.90	22
N78B3AWX,	Extreme	1.10	1.80	1.90	1.90	20.5
N78B3EWX	Seat	2.40	2.50	3.00	3.30	47
N78LAAAU, N78LAAAUB, N78LAAAUR, N78LAAAUL		7.60	9.10	14.80	18.40	150
N78LAAAUX, N78LAAAUBX,	Seat	2.80	3.80	3.70	7.80	54
N78LAAAURX, N78LAAAULX	Back	1.90	2.60	3.00	3.10	35.5
	Arm	2.90	3.20	5.00	7.90	56
	Extreme Back	1.70	2.70	3.00	3.00	33
N78LAAAW, N78LAAAWR, N78LAAAWL, N78LAAAWB		7.70	9.10	14.40	18.40	151
N78LAAAWX, N78LAAAWRX,	Seat	2.80	3.80	3.70	7.80	54
N78LAAAWLX, N78LAAAWBX	Front Back	1.60	1.80	2.90	3.00	30.5
	Arm	2.90	3.20	5.00	7.90	56
	Extreme Back	1.50	2.50	2.90	3.00	28.5
N78LAAU, N78LAAUR N78LAAUL, N78LAAUB		5.40	6.40	10.20	12.90	105
N78LAAUX, N78LAAURX,	Seat	1.90	2.60	2.50	5.30	40
N78LAAULX, N78LAAUBX	Back	1.70	1.80	2.10	2.10	32
	Arm	2.40	2.60	3.30	5.90	45
	Extreme Back	0.90	1.90	2.10	2.00	17
N78LAAW, N78LAAWR N78LAAWL, N78LAAWB		5.10	6.10	10.20	12.90	100
N78LAAWX, N78LAAWRX	Seat	1.90	2.60	2.50	7.30	40
N78LAAWLX, N78LAAWBX	Front Back	1.50	1.70	2.00	2.00	28
	Arm	2.40	2.60	3.30	5.90	45
	Extreme Back	0.80	1.70	2.00	2.00	14.5
N78LAU, N78LAUR, N78LAUL		3.20	3.70	5.90	7.40	61
N78LAUX, N78LAURX,	Seat	1.30	1.30	1.30	2.80	23.5
N78LAULX	Back	1.00	1.00	1.20	1.10	18.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.90	1.00	1.10	1.00	8
N78LAW, N78LAWR, N78LAWL		3.00	3.70	5.90	7.40	57.5
N78LAWX, N78LAWRX,	Seat	1.30	1.30	1.30	2.80	23.5
N78LAWLX	Front Back	0.90	0.90	1.10	1.00	15.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.80	0.90	1.10	1.00	8
N78LBU, N78LBUR, N78LBUL, N78LBUB		4.70	5.90	8.90	11.30	92
N78LBUX, N78LBURX,	Seat	1.90	2.60	2.50	5.30	40
N78LBULX, N78LBUBX	Back	1.70	1.80	2.10	2.10	32
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.90	1.90	2.10	2.00	17
N78LBW, N78LBWR, N78LBWL, N78LBWB		4.40	5.50	8.70	11.30	87
N78LBWX, N78LBWRX,	Seat	1.90	2.60	2.50	5.30	40
N78LBWLX, N78LBWBX	Front Back	1.50	1.70	2.00	2.00	28
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.80	1.70	2.00	2.00	14.5

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N78LCU, N78LCUR, N78LCUL, N78LCUB		6.40	7.60	12.00	15.80	126
N78LCUX, N78LCURX, N78LCULX, N78LCUBX	Seat	2.80	3.80	3.70	7.80	54
	Back	1.90	2.60	3.00	3.10	35.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	1.70	2.70	3.00	3.00	33
N78LCW, N78LCWR, N78LCWL, N78LCWB		6.10	7.30	12.00	15.80	118.5
N78LCWX, N78LCWRX, N78LCWLX, N78LCWBX	Seat	2.80	3.80	3.70	7.80	54
	Front Back	1.60	1.80	2.90	3.00	30.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	1.50	2.50	2.90	3.00	28.5
N78LEU		4.10	4.80	5.90	7.40	78.5
N78LEUX	Seat	1.30	1.70	1.80	2.80	24
	Back	1.00	1.00	1.20	1.50	18.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.90	1.00	1.10	1.00	17
N78LEW		3.80	4.50	5.90	7.40	74
N78LEWX	Seat	1.30	1.70	1.80	2.80	24
	Front Back	0.90	0.90	1.10	1.40	15.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.80	0.90	1.10	1.00	14.5
N81AAES, N81AAEY, N81AAM, N81EAES, N81EAEY, N81EAM, N81GAAS, N81GAAY, N81GAM, N81HAAS, N81HAAY, N81RAAS, N81RAAY, N81SAAS, N81SAAY, N81SAES, N81SAEY, N81SAM, QN81GAAY, QN81GAM	Upholstery	1.50	1.90	3.20	4.70	27.3
N81AAESX, N81AAEYX, N81AAMX, N81EAESX, N81EAEYX, N81EAMX, N81GAASX, N81GAAYX, N81GAMX, N81HAASX, N81HAAYX, N81RAASX, N81RAAYX, N81SAASX, N81SAAYX, N81SAESX, N81SAEYX, N81SAMX, QN81GAAYX, QN81GAMX	Back Seat	1.00 1.00	1.40 1.20	2.30 1.80	2.90 2.70	17.9 17.9
N81PAAS, N81PAAY, N81PAM	Upholstery	1.70	2.40	3.70	4.70	32.2
N81PAASX, N81PAAYX, N81PAMX	Back Seat	1.20 1.00	1.70 1.20	2.80 1.80	3.30 2.70	22.2 17.9
N81T2ACS, N81T2ACY	Upholstery	2.90	3.50	6.60	8.70	54.4
N81T2ACSX, N81T2ACYX	Back Seat	1.80 1.40	2.40 1.50	4.50 2.40	4.90 4.70	32.8 24.5
N81T3ACS, N81T3ACY	Upholstery	4.20	5.30	9.70	12.70	82.1
N81T3ACSX, N81T3ACYX	Back Seat	2.70 2.00	3.40 2.30	6.60 3.30	6.90 6.70	50.1 37.8
N81ABES, N81ABEY, N81ABM, N81EBES, N81EBEY, N81EBM, N81GBAS, N81GBAY, N81GBM, N81HBAS, N81HBAY, N81RBAS, N81RBAY, N81SBAS, N81SBAY, N81SBES, N81SBEY, N81SBM, QN81GBAY, QN81GBM	Upholstery	2.50	2.80	3.50	4.70	47.7

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N81ABESX, N81ABEYX, N81ABMX, N81EBESX, N81EBEYX, N81EBMX, N81GBASX, N81GBAYX, N81GBMX, N81HBASX, N81HBAYX, N81RBASX, N81RBAYX, N81SBASX, N81SBAYX, N81SBESX, N81SBEYX, N81SBMX, QN81GBAYX, QN81GBMX	Back Seat	1.60 1.00	1.70 1.30	2.40 1.70	2.90 2.70	30 17.9
N81PBAS, N81PBAY, N81PBM	Upholstery	2.60	3.30	4.10	4.70	50.1
N81PBASX, N81PBAYX, N81PBMX	Back Seat	1.80 1.00	2.30 1.30	3.10 1.70	3.40 2.70	32.2 17.9
N81ACES, N81ACEY, N81ACM, N81ECES, N81ECEY, N81ECM, N81GCAS, N81GCAY, N81GCM, N81RCAS, N81RCAY, N81SCAS, N81SCAY, N81SCES, N81SCEY, N81SCM, QN81GCAY, QN81GCM	Upholstery	2.50	3.00	3.50	4.70	47.7
N81ACESX, N81ACEYX, N81ACMX, N81ECESX, N81ECEYX, N81ECMX, N81GCASX, N81GCAYX, N81GCMX, N81RCASX, N81RCAYX, N81SCASX, N81SCAYX, N81SCESX, N81SCEYX, N81SCMX, QN81GCAYX, QN81GCMX	Back Seat	1.60 1.00	1.80 1.30	2.40 1.70	3.30 2.70	30.0 17.9
N81PCAS, N81PCAY, N81PCM	Upholstery	3.00	3.50	4.50	4.80	57.2
N81PCASX, N81PCAYX, N81PCM	Back Seat	2.10 1.00	2.50 1.30	3.10 1.70	3.80 2.70	39.4 17.9
N81LP1AAY	Complete	3.80	4.80	6.80	8.80	72.1
N81LP1AAYX	Back Seat Arms		2.00 1.10 2.70	2.50 1.90 3.80	3.80 2.20 4.40	25.6 17.3 42.2
N81L1AAY	Complete	3.40	4.60	6.00	7.40	66.0
N81L1AAYX	Back Seat Arms		1.70 1.10 2.70	2.10 1.90 3.80	3.00 3.20 4.40	23.3 17.3 42.2
N81L2AAY	Complete	4.70	5.50	9.10	11.90	90.9
N81L2AAYX	Back Seat Arms		2.50 1.60 2.70	3.90 3.20 3.80	6.00 4.70 4.40	38.3 26.1 42.2
N81L3AAY	Complete	6.10	7.60	10.50	11.00	118.5
N81L3AAYX	Back Seat Arms		3.40 2.20 2.70	4.80 3.50 3.80	5.40 4.20 4.40	18.2 38.9 42.2
N81D1A	Complete	1.20	1.30	1.50	2.70	20.1
N81B2M	Complete	1.80	2.00	4.10	4.80	32.8
B81B3M	Complete	2.70	2.90	4.10	6.30	51.6
N83GHDA, N83GH4LM, N83GH4W	Complete	3.17	4.00	6.00	7.50	63.09
N83GHDAX, N83GH4LMX, N83GH4WX	Back Seat Extreme	1.22 0.83 1.72	1.80 1.00 2.20	2.30 2.00 3.50	4.30 2.30 4.00	24.35 16.60 34.31
N83GMDA, N83GM4LM, N83GM4W	Complete	2.56	3.50	5.00	5.70	50.92
N83GMDAX, N83GM4LMX, N83GM4WX	Back Seat Extreme	1.00 0.83 1.39	1.50 1.00 1.80	1.90 2.00 2.80	2.00 2.30 3.40	19.92 16.60 27.67
N84L1A		8.30	8.90	12.20	14.70	165

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N84L1AX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
	Arm	2.60	3.20	3.90	7.50	52
N84L1UA		8.30	8.90	12.20	14.70	165
N84L1UAX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
	Arm	2.60	3.20	3.90	7.50	52
N84L1L		7.00	7.80	10.80	13.20	139
N84L1LX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.90	4.20	4.70	47
	Back	1.30	1.60	2.20	3.30	26
	Arm	1.30	1.70	2.50	4.50	27
N84L1R		7.00	7.50	10.80	13.20	138
N84L1RX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	2.70	5.70	41
	Back	1.30	1.60	2.20	3.30	26
	Arm	1.30	1.70	2.50	4.50	27
N84L1M		5.70	6.60	9.40	10.70	39
N84L1MX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
N84L2A		13.30	14.70	19.70	23.20	266
N84L2AX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.50	18
	Arm	2.60	3.20	3.90	7.50	52
N84L2UA		13.30	14.70	19.70	23.20	266
N84L2UAX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.50	18
	Arm	2.60	3.20	3.90	7.50	52
N84L2L		12.00	13.40	18.40	21.20	241
N84L2LX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.50	18
	Arm	1.30	1.70	2.50	4.50	27
N84L2R		12.00	13.40	18.40	21.20	241
N84L2RX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.40	18
	Arm	1.30	1.70	2.50	4.50	27
N84L2M		10.70	12.00	16.10	18.70	214
N84L2MX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.80	10.70	83
	Back	2.60	2.80	3.40	3.40	18
N84L3A		18.30	20.10	27.30	31.20	364
N84L3AX	Upholstery	5.90	9.00	12.20	12.50	168
	Seat	6.30	7.00	12.90	15.70	124
	Back	3.90	4.20	4.80	5.00	73
	Arm	2.60	3.20	3.90	7.50	52
N84L3UA		18.30	20.10	27.30	31.20	364
N84L3UAX	Upholstery	5.90	9.00	12.20	12.50	168
	Seat	6.30	7.00	12.90	15.70	124
	Back	3.90	4.20	4.80	5.00	73
	Arm	2.60	3.20	3.90	7.50	52
N84L3L		17.00	18.90	25.90	29.10	338

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N84L3LX	Upholstery	5.90	9.30	12.20	12.70	169
	Seat	6.30	9.00	12.20	12.50	168
	Back	3.90	4.20	4.80	5.00	73
	Arm	1.30	1.70	2.50	4.50	27
N84L3R		17.00	18.90	25.90	29.10	338
N84L3RX	Upholstery	5.90	9.30	12.20	12.70	169
	Seat	6.30	9.00	12.20	12.50	168
	Back	3.90	4.20	4.80	5.00	73
	Arm	1.30	1.70	2.50	4.50	27
N84L3M		15.70	17.70	24.50	26.70	313
N84L3MX	Upholstery	5.90	9.30	12.20	12.70	169
	Seat	6.30	9.30	12.20	12.70	169
	Back	3.90	4.20	4.80	5.00	73
N84IN9L		8.00	8.70	11.50	11.70	160
N84IN9LX	Upholstery	3.70	4.00	5.60	5.90	70
	Seat	2.10	9.00	12.20	12.50	168
	Back	2.50	2.90	3.40	3.70	50
N84IN9R		8.00	8.70	11.50	11.70	160
N84IN9RX	Upholstery	3.70	4.00	5.60	5.90	70
	Seat	2.10	9.00	12.20	12.50	168
	Back	2.50	2.90	3.40	3.70	50
N84IN9D		8.40	9.60	12.90	15.20	173
N84IN9DX	Upholstery	3.70	4.70	6.70	7.00	83
	Seat	2.50	2.80	4.60	6.70	48
	Back	2.50	2.90	3.40	3.90	50
N84D1		3.30	3.80	7.00	9.10	67
N84D1X	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.10	2.50	4.30	5.20	42
N84D1U		3.30	3.80	7.00	9.10	67
N84D1UX	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.10	2.50	4.30	5.20	42
N84D2		3.50	4.00	7.00	10.10	70
N84D2X	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.30	2.60	4.30	6.20	45
N84D2U		3.50	4.00	7.00	10.10	70
N84D2UX	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.30	2.60	4.30	6.20	45
N84T36ENL		1.30	2.30	4.60	6.70	37
N84T36ENUL		1.30	2.30	4.60	6.70	37
N84T36ENS		1.30	2.30	4.60	6.70	37
N84T36ENUS		1.30	2.30	4.60	6.70	37
N84T60MGL		1.90	2.00	3.10	4.70	26
N84T60MGUL		1.90	2.00	3.10	4.70	26
N84T60MGS		1.90	2.00	3.40	4.70	26
N84T60MGUS		1.90	2.00	3.40	4.70	26
N85CAC		1.70	2.40	3.00	3.00	35
N85CBC		1.60	2.30	2.70	3.00	34
N85LA, N85LAT		2.80	4.90	5.80	7.00	56
N85LAX, N85LATX	Back	0.90	1.00	1.20	1.10	18
	Seat	1.10	1.20	1.80	2.30	22
	Outer Shell	1.90	3.10	3.90	5.00	38
N85LB, N85LBT		4.00	7.60	8.90	10.80	80
N85LBX, N85LBTX	Back	1.00	2.00	2.20	2.10	20
	Seat	1.30	2.20	2.80	3.30	26
	Outer Shell	2.10	3.80	4.80	6.00	42
N85LC, N85LCT		5.30	10.40	11.30	13.80	106

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N85LCX, N85LCTX	Back	1.80	2.90	3.10	3.20	36
	Seat	1.90	3.50	3.10	4.80	38
	Outer Shell	2.70	4.60	5.70	7.00	54
N85LD, N85LDT		2.60	4.40	6.40	6.30	52
N85LDX, N85LDTX	Seat	1.70	3.40	4.00	4.30	34
	Outer Shell	1.10	1.30	2.60	2.40	22
N85SA, N85SAT		0.90	1.50	2.30	2.40	18
N85SAA, N85SAAT		1.80	2.90	4.10	4.40	36
N85SAAA, N85SAAAT		2.50	4.10	5.90	6.40	50
N85SAAAX, N85SAAATX	Back	1.30	1.50	3.20	3.40	26
	Seat	2.50	2.80	3.10	3.10	50
N85SAAX, N85SAATX	Back	0.90	1.10	2.20	2.40	18
	Seat	1.70	1.90	2.20	2.10	34
N85SACA, N85SACAT		2.50	3.80	5.30	5.40	50
N85SACAX, N85SACATX	Back	0.90	1.10	2.30	2.40	18
	Seat	2.50	2.80	3.10	3.10	50
N85SAX, N85SATX	Back	0.50	0.70	1.30	1.40	10
	Seat	0.90	1.10	1.20	1.10	18
N85SB, N85SBT		1.20	1.60	2.60	3.00	24
N85SBX, N85SBTX	Back	0.60	0.80	1.40	2.00	12
	Seat	0.90	1.10	1.20	1.10	18
N85SC, N85SCT		0.80	1.00	1.10	1.00	17
N85SE, N85SET		2.00	2.20	2.60	3.00	40
N85SEX, N85SETX	Back	1.20	1.40	1.40	2.00	24
	Seat	0.90	1.10	1.20	1.10	18
N87AAA36		2.10	2.50	3.90	3.30	42
N87AAA36X	Back	1.50	1.80	2.10	2.30	29
	Back Accent	1.10	1.20	1.20	1.50	21
	Upholstery	0.80	1.00	1.20	1.30	15
N87C120		2.80	3.20	3.90	5.00	52
N87C120X	Back	2.30	2.50	3.20	3.50	44
	Back Accent	0.80	0.80	1.80	1.80	12
	Upholstery	0.80	1.10	2.20	2.20	16
N87TA		4.00	3.00	4.00	6.90	79
N87TAX	Back	1.30	1.80	2.40	2.40	32
	Back Accent	1.20	1.30	2.40	2.40	23
	Upholstery	0.80	1.10	2.40	2.30	16
	Extreme	1.50	1.80	2.40	2.40	29
N87LALAR		3.00	3.80	4.50	4.80	59
N87LALARX	Back	1.00	1.10	1.20	1.80	18
	Back Accent	1.10	1.30	1.80	1.90	22
	Upholstery	0.80	1.00	1.70	1.70	16
	Extreme	1.50	1.80	2.20	2.30	29
N87AS1A36		3.00	3.70	5.00	5.20	59
N87AS1A36X	Back	0.80	1.00	1.20	1.30	15
	Back Accent	1.10	1.20	1.20	1.50	21
	Upholstery	0.80	1.00	1.70	1.80	15
	Extreme	0.50	1.00	1.20	1.30	15
	Seat	1.30	1.40	1.80	2.00	25
N87AS2A36		4.50	5.30	6.20	6.70	88
N87AS2A36X	Back	1.50	1.80	2.10	2.30	29
	Back Accent	1.10	1.20	1.20	1.50	21
	Upholstery	1.10	1.40	2.60	2.80	22
	Seat	3.00	3.50	3.80	5.20	61
N87CS120		4.10	5.00	8.00	9.50	82

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N87CS120X	Back	2.20	2.50	3.40	3.50	44
	Back Accent	0.60	0.80	1.80	1.80	12
	Upholstery	1.50	2.00	3.80	3.80	30
	Seat	2.10	2.80	5.20	5.20	42
N87TSA		6.20	5.40	6.30	8.30	123
N87TSAX	Back	1.30	1.80	2.40	2.40	31
	Back Accent	1.20	1.30	2.40	2.40	23
	Upholstery	0.80	1.10	2.30	2.40	16
	Extreme	1.50	1.80	2.40	2.40	29
	Seat	2.30	2.50	2.80	2.90	47
N87LSALAR		4.00	4.60	5.50	5.30	78
N87LSALARX	Back	1.00	1.10	1.20	1.80	18
	Back Accent	1.10	1.30	1.80	1.90	22
	Upholstery	1.50	1.70	2.40	2.40	29
	Extreme	1.50	1.80	2.20	2.30	29
	Seat	1.20	1.40	1.70	1.70	24
N87IN3616C, N87IN3616G		1.50	0.60	2.40	2.70	30
N87IN3616CX, N87IN3616GX	Upholstery	0.40	0.70	0.90	1.80	8
	Seat	1.20	1.50	1.80	2.20	24
N87IN3618C, N87IN3618G		1.80	2.00	2.40	3.30	35
N87IN3618CX, N87IN3618GX	Upholstery	0.50	0.70	0.90	1.80	10
	Seat	1.40	1.50	1.90	2.30	26
N87CR12016C, N87CR12016G		1.00	1.50	1.80	2.80	20
N87CR12016CX, N87CR12016GX	Upholstery	0.40	0.70	0.90	1.80	8
	Seat	1.00	1.10	1.80	2.30	19
N87CR12018C, N87CR12018G		1.30	1.60	2.10	2.80	25
N87CR12018CX, N87CR12018GX	Upholstery	0.50	0.70	0.90	1.80	10
	Seat	1.00	1.10	2.00	2.30	20
89X-EWEXC		1.80	2.70	3.00	3.00	37
89X-MWEXC		1.60	2.40	2.90	2.90	33
89X-EUEXC, 89X-EUFXC		2.15	2.70	3.00	3.80	44
89X-MUEXC, 89X-MUFXC		2.00	2.40	2.90	3.30	41
89X-EWECC		1.80	2.70	3.00	3.80	37
89X-MWECC		1.60	2.40	2.90	3.30	33
89X-GWXX		1.50	2.30	2.60	2.90	31
N90AA, N90AAT, N90AATB		4.80	7.10	8.50	8.90	106
N90BB, N90BBT, N90BBTB		8.40	10.90	12.40	13.50	184
N90CC, N90CCT, N90CCTB		9.20	15.10	16.60	17.50	203
N90AAP, N90AATP, N90AATBP	Upholstery	4.80	7.10	8.50	8.90	106
N90AAX, N90AATX, N90AATBX	Seat/Back Upholstery	1.40 4.00	2.40 4.60	3.60 5.10	3.70 6.50	32 90
N90BBP, N90BBTP, N90BBTBP	Upholstery	8.40	10.90	12.40	13.50	184
N90BBX, N90BBTX, N90BBTBX	Seat/Back Upholstery	3.40 5.40	5.20 5.90	5.80 7.40	5.80 7.90	74 119
N90CCP, N90CCTP, N90CCTBP	Upholstery	9.20	15.10	16.60	17.50	203
N90CCX, N90CCTX, N90CCTBX	Seat/Back Upholstery	5.00 6.20	7.70 7.90	8.60 8.00	8.60 9.40	110 136
N92HALU, N92HARU		3.00	3.30	4.50	4.50	60.0
N92MALU, N92MARU		2.30	2.50	4.00	4.30	45.0
N93M10B		5.90	7.90	10.60	11.50	117.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93M1OBX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M1OBM		7.40	9.30	12.00	13.50	148.0
N93M1OBMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93M1OL		4.70	6.30	8.80	9.50	92.0
N93M1OLX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M1OLM		5.40	7.00	10.00	10.80	106.0
N93M1OLMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M1OM		3.10	4.50	6.00	6.50	61.0
N93M1OMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
N93M1OR		4.70	6.30	8.80	9.50	92.0
N93M1ORX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M1ORM		5.40	7.00	10.00	10.80	106.0
N93M1ORMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M2OB		7.60	11.90	15.60	16.50	148.0
N93M2OBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M2OBM		9.00	13.30	17.00	18.50	179.0
N93M2OBMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93M2OL		6.20	10.30	13.80	14.50	123.0
N93M2OLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2OLM		7.00	11.00	15.00	15.80	137.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93M2OLMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M2OM		4.70	8.50	11.00	11.50	92.0
N93M2OMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	42.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M2OR		6.20	10.30	13.80	14.50	123.0
N93M2ORX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2ORM		7.00	11.00	15.00	15.80	137.0
N93M2ORMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M3OB		9.30	15.40	20.60	22.00	185.0
N93M3OBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M3OBM		10.90	16.80	22.00	24.00	216.0
N93M3OBMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93M3OL		8.10	13.80	18.80	20.00	160.0
N93M3OLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M3OLM		8.80	14.50	20.00	21.30	174.0
N93M3OLMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M3OM		6.50	12.00	16.00	17.00	129.0
N93M3OMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M3OR		8.10	13.80	18.80	20.00	160.0
N93M3ORX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M3ORM		8.80	14.50	20.00	21.30	174.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93M3ORMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H1OB		6.10	8.90	11.60	12.80	122.0
N93H1OBX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H1OBH		9.10	11.50	14.50	15.00	182.0
N93H1OBHX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	5.80	6.00	7.50	7.50	116.0
N93H1OBM		7.70	10.30	13.00	14.50	153.0
N93H1OBMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93H1OL		4.90	7.30	9.80	10.50	97.0
N93H1OLX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H1OLH		6.30	8.80	11.50	12.00	126.0
N93H1OLHX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H1OLM		5.60	8.00	11.00	11.80	111.0
N93H1OLMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H1OM		3.30	5.50	7.00	7.50	66.0
N93H1OMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
N93H1OR		4.90	7.30	9.80	10.50	97.0
N93H1ORX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	1.60	1.80	2.80	3.00	31.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H1ORH		6.30	8.80	11.50	12.00	126.0
N93H1ORHX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H1ORM		5.60	8.00	11.00	11.80	111.0
N93H1ORMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H2OB		8.20	13.40	17.10	18.00	163.0
N93H2OBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H2OBH		11.20	16.00	20.00	20.50	223.0
N93H2OBHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	5.80	6.00	7.50	7.50	116.0
N93H2OBM		9.70	14.80	18.50	20.00	194.0
N93H2OBMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93H2OL		6.90	11.80	15.30	16.00	120.0
N93H2OLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H2OLH		8.30	13.30	17.00	17.50	167.0
N93H2OLHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H2OLM		7.60	12.50	16.50	17.30	152.0
N93H2OLMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H2OM		5.40	10.00	12.50	13.00	107.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H20MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	42.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
N93H20R		6.90	11.80	15.30	16.00	120.0
N93H20RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H20RH		8.30	13.30	17.00	17.50	167.0
N93H20RHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H20RM		7.60	12.50	16.50	17.30	152.0
N93H20RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	2.20	3.60	5.30	6.00	41.0
	Lumbar	0.90	1.80	2.50	2.50	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H30B		10.40	18.40	23.10	24.50	206.0
N93H30BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H30BH		13.40	21.00	26.00	27.00	266.0
N93H30BHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	5.80	6.00	7.50	7.50	116.0
N93H30BM		11.90	19.80	24.50	25.50	237.0
N93H30BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93H30L		9.10	16.80	21.30	22.30	181.0
N93H30LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H30LH		10.50	18.30	23.00	24.00	210.0
N93H30LHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H3OLM		9.80	17.50	22.50	23.80	195.0
N93H3OLMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H3OM		7.60	15.00	18.50	19.50	150.0
N93H3OMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	5.00	6.00	6.30	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
N93H3OR		9.10	16.80	21.30	22.30	181.0
N93H3ORX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H3ORH		10.50	18.30	23.00	24.00	210.0
N93H3ORHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H3ORM		9.80	17.50	22.50	23.80	195.0
N93H3ORMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	3.00	5.30	7.00	8.00	59.0
	Lumbar	1.50	2.80	3.30	3.50	30.0
	Extreme	2.30	3.80	4.30	4.80	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MBH2OMD		7.00	12.50	16.00	22.00	138.0
N93MBH2OMDX	Back	1.70	2.50	3.00	5.00	34.0
	Seat	4.10	7.00	10.00	14.50	82.0
	Lumbar	1.50	3.50	4.30	4.50	30.0
N93HBH2OMD		7.70	14.00	17.00	20.00	152.0
N93HBH2OMDX	Back	1.70	2.50	3.00	4.00	34.0
	Seat	4.10	7.00	10.00	14.50	82.0
	Lumbar	1.50	3.50	4.30	4.50	30.0
	Accent	1.50	2.50	3.00	4.30	29.0
N93MBH1OMD		4.30	6.30	9.00	12.00	86.0
N93MBH1OMDX	Back	1.20	2.00	2.50	3.50	24.0
	Seat	2.60	4.00	6.00	7.00	52.0
	Lumbar	0.90	2.00	2.50	2.50	17.0
N93HBH1OMD		4.70	7.00	9.50	12.00	92.0
N93HBH1OMDX	Back	1.20	2.00	2.50	3.50	24.0
	Seat	2.60	4.00	6.00	7.00	52.0
	Lumbar	0.90	2.00	2.50	2.50	17.0
	Accent	1.00	1.30	1.50	2.00	20.0
N93M1B		5.90	7.90	10.60	11.50	117.0
N93M1BX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M1BM		7.40	9.30	12.00	13.50	148.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93M1BMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93M1L		4.70	6.30	8.80	9.50	92.0
N93M1LX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M1LM		5.40	7.00	10.00	10.80	106.0
N93M1LMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M1M		3.10	4.50	6.00	6.50	61.0
N93M1MX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
N93M1R		4.70	6.30	8.80	9.50	92.0
N93M1RX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M1RM		5.40	7.00	10.00	10.80	106.0
N93M1RMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M1BL		5.90	7.90	10.60	11.50	117.0
N93M1BLX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M1BR		5.90	7.90	10.60	11.50	117.0
N93M1BRX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M1LL		4.70	6.30	8.80	9.50	92.0
N93M1LLX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M1RR		4.70	6.30	8.80	9.50	92.0
N93M1RRX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H1B		6.10	8.90	11.60	12.80	122.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H1BX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H1BH		9.10	11.50	14.50	15.00	182.0
N93H1BHX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	5.80	6.00	7.50	7.50	116.0
N93H1BM		7.70	10.30	13.00	14.50	153.0
N93H1BMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93H1L		4.90	7.30	9.80	10.50	97.0
N93H1LX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H1LH		6.30	8.80	11.50	12.00	126.0
N93H1LHX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H1LM		5.60	8.00	11.00	11.80	111.0
N93H1LMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H1M		3.30	5.50	7.00	7.50	66.0
N93H1MX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
N93H1R		4.90	7.30	9.80	10.50	97.0
N93H1RX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H1RH		6.30	8.80	11.50	12.00	126.0
N93H1RHX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	3.00	3.30	4.50	4.50	60.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H1RM		5.60	8.00	11.00	11.80	111.0
N93H1RMX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H1BL		6.10	8.90	11.60	12.80	122.0
N93H1BLX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H1BR		6.10	8.90	11.60	12.80	122.0
N93H1BRX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H1LL		4.90	7.30	9.80	10.50	97.0
N93H1LLX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H1RR		4.90	7.30	9.80	10.50	97.0
N93H1RRX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2B		7.20	10.80	14.10	15.50	143.0
N93M2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M2BM		8.80	12.20	17.00	18.00	174.0
N93M2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93M2L		6.00	9.20	12.30	13.50	118.0
N93M2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2LM		6.70	9.90	13.50	14.80	132.0
N93M2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93M2M		4.40	7.40	9.50	10.50	87.0
N93M2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
N93M2R		6.00	9.20	12.30	13.50	118.0
N93M2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2RM		6.70	9.90	13.50	14.80	132.0
N93M2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M2BL		7.20	10.80	14.10	15.50	143.0
N93M2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M2BR		7.20	10.80	14.10	15.50	143.0
N93M2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M2LL		6.00	9.20	12.30	13.50	118.0
N93M2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2RR		6.00	9.20	12.30	13.50	118.0
N93M2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M2BB		7.20	10.80	14.10	15.50	143.0
N93M2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H2B		7.90	12.40	16.10	16.50	158.0
N93H2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H2BH		10.90	15.00	19.00	19.00	218.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H2BHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	5.80	6.00	7.50	7.50	116.0
N93H2BM		9.50	13.80	17.50	18.50	189.0
N93H2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93H2L		6.70	10.80	14.30	14.50	133.0
N93H2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H2LH		8.10	12.30	16.00	16.00	162.0
N93H2LHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H2LM		7.40	11.50	15.50	15.80	147.0
N93H2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H2M		5.10	9.00	11.50	11.50	102.0
N93H2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
N93H2R		6.70	10.80	14.30	14.50	133.0
N93H2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H2RH		8.10	12.30	16.00	16.00	162.0
N93H2RHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H2RM		7.40	11.50	15.50	15.80	147.0
N93H2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H2BL		7.90	12.40	16.10	16.50	158.0
N93H2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H2BR		7.90	12.40	16.10	16.50	158.0
N93H2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H2LL		6.70	10.80	14.30	14.50	133.0
N93H2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H2RR		6.70	10.80	14.30	14.50	133.0
N93H2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H2BB		7.90	12.40	16.10	16.50	158.0
N93H2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU2B		7.20	10.80	14.10	15.50	143.0
N93MTU2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU2BM		8.80	12.20	17.00	18.00	174.0
N93MTU2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93MTU2L		6.00	9.20	12.30	13.50	118.0
N93MTU2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU2LM		6.70	9.90	13.50	14.80	132.0
N93MTU2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTU2M		4.40	7.40	9.50	10.50	87.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTU2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
N93MTU2R		6.00	9.20	12.30	13.50	118.0
N93MTU2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU2RM		6.70	9.90	13.50	14.80	132.0
N93MTU2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTU2BL		7.20	10.80	14.10	15.50	143.0
N93MTU2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU2BR		7.20	10.80	14.10	15.50	143.0
N93MTU2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU2LL		6.00	9.20	12.30	13.50	118.0
N93MTU2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU2RR		6.00	9.20	12.30	13.50	118.0
N93MTU2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU2BB		7.20	10.80	14.10	15.50	143.0
N93MTU2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU2B		7.90	12.40	16.10	16.50	158.0
N93HTU2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU2BH		10.90	15.00	19.00	19.00	218.0
N93HTU2BHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTU2BM		9.50	13.80	17.50	18.50	189.0
N93HTU2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93HTU2L		6.70	10.80	14.30	14.50	133.0
N93HTU2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU2LH		8.10	12.30	16.00	16.00	162.0
N93HTU2LHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTU2LM		7.40	11.50	15.50	15.80	147.0
N93HTU2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTU2M		5.10	9.00	11.50	11.50	102.0
N93HTU2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
N93HTU2R		6.70	10.80	14.30	14.50	133.0
N93HTU2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU2RH		8.10	12.30	16.00	16.00	162.0
N93HTU2RHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTU2RM		7.40	11.50	15.50	15.80	147.0
N93HTU2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTU2BL		7.90	12.40	16.10	16.50	158.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTU2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU2BR		7.90	12.40	16.10	16.50	158.0
N93HTU2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU2LL		6.70	10.80	14.30	14.50	133.0
N93HTU2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU2RR		6.70	10.80	14.30	14.50	133.0
N93HTU2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU2BB		7.90	12.40	16.10	16.50	158.0
N93HTU2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTL2B		6.30	9.20	12.20	13.50	126.0
N93MTL2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
	N93MTL2BM		7.90	10.50	13.60	15.50
N93MTL2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
	N93MTL2L		5.10	7.50	10.40	11.50
N93MTL2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
	N93MTL2LM		5.80	8.30	11.60	12.80
N93MTL2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
	N93MTL2M		3.50	5.80	7.60	8.50

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTL2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.00	2.30	24.0
N93MTL2R		5.10	7.50	10.40	11.50	101.0
N93MTL2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTL2RM		5.80	8.30	11.60	12.80	115.0
N93MTL2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTL2BL		6.30	9.20	12.20	13.50	126.0
N93MTL2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTL2BR		6.30	9.20	12.20	13.50	126.0
N93MTL2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTL2LL		5.10	7.50	10.40	11.50	101.0
N93MTL2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTL2RR		5.10	7.50	10.40	11.50	101.0
N93MTL2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTL2BB		6.30	9.20	12.20	13.50	126.0
N93MTL2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL2B		7.10	10.70	14.10	15.00	141.0
N93HTL2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL2BH		10.10	13.30	17.00	17.50	201.0
N93HTL2BHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTL2BM		9.70	12.00	15.50	17.00	172.0
N93HTL2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93HTL2L		5.90	9.00	12.30	13.00	116.0
N93HTL2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL2LH		7.30	10.50	14.00	14.50	145.0
N93HTL2LHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTL2LM		6.50	9.80	13.50	14.30	130.0
N93HTL2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTL2M		4.30	7.30	9.50	10.00	85.0
N93HTL2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL2R		5.90	9.00	12.30	13.00	116.0
N93HTL2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL2RH		7.30	10.50	14.00	14.50	145.0
N93HTL2RHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTL2RM		6.50	9.80	13.50	14.30	130.0
N93HTL2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTL2BL		7.10	10.70	14.10	15.00	141.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTL2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL2BR		7.10	10.70	14.10	15.00	141.0
N93HTL2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL2LL		5.90	9.00	12.30	13.00	116.0
N93HTL2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL2RR		5.90	9.00	12.30	13.00	116.0
N93HTL2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL2BB		7.10	10.70	14.10	15.00	141.0
N93HTL2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW2B		6.30	9.20	12.20	13.50	126.0
N93MTW2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW2BM		7.90	10.50	13.60	15.50	157.0
N93MTW2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93MTW2L		5.10	7.50	10.40	11.50	101.0
N93MTW2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW2LM		5.80	8.30	11.60	12.80	115.0
N93MTW2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTW2M		3.50	5.80	7.60	8.50	70.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTW2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
N93MTW2R		5.10	7.50	10.40	11.50	101.0
N93MTW2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW2RM		5.80	8.30	11.60	12.80	115.0
N93MTW2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTW2BL		6.30	9.20	12.20	13.50	126.0
N93MTW2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW2BR		6.30	9.20	12.20	13.50	126.0
N93MTW2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW2LL		5.10	7.50	10.40	11.50	101.0
N93MTW2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW2RR		5.10	7.50	10.40	11.50	101.0
N93MTW2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW2BB		6.30	9.20	12.20	13.50	126.0
N93MTW2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW2B		7.10	10.70	14.10	15.00	141.0
N93HTW2BX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW2BH		10.10	13.30	17.00	17.50	201.0
N93HTW2BHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTW2BM		9.70	12.00	15.50	17.00	172.0
N93HTW2BMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93HTW2L		5.90	9.00	12.30	13.00	116.0
N93HTW2LX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW2LH		7.30	10.50	14.00	14.50	145.0
N93HTW2LHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTW2LM		6.50	9.80	13.50	14.30	130.0
N93HTW2LMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTW2M		4.30	7.30	9.50	10.00	85.0
N93HTW2MX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
N93HTW2R		5.90	9.00	12.30	13.00	116.0
N93HTW2RX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW2RH		7.30	10.50	14.00	14.50	145.0
N93HTW2RHX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTW2RM		6.50	9.80	13.50	14.30	130.0
N93HTW2RMX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTW2BL		7.10	10.70	14.10	15.00	141.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTW2BLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW2BR		7.10	10.70	14.10	15.00	141.0
N93HTW2BRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW2LL		5.90	9.00	12.30	13.00	116.0
N93HTW2LLX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW2RR		5.90	9.00	12.30	13.00	116.0
N93HTW2RRX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW2BB		7.10	10.70	14.10	15.00	141.0
N93HTW2BBX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	1.80	2.80	3.00	24.0
	Accent	1.00	1.30	1.50	2.00	19.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M3B		8.90	14.40	18.10	20.00	176.0
N93M3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M3BM		10.40	15.80	19.50	22.00	207.0
N93M3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93M3L		7.60	12.80	16.30	18.00	151.0
N93M3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M3LM		8.30	13.50	17.50	19.30	165.0
N93M3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M3M		6.00	11.00	13.50	15.00	120.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93M3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	4.30	4.80	45.0
N93M3R		7.60	12.80	16.30	18.00	151.0
N93M3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M3RM		8.30	13.50	17.50	19.30	165.0
N93M3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93M3BL		8.90	14.40	18.10	20.00	176.0
N93M3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M3BR		8.90	14.40	18.10	20.00	176.0
N93M3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93M3LL		7.60	12.80	16.30	18.00	151.0
N93M3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M3RR		7.60	12.80	16.30	18.00	151.0
N93M3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93M3BB		8.90	14.40	18.10	20.00	176.0
N93M3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H3B		9.90	16.90	21.10	22.00	197.0
N93H3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H3BH		12.90	19.50	24.00	24.50	257.0
N93H3BHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H3BM		11.50	18.30	22.50	24.00	228.0
N93H3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93H3L		8.70	15.30	19.30	20.00	172.0
N93H3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H3LH		10.10	16.80	21.00	21.50	201.0
N93H3LHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H3LM		9.40	16.00	20.50	21.30	186.0
N93H3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H3M		7.10	13.50	16.50	17.00	141.0
N93H3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	5.00	6.00	6.50	45.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H3R		8.70	15.30	19.30	20.00	172.0
N93H3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H3RH		10.10	16.80	21.00	21.50	201.0
N93H3RHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93H3RM		9.40	16.00	20.50	21.30	186.0
N93H3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93H3BL		9.90	16.90	21.10	22.00	197.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93H3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H3BR		9.90	16.90	21.10	22.00	197.0
N93H3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93H3LL		8.70	15.30	19.30	20.00	172.0
N93H3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H3RR		8.70	15.30	19.30	20.00	172.0
N93H3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93H3BB		9.90	16.90	21.10	22.00	197.0
N93H3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU3B		8.90	14.40	18.10	20.00	176.0
N93MTU3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU3BM		10.40	15.80	19.50	22.00	207.0
N93MTU3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93MTU3L		7.60	12.80	16.30	18.00	151.0
N93MTU3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU3LM		8.30	13.50	17.50	19.30	165.0
N93MTU3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTU3M		6.00	11.00	13.50	15.00	120.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTU3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
N93MTU3R		7.60	12.80	16.30	18.00	151.0
N93MTU3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU3RM		8.30	13.50	17.50	19.30	165.0
N93MTU3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTU3BL		8.90	14.40	18.10	20.00	176.0
N93MTU3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU3BR		8.90	14.40	18.10	20.00	176.0
N93MTU3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTU3LL		7.60	12.80	16.30	18.00	151.0
N93MTU3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU3RR		7.60	12.80	16.30	18.00	151.0
N93MTU3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTU3BB		8.90	14.40	18.10	20.00	176.0
N93MTU3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU3B		9.90	16.90	21.10	22.00	197.0
N93HTU3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU3BH		12.90	19.50	24.00	24.50	257.0
N93HTU3BHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTU3BM		11.50	18.30	22.50	24.00	228.0
N93HTU3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93HTU3L		8.70	15.30	19.30	20.00	172.0
N93HTU3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU3LH		10.10	16.80	21.00	21.50	201.0
N93HTU3LHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTU3LM		9.40	16.00	20.50	21.30	186.0
N93HTU3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTU3M		7.10	13.50	16.50	17.00	141.0
N93HTU3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU3R		8.70	15.30	19.30	20.00	172.0
N93HTU3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU3RH		10.10	16.80	21.00	21.50	201.0
N93HTU3RHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTU3RM		9.40	16.00	20.50	21.30	186.0
N93HTU3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTU3BL		9.90	16.90	21.10	22.00	197.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTU3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU3BR		9.90	16.90	21.10	22.00	197.0
N93HTU3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTU3LL		8.70	15.30	19.30	20.00	172.0
N93HTU3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU3RR		8.70	15.30	19.30	20.00	172.0
N93HTU3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTU3BB		9.90	16.90	21.10	22.00	197.0
N93HTU3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	2.30	3.80	1.30	4.80	43.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTL3B		7.50	11.90	15.60	18.00	149.0
N93MTL3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
	N93MTL3BM		9.00	13.30	17.00	20.00
N93MTL3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
	N93MTL3L		6.20	10.30	13.80	16.00
N93MTL3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
	N93MTL3LM		6.90	11.00	15.00	17.30
N93MTL3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
	N93MTL3M		4.70	8.50	11.00	13.00

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTL3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
N93MTL3R		6.20	10.30	13.80	16.00	124.0
N93MTL3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTL3RM		6.90	11.00	15.00	17.30	138.0
N93MTL3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTL3BL		7.50	11.90	15.60	18.00	149.0
N93MTL3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTL3BR		7.50	11.90	15.60	18.00	149.0
N93MTL3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTL3LL		6.20	10.30	13.80	16.00	124.0
N93MTL3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTL3RR		6.20	10.30	13.80	16.00	124.0
N93MTL3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTL3BB		7.50	11.90	15.60	18.00	149.0
N93MTL3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL3B		8.60	14.40	18.60	21.00	171.0
N93HTL3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL3BH		11.60	17.00	21.50	23.50	231.0
N93HTL3BHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTL3BM		10.20	15.80	20.00	23.00	202.0
N93HTL3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93HTL3L		7.40	12.80	16.80	19.00	146.0
N93HTL3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL3LH		8.80	14.30	18.50	20.50	175.0
N93HTL3LHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTL3LM		8.00	13.50	18.00	20.30	160.0
N93HTL3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTL3M		5.80	11.00	14.00	16.00	115.0
N93HTL3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
N93HTL3R		7.40	12.80	16.80	19.00	146.0
N93HTL3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL3RH		8.80	14.30	18.50	20.50	175.0
N93HTL3RHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTL3RM		8.00	13.50	18.00	20.30	160.0
N93HTL3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTL3BL		8.60	14.40	18.60	21.00	171.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTL3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL3BR		8.60	14.40	18.60	21.00	171.0
N93HTL3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTL3LL		7.40	12.80	16.80	19.00	146.0
N93HTL3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL3RR		7.40	12.80	16.80	19.00	146.0
N93HTL3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTL3BB		8.60	14.40	18.60	21.00	171.0
N93HTL3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW3B		7.50	11.90	15.60	18.00	149.0
N93MTW3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW3BM		9.00	13.30	17.00	20.00	180.0
N93MTW3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93MTW3L		6.20	10.30	13.80	16.00	124.0
N93MTW3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW3LM		6.90	11.00	15.00	17.30	138.0
N93MTW3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTW3M		4.70	8.50	11.00	13.00	93.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTW3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
N93MTW3R		6.20	10.30	13.80	16.00	124.0
N93MTW3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW3RM		6.90	11.00	15.00	17.30	138.0
N93MTW3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93MTW3BL		7.50	11.90	15.60	18.00	149.0
N93MTW3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW3BR		7.50	11.90	15.60	18.00	149.0
N93MTW3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MTW3LL		6.20	10.30	13.80	16.00	124.0
N93MTW3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW3RR		6.20	10.30	13.80	16.00	124.0
N93MTW3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93MTW3BB		7.50	11.90	15.60	18.00	149.0
N93MTW3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.20	1.80	2.00	3.00	24.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW3B		8.60	14.40	18.60	21.00	171.0
N93HTW3BX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW3BH		11.60	17.00	21.50	23.50	231.0
N93HTW3BHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	5.80	6.00	7.50	7.50	116.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTW3BM		10.20	15.80	20.00	23.00	202.0
N93HTW3BMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	4.40	4.80	6.00	7.00	87.0
N93HTW3L		7.40	12.80	16.80	19.00	146.0
N93HTW3LX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW3LH		8.80	14.30	18.50	20.50	175.0
N93HTW3LHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTW3LM		8.00	13.50	18.00	20.30	160.0
N93HTW3LMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTW3M		5.80	11.00	14.00	16.00	115.0
N93HTW3MX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.10	2.00	2.30	3.00	22.0
N93HTW3R		7.40	12.80	16.80	19.00	146.0
N93HTW3RX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW3RH		8.80	14.30	18.50	20.50	175.0
N93HTW3RHX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	3.00	3.30	4.50	4.50	60.0
N93HTW3RM		8.00	13.50	18.00	20.30	160.0
N93HTW3RMX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.30	2.50	4.00	4.30	45.0
N93HTW3BL		8.60	14.40	18.60	21.00	171.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTW3BLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW3BR		8.60	14.40	18.60	21.00	171.0
N93HTW3BRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93HTW3LL		7.40	12.80	16.80	19.00	146.0
N93HTW3LLX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW3RR		7.40	12.80	16.80	19.00	146.0
N93HTW3RRX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	1.60	1.80	2.80	3.00	31.0
N93HTW3BB		8.60	14.40	18.60	21.00	171.0
N93HTW3BBX	Back	1.70	2.00	2.80	4.30	33.0
	Seat	2.50	4.50	6.30	7.50	50.0
	Lumbar	1.10	2.00	2.30	3.00	22.0
	Extreme	1.60	2.30	3.00	4.50	31.0
	Accent	1.10	2.00	2.30	3.00	22.0
	Arm	2.90	3.40	4.60	5.00	56.0
N93MBH1MSP		3.10	4.50	6.00	6.50	61.0
N93MBH1MSPX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	1.50	1.80	2.00	24.0
N93HBH1MSP		3.30	5.50	7.00	7.50	66.0
N93HBH1MSPX	Back	1.20	1.50	2.00	2.00	24.0
	Seat	1.60	2.00	3.50	4.00	31.0
	Lumbar	0.90	1.00	1.30	1.50	17.0
	Extreme	1.20	2.00	2.00	2.50	24.0
	Accent	0.70	0.80	1.00	1.30	13.0
N93MBH1MD		4.30	6.50	9.50	12.00	85.0
N93MBH1MDX	Back	1.20	2.00	2.50	3.50	24.0
	Seat	2.70	3.80	6.50	8.00	52.0
	Lumbar	0.90	2.00	2.50	2.50	17.0
N93HBH1MD		4.70	7.00	10.00	12.00	93.0
N93HBH1MDX	Back	1.20	2.00	2.50	3.50	24.0
	Seat	2.70	3.80	6.50	8.00	52.0
	Lumbar	0.90	2.00	2.50	2.50	17.0
	Accent	1.00	1.30	1.50	2.00	20.0
N93MBH1MDP		4.30	6.50	9.50	12.00	85.0
N93MBH1MDPX	Back	1.20	2.00	2.50	3.50	24.0
	Seat	2.70	3.80	6.50	8.00	52.0
	Lumbar	0.90	2.00	2.50	2.50	17.0
N93HBH1MDP		4.70	7.00	10.00	12.00	93.0

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HBH1MDPX	Back	1.20	2.00	2.50	3.50	24.0
	Seat	2.70	3.80	6.50	8.00	52.0
	Lumbar	0.90	2.00	2.50	2.50	17.0
	Accent	1.00	1.30	1.50	2.00	20.0
N93MBH2MSP		4.40	7.40	9.50	10.50	87.0
N93MBH2MSPX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.20	2.50	2.90	3.30	24.0
N93HBH2MSP		5.10	9.00	11.50	11.50	102.0
N93HBH2MSPX	Back	1.20	1.30	2.50	2.50	24.0
	Seat	1.90	3.50	4.60	5.50	38.0
	Lumbar	0.90	1.50	2.00	2.00	17.0
	Extreme	1.60	3.50	4.00	4.30	31.0
	Accent	1.00	1.30	1.50	2.00	2.3
N93MBH2MD		6.00	10.30	14.00	20.50	120.0
N93MBH2MDX	Back	1.70	2.50	3.00	5.00	34.0
	Seat	3.60	6.00	9.00	12.50	72.0
	Lumbar	1.50	2.80	3.30	4.50	30.0
N93HBH2MD		6.90	11.50	15.00	18.00	138.0
N93HBH2MDX	Back	1.70	2.50	3.00	5.00	34.0
	Seat	3.60	6.00	9.00	12.50	72.0
	Lumbar	1.50	2.80	3.30	4.50	30.0
	Accent	1.50	2.50	3.00	4.30	29.0
N93MBH2MDP		6.00	10.30	14.00	20.50	120.0
N93MBH2MDPX	Back	1.70	2.50	3.00	5.00	34.0
	Seat	3.60	6.00	9.00	12.50	72.0
	Lumbar	1.50	2.80	3.30	4.50	30.0
N93HBH2MDP		6.90	11.50	15.00	18.00	138.0
N93HBH2MDPX	Back	1.70	2.50	3.00	5.00	34.0
	Seat	3.60	6.00	9.00	12.50	72.0
	Lumbar	1.50	2.80	3.30	4.50	30.0
	Accent	1.50	2.50	3.00	4.30	29.0
N93CSA		3.40	4.30	6.50	6.50	67.0
N93CSAX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.80	2.00	3.30	3.30	35.0
N93CSAC		3.40	4.30	6.50	6.50	67.0
N93CSACX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.80	2.00	3.30	3.30	35.0
N93CSAL		3.40	4.30	6.50	6.50	67.0
N93CSALX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.80	2.00	3.30	3.30	35.0
N93CSALC		3.40	4.30	6.50	6.50	67.0
N93CSALCX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.80	2.00	3.30	3.30	35.0
N93CSAR		3.40	4.30	6.50	6.50	67.0
N93CSARX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.80	2.00	3.30	3.30	35.0
N93CSARC		3.40	4.30	6.50	6.50	67.0
N93CSARCX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.80	2.00	3.30	3.30	35.0
N93CSLL		2.80	3.50	5.50	5.50	55.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93CSLLX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.00	1.50	1.80	2.00	19.0
N93CSLLC		2.80	3.50	5.50	5.50	55.0
N93CSLLCX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.00	1.50	1.80	2.00	19.0
N93CSRR		2.80	3.50	5.50	5.50	55.0
N93CSRRX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.00	1.50	1.80	2.00	19.0
N93CSRRC		2.80	3.50	5.50	5.50	55.0
N93CSRRCX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
	Arm	1.00	1.50	1.80	2.00	19.0
N93CSM		2.20	3.00	4.50	4.50	43.0
N93CSMX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
N93CSMC		2.20	3.00	4.50	4.50	43.0
N93CSMCX	Back	1.70	2.00	2.30	3.00	33.0
	Seat	1.20	1.30	3.00	3.00	23.0
QN93CSA		3.40	4.30	6.50	6.50	67.0
QN93CSAC		3.40	4.30	6.50	6.50	67.0
QN93CSM		2.20	3.00	4.50	4.50	43.0
QN93CSMC		2.20	3.00	4.50	4.50	43.0
N93B1S24		1.53	3.25	4.00	4.75	30.5
N93B2S48		2.31	5.25	6.00	7.50	46.0
N93B3S71		3.22	7.50	8.50	10.00	64.2
N93B1S27		2.69	3.25	4.00	4.00	53.7
N93B2S54		4.39	5.50	6.00	6.00	87.4
N93B3S80		6.08	7.50	8.25	8.25	121.2
N93BWD64		2.69	4.00	5.00	5.00	53.7
N93BCR64		2.64	3.68	5.12	5.23	50.89
N93BQR27		2.07	2.68	2.98	3.00	39.50
N93BHR54		2.57	3.79	3.90	4.52	49.63
N93HALU, N93HARU		3.00	3.30	4.50	4.50	60.0
N93MALU, N93MARU		2.30	2.50	4.00	4.30	45.0
N93MC2	Complete	6.00	8.00	12.75	14.50	119.5
N93MC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	4.25	4.75	5.00	6.00	84.7
N93HC2	Complete	7.86	11.00	18.00	18.50	156.6
N93HC2X	Back	1.39	2.00	3.00	4.00	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	5.75	6.50	7.50	8.50	114.6
	Accent	1.39	2.20	3.00	3.00	27.7
N93MC3	Complete	7.69	10.00	17.25	17.25	153.3
N93MC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	4.25	6.00	6.50	7.75	84.7
N93HC3	Complete	9.53	13.50	23.00	23.00	189.8

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	5.75	7.75	9.50	10.25	114.6
	Accent	1.50	2.50	3.50	3.50	29.9
N93MTUC2	Complete	6.00	8.00	12.75	14.50	119.5
N93MTUC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	4.25	4.75	5.00	6.00	84.7
N93HTUC2	Complete	7.86	11.00	18.00	18.50	156.6
N93HTUC2X	Back	1.39	2.00	3.00	4.00	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	5.75	6.50	7.50	8.50	114.6
	Accent	1.39	2.20	3.00	3.00	27.7
N93MTUC3	Complete	7.69	10.00	17.25	17.25	153.3
N93MTUC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	4.25	6.00	6.50	7.75	84.7
N93HTUC3	Complete	9.53	13.50	23.00	23.00	189.8
N93HTUC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	5.75	7.75	9.50	10.25	114.6
	Accent	1.50	2.50	3.50	3.50	29.9
N93MTLC2	Complete	4.47	6.00	9.00	11.25	89.1
N93MTLC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	1.28	1.75	2.00	4.00	25.5
N93HTLC2	Complete	5.97	8.00	14.00	15.00	119.0
N93HTLC2X	Back	1.39	2.00	2.50	3.75	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	2.19	2.75	4.00	6.00	43.7
	Accent	1.39	2.50	2.75	3.00	27.7
N93MTLC3	Complete	5.47	7.50	12.50	13.50	109.0
N93MTLC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	1.28	2.00	2.50	4.00	25.5
N93HTLC3	Complete	7.42	10.50	18.50	18.50	147.8
N93HTLC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	2.19	3.25	5.00	5.75	43.7
	Accent	1.50	2.50	3.50	3.50	29.9
N93MTWC2	Complete	4.47	6.00	9.00	11.25	89.1
N93MTWC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	1.28	1.75	2.00	4.00	25.5
N93HTWC2	Complete	5.97	8.00	14.00	15.00	119.0

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTWC2X	Back	1.39	2.00	2.50	3.75	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	2.19	2.75	4.00	6.00	43.7
	Accent	1.39	2.50	2.75	3.00	27.7
N93MTWC3	Complete	5.47	7.50	12.50	13.50	109.0
N93MTWC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	1.28	2.00	2.50	4.00	25.5
N93HTWC3	Complete	7.42	10.50	18.50	18.50	147.8
N93HTWC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	2.19	3.25	5.00	5.75	43.7
	Accent	1.50	2.50	3.50	3.50	29.9
N93MSQ9L	Complete	3.61	4.50	7.00	10.50	71.9
N93MSQ9LX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2
N93HSQ9L	Complete	4.22	6.00	9.00	12.00	84.1
N93HSQ9LX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MSQ9R	Complete	3.61	4.50	7.00	10.50	71.9
N93MSQ9RX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2
N93HSQ9R	Complete	4.22	6.00	9.00	12.00	84.1
N93HSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MSQ9D	Complete	3.61	5.00	7.00	10.50	71.9
N93MSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93HSQ9D	Complete	4.39	6.00	9.00	12.00	87.4
N93HSQ9DX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTUSQ9L	Complete	3.61	4.50	7.00	10.50	71.9
N93MTUSQ9LX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2
N93HTUSQ9L	Complete	4.22	6.00	9.00	12.00	84.1
N93HTUSQ9LX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MTUSQ9R	Complete	3.61	4.50	7.00	10.50	71.9
N93MTUSQ9RX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2
N93HTUSQ9R	Complete	4.22	6.00	9.00	12.00	84.1
N93HTUSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTUSQ9D	Complete	3.61	5.00	7.00	10.50	71.9
N93MTUSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93HTUSQ9D	Complete	4.39	6.00	9.00	12.00	87.4
N93HTUSQ9DX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTLSQ9L	Complete	3.61	4.50	7.00	10.50	71.9
N93MTLSQ9LX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2
N93HTLSQ9L	Complete	4.22	6.00	9.00	12.00	84.1
N93HTLSQ9LX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTLSQ9R	Complete	2.69	4.00	5.25	10.25	53.7
N93MTLSQ9RX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.28	1.50	1.75	3.25	25.5
N93HTLSQ9R	Complete	3.47	5.00	7.00	12.00	69.2
N93HTLSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.25	1.50	2.25	2.50	24.9
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTLSQ9D	Complete	2.86	4.00	5.50	10.25	57.0
N93MTLSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.28	1.50	1.75	3.25	25.5
N93HTLSQ9D	Complete	3.53	5.00	7.00	12.00	70.3
N93HTLSQ9DX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.25	1.50	2.25	2.50	24.9
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTWSQ9L	Complete	3.61	4.50	7.00	10.50	71.9
N93MTWSQ9LX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTWSQ9L	Complete	4.22	6.00	9.00	12.00	84.1
N93HTWSQ9LX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTWSQ9R	Complete	2.69	4.00	5.25	10.25	53.7
N93MTWSQ9RX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.28	1.50	1.75	3.25	25.5
N93HTWSQ9R	Complete	3.47	5.00	7.00	12.00	69.2
N93HTWSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.25	1.50	2.25	2.50	24.9
	Accent	0.94	1.25	1.50	2.25	18.8
N93MTWSQ9D	Complete	2.86	4.00	5.50	10.25	57.0
N93MTWSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.28	1.50	1.75	3.25	25.5
N93HTWSQ9D	Complete	3.53	5.00	7.00	12.00	70.3
N93HTWSQ9DX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.25	1.50	2.25	2.50	24.9
	Accent	0.94	1.25	1.50	2.25	18.8
N93MIN9	Complete	4.83	6.50	8.50	10.00	96.3
N93MIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93HIN9	Complete	5.78	8.00	10.50	12.00	115.1
N93HIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.28	3.50	4.00	4.50	45.4
	Accent	1.00	1.50	2.00	2.00	19.9
N93MTUIN9	Complete	4.83	6.50	8.50	10.00	96.3
N93MTUIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93HTUIN9	Complete	5.78	8.00	10.50	12.00	115.1
N93HTUIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.28	3.50	4.00	4.50	45.4
	Accent	1.00	1.50	2.00	2.00	19.9
N93MTLIN9	Complete	3.72	5.25	7.00	8.50	74.2
N93MTLIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	1.17	1.75	2.00	3.00	23.2
N93HTLIN9	Complete	4.69	7.00	9.50	10.50	93.5

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93HTLIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	1.17	2.00	2.75	3.75	23.2
	Accent	1.00	1.50	2.00	2.00	19.9
N93MTWIN9	Complete	3.72	5.25	7.00	8.50	74.2
N93MTWIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	1.17	1.75	2.00	3.00	23.2
N93HTWIN9	Complete	4.69	7.00	9.50	10.50	93.5
N93HTWIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	1.17	2.00	2.75	3.75	23.2
	Accent	1.00	1.50	2.00	2.00	19.9
N93MOU9	Complete	3.72	5.50	7.00	8.50	74.2
N93MOU9X	Back	1.14	1.50	2.00	2.50	22.7
	Seat	2.22	3.00	4.50	5.80	44.3
	Lumbar	0.75	1.00	1.00	1.25	14.9
	Extreme	1.14	1.50	1.70	2.00	22.7
N93HOU9	Complete	4.11	6.00	8.00	9.00	81.9
N93HOU9X	Back	1.14	1.50	2.00	2.75	22.7
	Seat	2.22	3.00	4.50	5.80	44.3
	Lumbar	0.75	1.00	1.40	1.25	14.9
	Extreme	1.50	1.75	2.10	2.50	29.9
	Accent	0.56	1.00	1.25	1.75	11.1
N93MOUR9	Complete	4.36	5.50	7.50	8.30	86.9
N93MOUR9X	Back	1.17	1.50	2.20	3.00	23.2
	Seat	2.78	3.80	4.50	5.50	55.3
	Lumbar	0.81	1.00	1.00	1.80	16.0
	Extreme	1.22	1.50	1.75	1.75	24.4
N93HOUR9	Complete	4.67	6.00	8.50	9.00	93.0
N93HOUR9X	Back	1.17	1.50	2.20	3.00	23.2
	Seat	2.78	3.80	4.50	5.50	55.3
	Lumbar	0.81	1.00	1.00	1.80	16.0
	Extreme	1.22	1.50	2.00	2.50	24.4
	Accent	0.67	0.75	1.50	1.75	13.3
N93MINR9	Complete	5.72	7.00	9.25	11.25	114.0
N93MINR9X	Back	1.28	2.00	2.75	3.00	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.25	2.50	2.75	3.50	44.8
N93HINR9	Complete	7.11	8.50	11.50	12.75	141.7
N93HINR9X	Back	1.28	1.50	2.75	3.25	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.97	3.50	4.00	4.50	59.2
	Accent	1.11	1.50	2.00	2.75	22.1
N93MTUINR9	Complete	5.72	7.00	9.25	11.25	114.0
N93MTUINR9X	Back	1.28	2.00	2.75	3.00	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.25	2.50	2.75	3.50	44.8
N93HTUINR9	Complete	7.11	8.50	11.50	12.75	141.7
N93HTUINR9X	Back	1.28	1.50	2.75	3.25	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.97	3.50	4.00	4.50	59.2
	Accent	1.11	1.50	2.00	2.75	22.1

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N93MINR9SL	Complete	6.25	8.00	10.00	12.00	124.5
N93MINR9SLX	Back	1.94	3.00	3.50	3.50	38.7
	Seat	2.22	3.00	4.50	5.50	44.3
	Lumbar	1.25	1.75	2.00	2.50	24.9
	Extreme	2.19	2.50	3.00	3.50	43.7
N93MINR9SW	Complete	6.25	8.00	10.00	12.00	124.5
N93MINR9SWX	Back	1.94	3.00	3.50	3.50	38.7
	Seat	2.22	3.00	4.50	5.50	44.3
	Lumbar	1.25	1.75	2.00	2.50	24.9
	Extreme	2.19	2.50	3.00	3.50	43.7
N95AA, N95AAC, N95AAL, N95AALC, N95AAR, N95AARC		5.80	7.00	8.40	9.50	116
N95AATP	Complete	6.90	8.00	9.90	10.60	136
N95AAX, N95AACX, N95AALX, N95AALCX, N95AARX, N95AARCX	Back	0.90	1.00	1.10	1.00	8
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.30	1.40	1.80	1.70	12
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	2.50	2.80	3.80	4.00	48
N95AATPX	Back	1.20	1.20	1.50	2.10	23
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.30	1.50	1.80	19
Arm	2.50	3.20	4.50	4.30	48.50	
N95BB, N95BBB, N95BBL, N95BBR		7.00	10.60	12.70	13.90	140
N95BBTP	Complete	10.40	11.60	13.90	14.10	205
N95BBX, N95BBBX, N95BBLX, N95BBRX	Back	1.40	1.70	2.00	2.00	26
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.90	3.40	4.00	4.30	35
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	2.50	2.80	3.80	4.00	48
N95BBTPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	3.30	3.50	3.90	4.30	65
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	2.50	3.20	4.50	4.30	48.50
N95CC, N95CCB, N95CCL, N95CCR		9.00	14.10	16.30	18.40	179
N95CCTP	Complete	13.80	15.10	17.90	18.10	273
N95CCTPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	2.50	3.20	4.50	4.30	48.50
N95CCX, N95CCBX, N95CCCLX, N95CCRX	Back	1.70	2.50	3.00	3.00	31
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.00	5.30	6.10	6.80	58
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	2.50	2.80	3.80	4.00	48
N95DD, N95DDC		2.60	2.90	3.20	3.50	52
N95DDX, N95DDCX	Seat	1.70	1.80	1.80	1.90	22.50
	Seat Accent	1.00	1.00	1.30	1.40	18
N95EE		3.40	5.50	6.20	6.50	68

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N95EEX	Seat	2.60	4.50	4.90	5.40	49.25
	Seat Accent	1.00	1.00	1.30	1.40	18
N95GG		5.90	8.00	9.30	9.50	118
N95GGX	Seat	5.00	7.00	8.00	8.40	98
	Seat Accent	1.00	1.00	1.30	1.40	18
N95MA, N95MAC		3.20	4.30	5.00	5.40	64
N95MAL, N95MALT, N95MAR, N95MART		4.20	5.70	6.60	7.40	84
N95MALTP, N95MARTP	Complete	5.80	6.50	8.15	9.05	115.20
N95MALTPX, N95MARTPX	Back	1.20	1.20	1.50	2.10	23
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	1.40	1.70	2.75	2.75	28
N95MALX, N95MALT, N95MARX, N95MARTX	Back	0.90	1.00	1.10	1.00	8
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.30	1.40	1.80	1.70	12
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	1.50	1.50	2.00	2.00	27
N95MAX, N95MACX	Back	0.90	1.00	1.10	1.00	8
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.30	1.40	1.80	1.70	12
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MB		5.10	7.90	9.30	9.90	102
N95MBL, N95MBLT, N95MBR, N95MBRT		6.10	9.20	10.50	11.90	122
N95MBLTP, N95MBRTP	Complete	9.30	10.10	12.15	12.55	184
N95MBLTPX, N95MBRTPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	3.30	3.50	3.90	4.30	65
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	1.40	1.70	2.75	2.75	28
N95MBLX, N95MBLT, N95MBRX, N95MBRTX	Back	1.40	1.70	2.00	2.00	26
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.90	3.40	4.00	4.30	35
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	1.50	1.50	2.00	2.00	27
N95MBX	Back	1.40	1.70	2.00	2.00	26
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.90	3.40	4.00	4.30	35
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MC		7.10	11.40	13.00	14.40	142
N95MCL, N95MCLT, N95MCR, N95MCRT		8.10	12.80	14.50	16.40	162
N95MCLTP, N95MCRTP	Complete	12.70	13.60	16.15	16.55	252.17
N95MCLTPX, N95MCRTPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	1.40	1.70	2.75	2.75	28

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N95MCLX, N95MCLTX, N95MCRX, N95MCRTX	Back	1.70	2.50	3.00	3.00	31
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.00	5.30	6.10	6.80	58
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	1.50	1.50	2.00	2.00	27
N95MCX	Back	1.70	2.50	3.00	3.00	31
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.00	5.30	6.10	6.80	58
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MH		2.60	3.30	4.10	5.00	52
N95MHX	Back	0.90	1.00	1.10	1.00	17
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.40	1.40	1.70	1.80	26.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MHA		2.60	3.40	4.10	4.40	52
N95MHAX	Back	0.90	1.00	1.10	1.00	17
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.50	1.60	1.70	1.80	28
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJ		3.30	3.70	5.00	5.20	66
N95MJX	Back	1.00	1.00	1.20	1.00	17
	Extreme	1.00	1.00	1.20	1.10	12.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.50	1.60	1.70	1.80	29
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJA		2.50	3.30	3.70	4.40	50
N95MJAX	Back	0.90	0.90	1.10	1.00	15
	Extreme	1.00	1.00	1.20	1.10	4.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.50	1.60	1.70	3.30	28
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MK		4.10	4.40	6.60	7.10	82
N95MKX	Back	1.70	1.70	2.00	2.00	31
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.40	1.50	1.70	1.80	26.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MKA		3.40	3.70	4.60	6.00	68
N95MKAX	Back	0.90	1.00	1.10	1.00	15
	Extreme	1.00	1.00	1.20	1.10	6
	Back Accent	1.00	1.00	1.20	1.30	17
	Seat	2.00	2.20	2.60	4.70	39
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MATP	Complete	4.40	4.80	5.40	6.30	87.50
N95MATPX	Back	1.20	1.20	1.50	2.10	23
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.30	1.50	1.80	19
N95MBTP	Complete	7.90	8.40	9.40	9.80	156
N95MBTPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	3.30	3.50	3.90	4.30	65
	Seat Accent	1.00	1.30	1.50	1.80	19

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N95MCTP	Complete	11.30	11.90	13.40	13.80	224.50
N95MCTPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.30	1.50	1.80	19
N95MHATP	Complete	6.30	6.60	8.50	8.60	124
N95MHATPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.25	3.50	3.90	4.30	65
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MHTP	Complete	5.50	5.80	6.60	7.60	108.50
N95MHTPX	Back	2.20	2.30	2.70	2.60	44
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJATP	Complete	6.20	6.70	8.50	8.60	123.50
N95MJATPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.00	1.00	1.20	1.10	4.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.30	3.40	3.90	4.40	64.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJJTP	Complete	7.40	7.80	8.50	8.80	146
N95MJJTPX	Back	3.30	3.50	3.90	4.30	65
	Extreme	1.00	1.00	1.20	1.10	12.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	2.50	2.60	2.80	3.20	50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MKATP	Complete	8.90	9.30	11.20	11.80	176
N95MKATPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	1.00	1.00	1.20	1.10	6
	Back Accent	1.00	1.00	1.20	1.30	17
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MKTP	Complete	6.80	7.40	8.80	10.10	134
N95MKTPX	Back	3.80	4.00	5.00	5.10	75
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	2.70	2.80	3.00	3.60	53.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95DDTP	Complete	3.50	3.75	4.00	4.25	69.50
N95DDTPX	Seat	2.50	2.50	2.75	3.20	49.50
	Seat Accent	1.20	1.25	1.50	2.25	22.50
N95EETP	Complete	5.90	6.00	6.40	6.70	116.25
N95EETPX	Seat	4.90	5.00	5.20	5.70	96.30
	Seat Accent	1.20	1.25	1.50	2.25	22.50
N95GGTP	Complete	8.20	8.50	8.90	9.20	163.50
N95GGTPX	Seat	7.20	7.50	7.60	8.20	143.50
	Seat Accent	1.20	1.25	1.50	2.25	22.50
N96S1	Complete	0.64	0.70	1.00	1.25	5.60
NAC1820CUSH, NAC1820CUSHT		0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT		0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT		0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT		1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT		1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT		1.10	1.40	1.70	2.70	20

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
NAC1860CUSH, NAC1860CUSHT		1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT		1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT		0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT		0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT		0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT		1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT		1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT		1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT		1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT		2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT		2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT		1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT		1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT		1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT		1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT		1.70	2.10	2.60	4.10	33
451		3.30	4.05	5.35	5.90	67
451T		3.60	4.15	5.30	5.90	73
452		3.30	4.05	5.35	5.90	67
452T		3.60	4.15	5.30	5.90	73