
JEWEL

JEWEL

JEWEL PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- $\frac{25}{32}$ " hot rolled, welded, polished, tubular steel

SEAT AND BACK

- $\frac{7}{16}$ " molded plywood cross banded for strength
- Custom molded and contoured for comfort and support

ARM CAPS

- $1\frac{1}{8}$ " thick solid bentwood, finished to match the shell

GLIDES

- Black nylon glides are standard

FINISH

- Brighton, Pecan, grey, white, and black feature a catalyzed top coat
- White is enamel paint
- When specifying Brighton, Pecan, and grey finish, variation in color is acceptable due to the nature of wood characteristics

WOOD


- Beech

STACKABILITY

- Side chair and stool bumpers are each stackable up to 4 high
- Rubber stack bumpers are standard

GANGING BRACKETS

- Sold in package of 5 pairs
- 1 pair is required to gang 2 chairs, 2 pairs will gang 3 chairs
- Ganging bracket snap onto the legs
- Armless models or alternating armless and armchair may be connected
- 2 armchair models cannot be ganged side by side



All Jewel models meet TB133 fire code.

JEWEL

To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

TO ORDER, SPECIFY:

1. Model Number

ARMLESS



MODEL NO.

GRADE / LIST PRICE

| | | | |
|-----------|----------|----|-----|
| N44GM1WPE | Pecan | \$ | 468 |
| N44GM1WIM | Brighton | | 468 |
| N44GM1WBL | Black | | 468 |
| N44GM1WGR | Grey | | 468 |
| N44GM1WWH | White | | 468 |

DIMENSIONS

| | | | | | | | |
|--------|-----|-------------|-----|-------------|-----|-----------|-----|
| Width | 19¾ | Seat Height | 18¾ | Back Height | 17¾ | Weight | 15 |
| Depth | 23¾ | Seat Depth | 17¾ | Back Width | 17¾ | Cubic Ft. | 4.5 |
| Height | 31¾ | Seat Width | 18 | | | | |

ARMS



MODEL NO.


GRADE / LIST PRICE

| | | | |
|-----------|----------|----|-----|
| N44GA1WPE | Pecan | \$ | 577 |
| N44GA1WIM | Brighton | | 577 |
| N44GA1WBL | Black | | 577 |
| N44GA1WGR | Grey | | 577 |
| N44GA1WWH | White | | 577 |

DIMENSIONS

| | | | | | | | |
|--------|-----|-------------|-----|-------------|-----|-----------|-----|
| Width | 19¾ | Seat Height | 18¾ | Arm Height | 26½ | Weight | 18 |
| Depth | 23¾ | Seat Depth | 17¾ | Back Height | 17¾ | Cubic Ft. | 4.5 |
| Height | 31¾ | Seat Width | 18 | Back Width | 17¾ | | |

ARMLESS STOOL



| | | | |
|-----------|------------------------|----|------|
| N44SM2WPE | Pecan, Package of 2 | \$ | 1406 |
| N44SM2WIM | Brighton, Package of 2 | | 1406 |
| N44SM2WBL | Black, Package of 2 | | 1406 |
| N44SM2WGR | Grey, Package of 2 | | 1406 |
| N44SM2WWH | White, Package of 2 | | 1406 |

DIMENSIONS

| | | | | | | | |
|--------|-----|-------------|-----|-------------|-----|-----------|------|
| Width | 21½ | Seat Height | 29¾ | Back Height | 17¾ | Weight | 24.5 |
| Depth | 24¾ | Seat Depth | 17¾ | Back Width | 17¾ | Cubic Ft. | 9.6 |
| Height | 43¾ | Seat Width | 18 | | | | |

GANGING BRACKET



| | | | |
|-------|--------------------|----|----|
| N44GB | Package of 5 pairs | \$ | 55 |
|-------|--------------------|----|----|

DIMENSIONS

| | | | | | |
|--------|----|--|--|-----------|-----|
| Width | 4½ | | | Weight | 4 |
| Depth | 1 | | | Cubic Ft. | 0.5 |
| Height | 1½ | | | | |

- 1 pair is required to gang 2 chairs, 2 pairs will gang 3 chairs
- Armless models or alternating armless and arm chair may be ganged
- 2 arm chairs cannot be ganged together

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N10BBD48 | | 4.40 | | | | 87.5 |
| N10BBS55 | | 3.50 | | | | 67.5 |
| N10FPSQ2424 | | 1.40 | 3.00 | 4.30 | 6.00 | 27.7 |
| N10FPSQ2424X | Seat | 0.90 | 1.00 | 1.50 | 1.50 | 16.1 |
| | Upholstery | 0.90 | 2.00 | 3.30 | 5.30 | 16.7 |
| | Piping | 0.30 | 0.30 | 0.30 | 0.30 | 6.0 |
| N10FPSQ3030 | | 2.20 | 3.00 | 4.30 | 6.00 | 43.2 |
| N10FPSQ3030X | Seat | 1.00 | 1.30 | 1.50 | 1.50 | 20.0 |
| | Upholstery | 1.40 | 2.00 | 3.30 | 5.30 | 26.6 |
| | Piping | 1.90 | 1.90 | 1.90 | 1.90 | 8.0 |
| N10FPSQ3636 | | 2.40 | 3.00 | 4.30 | 7.30 | 47.6 |
| N10FPSQ3636X | Seat | 1.20 | 1.30 | 1.50 | 2.30 | 23.3 |
| | Upholstery | 1.40 | 2.00 | 3.30 | 5.80 | 26.6 |
| | Piping | 2.20 | 2.20 | 2.20 | 2.20 | 10.0 |
| N10PBL1806 | | 0.60 | 0.70 | 0.70 | 0.90 | 12 |
| N10PBL1806X | Upholstery | 0.60 | 0.70 | 0.70 | 0.90 | 6 |
| | Accent | 0.30 | 0.30 | 0.50 | 0.70 | 3 |
| N10PBL1806P | | 0.60 | 0.70 | 0.70 | 0.90 | 12 |
| N10PBL1806PX | Upholstery | 0.60 | 0.70 | 0.70 | 0.90 | 6 |
| | Piping | 0.10 | 0.10 | 0.10 | 0.10 | 2 |
| | Accent | 0.30 | 0.30 | 0.50 | 0.70 | 3 |
| N10PSQ1414 | | 0.60 | 0.70 | 0.70 | 0.80 | 12 |
| N10PSQ1414X | Upholstery | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Back | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| N10PSQ1414P | | 0.70 | 0.70 | 0.70 | 0.80 | 14 |
| N10PSQ1414PX | Upholstery | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Back | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Piping | 0.10 | 0.10 | 0.10 | 0.10 | 2 |
| N10PSQ1414B | | 0.60 | 0.70 | 0.70 | 0.80 | 12 |
| N10PSQ1414BX | Upholstery | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Back | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Accent | 0.10 | 0.10 | 0.10 | 0.10 | 1 |
| N10PSQ1414BP | | 0.70 | 0.70 | 0.70 | 0.80 | 14 |
| N10PSQ1414BPX | Upholstery | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Back | 0.60 | 0.70 | 0.70 | 0.80 | 6 |
| | Piping | 0.10 | 0.10 | 0.10 | 0.10 | 2 |
| | Accent | 0.10 | 0.10 | 0.10 | 0.10 | 1 |
| N10PSQ1616 | | 0.70 | 0.80 | 1.10 | 2.00 | 13 |
| N10PSQ1616X | Upholstery | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Back | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| N10PSQ1616P | | 0.70 | 1.10 | 1.10 | 2.00 | 14 |
| N10PSQ1616PX | Upholstery | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Back | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Piping | 0.20 | 0.20 | 0.20 | 0.20 | 4 |
| N10PSQ1616B | | 0.70 | 0.80 | 1.10 | 2.00 | 13 |
| N10PSQ1616BX | Upholstery | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Back | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Accent | 0.20 | 0.20 | 0.20 | 0.20 | 1 |
| N10PSQ1616BP | | 0.70 | 0.80 | 1.10 | 2.00 | 14 |
| N10PSQ1616PBX | Upholstery | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Back | 0.70 | 0.80 | 1.10 | 1.30 | 7 |
| | Piping | 0.20 | 0.20 | 0.20 | 0.20 | 4 |
| | Accent | 0.20 | 0.20 | 0.20 | 0.20 | 1 |
| N10PSQ1818 | | 0.70 | 0.90 | 1.70 | 2.40 | 14 |
| N10PSQ1818X | Upholstery | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Back | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| N10PSQ1818P | | 0.80 | 0.90 | 1.70 | 2.40 | 13 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N10PSQ1818PX | Upholstery | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Back | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Piping | 0.20 | 0.20 | 0.20 | 0.20 | 4 |
| N10PSQ1818B | | 0.70 | 0.90 | 1.70 | 2.40 | 14 |
| N10PSQ1818BX | Upholstery | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Back | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Accent | 0.20 | 0.20 | 0.20 | 0.20 | 1 |
| N10PSQ1818BP | | 0.80 | 0.90 | 1.70 | 2.40 | 15 |
| N10PSQ1818PBX | Upholstery | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Back | 0.70 | 0.90 | 1.00 | 1.30 | 8 |
| | Piping | 0.20 | 0.20 | 0.20 | 0.20 | 13 |
| | Accent | 0.20 | 0.20 | 0.20 | 0.20 | 1 |
| N10PRT1508 | | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| N10PRT1508X | Upholstery | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Back | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| N10PRT1508L, N10PRT1508R, N10PRT1508C | | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| N10PRT1508LX, N10PRT1508RX, N10PRT1508CX | Upholstery | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Back | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Accent | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| N10PRT1508P | | 0.50 | 0.50 | 0.60 | 1.30 | 10 |
| N10PRT1508PX | Upholstery | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Back | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Piping | 0.10 | 0.10 | 0.10 | 0.10 | 2 |
| N10PRT1508LP, N10PRT1508RP, N10PRT1508CP | | 0.50 | 0.50 | 0.60 | 1.30 | 10 |
| N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX | Upholstery | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Back | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| | Piping | 0.10 | 0.10 | 0.10 | 0.10 | 2 |
| | Accent | 0.40 | 0.50 | 0.60 | 0.80 | 4 |
| N10PWD1816 | | 0.90 | 1.20 | 1.50 | 1.80 | 18 |
| N10PWD1816X | Upholstery | 0.70 | 0.70 | 1.00 | 1.20 | 7 |
| | Back | 0.60 | 0.60 | 0.90 | 0.80 | 6 |
| | Accent | 0.60 | 0.60 | 0.90 | 0.80 | 6 |
| N10PWD2116 | | 1.10 | 1.20 | 1.50 | 1.80 | 22 |
| N10PWD2116X | Upholstery | 0.70 | 0.70 | 1.00 | 1.20 | 7 |
| | Back | 0.60 | 0.60 | 0.90 | 0.80 | 6 |
| | Accent | 0.60 | 0.60 | 0.90 | 0.80 | 6 |
| N10PWD2416 | | 1.20 | 1.50 | 1.90 | 1.80 | 24 |
| N10PWD2416X | Upholstery | 0.70 | 0.70 | 1.00 | 1.20 | 7 |
| | Back | 0.60 | 0.60 | 0.90 | 0.80 | 6 |
| | Accent | 0.60 | 0.60 | 0.90 | 0.80 | 6 |
| N10PBL1806 | | 0.60 | 0.70 | 0.70 | 0.90 | 12 |
| N10PBL1806X | Upholstery | 0.60 | 0.70 | 0.70 | 0.90 | 6 |
| | Accent | 0.30 | 0.30 | 0.50 | 0.70 | 3 |
| N10PBL1806P | | 0.60 | 0.70 | 0.70 | 0.90 | 12 |
| N10PBL1806PX | Upholstery | 0.60 | 0.70 | 0.70 | 0.90 | 6 |
| | Piping | 0.10 | 0.10 | 0.10 | 0.10 | 2 |
| | Accent | 0.30 | 0.30 | 0.50 | 0.70 | 3 |
| N12AAC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12AAY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12AR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12ARS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12ARY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12BBC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-----------|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N12BBY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12BR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12BRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12BRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12CCC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12CCY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12CR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12CRS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12CRY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12DDC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12DDY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12DR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12DRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12DRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12EEC(S) | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12ER | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12ERS | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12HHC(S) | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12HR | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12HRS | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12JJC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JJCE | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JJCES | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JJY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JJYE | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JRE | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JRES | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JRS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JRY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12JRYE | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N12KKC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KKCE | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KKCES | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KKY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KKYE | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KRE | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KRES | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12KRYE | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N12MMC(S) | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12MMCE | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12MMCES | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12MR | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12MRE | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12MRES | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12MRS | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N12PPC(S) | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12PPCE | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12PPCES | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-----------|--|--------------------------------|-------------------------------------|-------------------------------------|----------------|-----------------------|
| | 4" VERTICAL X 4" HORIZONTAL | | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | | |
| N12PR | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12PRE | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12PRES | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12PRS | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N12QQ | | 1.40 | 1.60 | 2.20 | 3.00 | 28 |
| N12RR | | 1.10 | 1.50 | 1.90 | 2.00 | 22 |
| N13CCC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13CCY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13CR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13CRS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13CRY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13DDC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13DDY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13DR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13DRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13DRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13EEC(S) | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N13ER | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N13ERS | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N13HHC(S) | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N13HR | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N13HRS | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N13JJC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13JJY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13JR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13JRS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13JRY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N13KKC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13KKY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13KR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13KRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13KRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N13MMC(S) | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N13MR | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N13MRS | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N13PPC(S) | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N13PR | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N13PRS | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14AAC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14AAY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14AR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14ARS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14ARY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14BBC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14BBY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14BR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14BRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14BRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14CCC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14CCY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14CR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14CRS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-----------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N14CRY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14DDC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14DDY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14DR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14DRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14DRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14EEC(S) | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N14ER | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N14ERS | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N14HHC(S) | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14HR | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14HRS | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14JJC(S) | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14JJY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14JR | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14JRS | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14JRY | | 1.20 | 1.50 | 1.90 | 2.10 | 24 |
| N14KKC(S) | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14KKY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14KR | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14KRS | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14KRY | | 1.50 | 1.70 | 2.00 | 3.00 | 31 |
| N14MMC(S) | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N14MR | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N14MRS | | 1.30 | 1.50 | 2.00 | 2.10 | 26 |
| N14PPC(S) | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14PR | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14PRS | | 1.60 | 1.70 | 2.50 | 3.00 | 33 |
| N14QQ | | 1.40 | 1.60 | 2.20 | 3.00 | 28 |
| N14RR | | 1.20 | 1.50 | 1.90 | 2.00 | 22 |
| N15AAY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15ARY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15CCY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15CRY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15EE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15EES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15ER | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15ERS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15GG | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15GGS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15GR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15GRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15HH | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15HHS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15HR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15HRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15JJY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15JJYE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15JRY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15JRYE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15LL | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15LLS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | Contact customer service 800-482-1717 for ydg requirements | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N15LR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15LRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MM | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MME | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MMES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MMS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MRE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MRES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15MRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PP | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PPE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PPES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PPS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PRE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PRES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15PRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N15RR | | 0.90 | 1.00 | 1.20 | 1.10 | 18 |
| N16CCY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16CRY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16EE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16EES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16ER | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16ERS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16HH | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16HHS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16HR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16HRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16JJY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16JRY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16MM | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16MMS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16MR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16MRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16PP | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16PPS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16PR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N16PRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17AAY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17ARY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17CCY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17CRY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17EE | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17EES | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17ER | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17ERS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17GG | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17GGS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17GR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17GRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17HH | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED | NON DIRECTIONAL | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|----------------------------------|--|-----------------|-----------------------------|-------------------------------|-------------------------------|-----------------|
| | Contact customer service 800-482-1717 for ydg requirements | OR SOLID | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N17HHS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17HR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17HRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17JJY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17JRY | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17LL | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17LLS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17LR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17LRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17MM | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17MMS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17MR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17MRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17PP | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17PPS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17PR | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17PRS | | 0.90 | 1.10 | 1.30 | 1.20 | 18 |
| N17RR | | 0.90 | 1.00 | 1.20 | 1.10 | 18 |
| N21AAUC, N21AAUG | | | | | | |
| N21AATUC, N21AATUG | | | | | | |
| N21BBUC, N21BBUG | | | | | | |
| N21BBTUC, N21BBTUG | | | | | | |
| N21CCUC, N21CCUG, N21UPH | | 0.70 | 0.70 | 0.70 | 0.90 | 7 |
| N22HMM, N22HMA, N22HMMS, N22HMAS | | 0.90 | 1.10 | 1.40 | 2.40 | 18 |
| N23AAC, N23AACY | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N23BBC, N23BBCY | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N23CCC, N23CCCY | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N23CCCD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N23CCCYD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N23DDC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N23DDCD | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N23EEC, N23EECY | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N23EECD | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N23EECYD | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N23HHC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N23HHCD | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N23JJC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N23KKC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N23MMC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N23PPC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N23RRC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N23SSC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N24AAC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N24BBC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N24CCC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N24CCCD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N24DDC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N24DDCD | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N24EEC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N24EECD | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N24HHC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N24HHCD | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--------------------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | Contact customer service 800-482-1717 for ydg requirements | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N24JJC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N24KKC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N24MMC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N24PPC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N24RRC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N24SSC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N25AAC, N25AACY | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N25BBC, N25BBCY | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N25CCC, N25CCCX, N25CCCY | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N25CCCD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N25CCCXD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N25CCCYD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N25DDC, N25DDCX | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N25DDCD | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N25DDCXD | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N25EEC, N25EECY | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N25EECD | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N25EECYD | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N25HHC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N25HHCD | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N25JJC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N25KKC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N25MMC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N25PPC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N25RRC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N25SSC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N26AAC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N26BBC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N26CCC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N26CCCD | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N26DDC, N26DDCX | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N26DDCD | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N26DDCXD | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N26EEC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N26EECD | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N26HHC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N26HHCD | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N26JJC | | 0.90 | 1.80 | 2.00 | 2.00 | 18 |
| N26KKC, N26KKCX | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N26MMC | | 1.50 | 2.50 | 2.90 | 2.90 | 30 |
| N26PPC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N26RRC | | 1.60 | 2.60 | 2.90 | 3.00 | 31 |
| N26SSC | | 1.00 | 1.80 | 2.00 | 2.00 | 19 |
| N27MM1P, N27MM1PS | | | | | | |
| N27MM2P, N27MM2PS | | | | | | |
| N27MM3P, N27MM3PS | | | | | | |
| N27MHM2P, N27MHM2PS | | | | | | |
| N27MHM3P, N27MHM3PS | | 0.90 | 1.00 | 2.00 | 2.50 | 10 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED | NON DIRECTIONAL | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|--|----------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | Contact customer service 800-482-1717 for ydg requirements | OR SOLID | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N30HM1SP, N30HM1SSP N30HM1SN, N30HM1SSN N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML1SP, N30HML1SSP N30HML1SN, N30HML1SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN | | 0.80 | 1.00 | 1.20 | 2.10 | 16 |
| N30HP1SP, N30HP1SSP N30HP1SN, N30HP1SSN N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN | | 1.30 | 1.50 | 2.10 | 3.40 | 26 |
| N30HP1SPX, N30HP1SSPX N30HP1SNX, N30HP1SSNX N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX | Back Seat | 0.90 0.80 | 1.10 1.00 | 1.50 1.20 | 2.50 2.10 | 18 16 |
| N30HU1SP, N30HU1SSP N30HU1SN, N30HU1SSN N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN | | 1.50 | 1.80 | 2.60 | 4.40 | 30 |
| N30HU1SPX, N30HU1SSPX N30HU1SNX, N30HU1SSNX N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX | Back Extreme Back Seat | 0.90 0.60 0.80 | 1.10 1.00 1.00 | 1.50 1.40 1.20 | 2.50 1.50 2.10 | 18 18 16 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL | 5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL | 12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL | COL SQUARE FEET |
|--|--|--------------------------------|---|--|---|-----------------------|
| N30MP1SP, N30MP1SSP N30MP1SN, N30MP1SSN N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP1SP, N30SP1SPG N30SP1SN, N30SP1SNG N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG | | 1.20 | 1.50 | 2.20 | 3.00 | 24 |
| N30MP1SPX, N30MP1SSPX N30MP1SNX, N30MP1SSNX N30MP2SPX, N30MP2SSPX N30MP2SNX, N30MP2SSNX N30MP3SPX, N30MP3SSPX N30MP3SNX, N30MP3SSNX N30MP9SPX, N30MP9SSPX N30MP9SNX, N30MP9SSNX N30MP8SNX, N30MP8SSNX N30SP1SPX, N30SP1SPGX N30SP1SNX, N30SP1SNGX N30SP2SPX, N30SP2SPGX N30SP2SNX, N30SP2SNGX N30SP3SPX, N30SP3SPGX N30SP3SNX, N30SP3SNGX N30SP9SPX, N30SP9SPGX N30SP9SNX, N30SP9SNGX N30SP8SNX, N30SP8SNGX | Back Seat | 0.80 0.80 | 0.90 1.00 | 1.40 1.20 | 1.90 2.10 | 16 16 |
| N30MU1SP, N30MU1SSP N30MU1SN, N30MU1SSN N30MU2SP, N30MU2SSP N30MU2SN, N30MU2SSN N30MU3SP, N30MU3SSP N30MU3SN, N30MU3SSN N30MU9SP, N30MU9SSP N30MU9SN, N30MU9SSN N30MU8SN, N30MU8SSN N30SU1SP, N30SU1SPG N30SU1SN, N30SU1SNG N30SU2SP, N30SU2SPG N30SU2SN, N30SU2SNG N30SU3SP, N30SU3SPG N30SU3SN, N30SU3SNG N30SU9SP, N30SU9SPG N30SU9SN, N30SU9SNG N30SU8SN, N30SU8SNG | | 1.40 | 1.60 | 2.60 | 3.60 | 28 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL | 5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL | 12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL | COL SQUARE FEET |
|---|--|--------------------------------|---|--|---|-----------------------|
| N30MU1SPX, N30MU1SSPX N30MU1SNX, N30MU1SSNX N30MU2SPX, N30MU2SSPX N30MU2SNX, N30MU2SSNX N30MU3SPX, N30MU3SSPX N30MU3SNX, N30MU3SSNX N30MU9SPX, N30MU9SSPX N30MU9SNX, N30MU9SSNX N30MU8SNX, N30MU8SSNX N30SU1SPX, N30SU1SPGX N30SU1SNX, N30SU1SNGX N30SU2SPX, N30SU2SPGX N30SU2SNX, N30SU2SNGX N30SU3SPX, N30SU3SPGX N30SU3SNX, N30SU3SNGX | | | | | | |
| N30SU9SPX, N30SU9SPGX N30SU9SNX, N30SU9SNGX N30SU8SNX, N30SU8SNGX | Back Extreme Back Seat | 0.80 0.80 0.80 | 0.90 1.00 1.00 | 1.40 1.30 1.20 | 1.90 1.40 2.10 | 16 16 16 |
| N30GU1UPC, N30GU1UP N30GU1UNC, N30GU1UN N30GU9UPC, N30GU9UP N30GU9UNC, N30GU9UN | | | | | | |
| N30GU1UPCX, N30GU1UPX N30GU1UNCX, N30GU1UNX N30GU9UPCX, N30GU9UPX N30GU9UNCX, N30GU9UNX | Back Extreme Back Seat | 0.60 0.40 0.90 | 0.80 0.60 1.10 | 1.20 0.90 1.40 | 1.80 1.30 2.40 | 12 8 18 |
| N30GM1UPC, N30GM1UP N30GM1UNC, N30GM1UN N30GM9UPC, N30GM9UP N30GM9UNC, N30GM9UN | | | | | | |
| N30GP1UPC, N30GP1UP N30GP1UNC, N30GP1UN N30GP9UPC, N30GP9UP N30GP9UNC, N30GP9UN | | | | | | |
| N30GP1UPCX, N30GP1UPX N30GP1UNCX, N30GP1UNX N30GP9UPCX, N30GP9UPX N30GP9UNCX, N30GP9UNX | Back Seat | 0.60 0.90 | 0.80 1.10 | 1.20 1.40 | 1.80 2.40 | 12 18 |
| N30GP1PPC, N30GP1PP N30GP1PNC, N30GP1PN N30GP9PPC, N30GP9PP N30GP9PNC, N30GP9PN | | | | | | |
| N30GU1PPC, N30GU1PP N30GU1PNC, N30GU1PN N30GU9PPC, N30GU9PP N30GU9PNC, N30GU9PN | | | | | | |
| N30GU1PPCX, N30GU1PPX N30GU1PNCX, N30GU1PNX N30GU9PPCX, N30GU9PPX | Back Extreme Back | 0.60 0.40 | 0.80 0.60 | 1.20 0.90 | 1.80 1.30 | 12 8 |
| N32AAM, N32AAW, N32BBM, N32BBW, N32CCML, N32CCMR, N32CCWL, N32CCWR, N32DDMR, N32DDML, N32DDWR, N32DDWL | | | | | | |
| N32SAAM, N32SAAW, N32SBBM, N32SBBW, N32SCCML, N32SCCMR, N32SCCWL, N32SCCWR, N32SDDMR, N32SDDML, N32SDDWR, N32SDDWL | | | | | | |
| | | 4.90 | 5.60 | 7.30 | 8.90 | 98 |
| | | 5.00 | 6.40 | 6.90 | 8.30 | 100 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N32HHM, N32HHW, N32JJMR, N32JJML, N32JJMB, N32JJWR, N32JJWL, N32JJWB | | 9.00 | 10.00 | 10.70 | 12.30 | 179 |
| N32SHHM, N32SHHW, N32SJMR, N32SJML, N32SJMB, N32SJWR, N32SJWL, N32SJWB | | 9.30 | 10.80 | 10.90 | 13.20 | 185 |
| N32LLM, N32LLW, N32MMMR, N32MMML, N32MMMB, N32MMWR, N32MMWL, N32MMWB | | 8.90 | 13.50 | 14.70 | 16.90 | 177 |
| N32SLLM, N32SLLW, N32SMMMR, N32SMMML, N32SMMMB, N32SMMWR, N32SMMWL, N32SMMWB | | 8.60 | 10.90 | 15.50 | 17.80 | 171 |
| N32AAMX, N32AAWX, N32BBMX, N32BBWX, N32CCMLX, N32CCMRX, N32CCWLX, N32CCWRX, N32DDMRX, N32DDMLX, N32DDWRX, N32DDWLX | Arm Seat Back | 2.80 1.20 2.00 | 3.40 1.80 2.20 | 3.80 2.10 2.50 | 6.00 2.40 2.20 | 56 24 40 |
| N32SAAMX, N32SAAWX, N32SBBMX, N32SBBWX, N32SCCMLX, N32SCCMRX, N32SCCWLX, N32SCCWRX, N32SDDMRX, N32SDDMLX, N32SDDWRX, N32SDDWLX | Arm Seat Back | 3.00 1.60 1.90 | 3.10 1.70 2.00 | 3.40 2.40 2.10 | 4.00 3.40 2.40 | 60 32 38 |
| N32HHMX, N32HHWX, N32JJMRX, N32JJMLX, N32JJMBX, N32JJWRX, N32JJWLX, N32JJWBX | Arm Seat Back | 2.80 2.90 3.90 | 3.40 3.40 4.20 | 3.80 3.90 5.00 | 6.00 2.90 5.20 | 56 58 78 |
| N32SHMX, N32SHWX, N32SJMRX, N32SJMLX, N32SJMBX, N32SJWRX, N32SJWLX, N32SJWBX | Arm Seat Back | 3.00 3.70 3.70 | 3.10 3.90 3.90 | 3.40 4.90 4.10 | 4.00 6.20 5.10 | 60 74 74 |
| N32LLMX, N32LLWX, N32MMMRX, N32MMMLX, N32MMMBX, N32MMWRX, N32MMWLX, N32MMWBX | Arm Seat Back | 2.80 3.40 3.90 | 3.40 4.80 6.30 | 3.80 5.00 7.40 | 6.00 6.40 6.20 | 56 68 78 |
| N32SLLMX, N32SLLWX, N32SMMMRX, N32SMMMLX, N32SMMMBX, N32SMMWRX, N32SMMWLX, N32SMMWBX | Arm Seat Back | 3.00 3.40 3.70 | 3.10 4.60 3.80 | 3.40 7.30 5.80 | 4.00 9.40 6.40 | 60 68 74 |
| N32AAMS, N32AAWS, N32BBMS, N32BBWS, N32CCMLS, N32CCMRS, N32CCWLS, N32CCWRS, N32DDMRS, N32DDMLS, N32DDWRS, N32DDWLS | | 5.00 | 6.20 | 7.80 | 9.00 | 100 |
| N32SAAMS, N32SAAWS, N32SBBMS, N32SBBWS, N32SCCMLS, N32SCCMRS, N32SCCWLS, N32SCCWRS, N32SDDMRS, N32SDDMLS, N32SDDWRS, N32SDDWLS | | 5.40 | 6.10 | 7.20 | 8.10 | 107.5 |
| N32HHMS, N32HHWS, N32JJMRS, N32JJMLS, N32JJMBS, N32JJWRS, N32JJWLS, N32JJWBS | | 10.10 | 11.00 | 12.30 | 14.50 | 201 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | Contact customer service 800-482-1717 for ydg requirements | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N32SHHMS, N32SHHWS, N32SJJMRS, N32SJJMLS, N32SJJMBS, N32SJJWRS, N32SJJWLS, N32SJJWBS | | 9.90 | 10.90 | 12.30 | 13.20 | 197 |
| N32KKC, N32KKM, N32KKW | | 1.60 | 2.30 | 3.40 | 4.80 | 32 |
| N32LLMS, N32LLWS, N32MMMRS, N32MMMLS, N32MMMB, N32MMWRS, N32MMWLS, N32MMWBS | | 9.70 | 14.80 | 16.30 | 17.00 | 193 |
| N32SLLMS, N32SLLWS, N32SMMMRS, N32SMMMLS, N32SMMMB, N32SMMWRS, N32SMMWLS, N32SMMWBS | | 8.60 | 10.50 | 16.70 | 18.20 | 171 |
| N32AAMSX, N32AAWSX, N32BBMSX, N32BBWSX, N32CCMSX, N32CCRSX, N32CCWLSX, N32CCWRSX, Arm N32DDMSX, N32DDLSX, Seat N32DDWRSX, N32DDWLSX Back | | 2.80 1.50 2.00 | 3.40 2.20 2.20 | 3.80 2.60 2.50 | 6.00 2.50 2.20 | 56 30 40 |
| N32SAAMSX, N32SAAWSX, N32SBBMSX, N32SBBWSX, N32SCCMSX, N32SCCRSX, N32SCWLSX, N32SCWRSX, Arm N32SDDMSX, N32SDDLX, Seat N32SDDWRSX, N32SDDWLSX Back | | 3.00 1.90 1.90 | 3.10 1.90 2.00 | 3.40 2.70 2.10 | 4.00 3.20 2.40 | 60 38 38 |
| N32HHMSX, N32HHWSX, N32JJMRSX, N32JJMLSX, Arm N32JJMBSX, N32JJWRSX, Seat N32JJWLSX, N32JJWBSX, Back | | 2.80 4.00 3.90 | 3.40 4.30 4.20 | 3.80 4.40 5.00 | 6.00 4.50 5.20 | 56 80 78 |
| N32SHHMSX, N32SHHWSX, N32SJJMRSX, N32SJJMLSX, Arm N32SJJMBSX, N32SJJWRSX, Seat N32SJJWLSX, N32SJJWBSX, Back | | 3.00 4.10 3.70 | 3.10 4.10 3.90 | 3.40 5.10 4.10 | 4.00 6.20 5.10 | 60 82 74 |
| N32LLMSX, N32LLWSX, N32MMMSX, N32MMMLSX, Arm N32MMMB, N32MMWRSX, Seat N32MMWLSX, N32MMWBSX Back | | 2.80 3.80 3.90 | 3.40 4.70 6.30 | 3.80 6.90 7.40 | 6.00 6.50 6.20 | 56 76 78 |
| N32SLLMSX, N32SLLWSX, N32SMMMRSX, N32SMMMLSX, Arm N32SMMMB, N32SMMWRSX, Seat N32SMMWLSX, N32SMMWBSX Back | | 3.00 3.70 3.70 | 3.10 3.80 3.80 | 3.40 7.50 5.80 | 4.00 9.20 6.40 | 60 74 74 |
| N32HKM, N32HKW | | 3.40 | 4.60 | 5.10 | 7.20 | 68 |
| N32LKM, N32LKW | | 3.20 | 3.70 | 7.00 | 7.20 | 64 |
| N32THHW, N32MHHM, N32MHHW | | 6.60 | 7.00 | 8.20 | 7.50 | 132 |
| N32MAAM, N32MAAW, N32MBBM, N32TAAW, N32MBBW | | 2.80 | 3.00 | 4.20 | 4.40 | 56 |
| N32MAAMX, N32MAAWX, Seat N32MBBMX, N32MBBW, Back N32TAAWX | | 1.30 1.90 | 2.10 2.00 | 2.50 2.30 | 2.70 2.50 | 26 38 |
| N32MHHMX, N32MHHWX, Seat N32THHW, Back | | 3.10 3.60 | 3.50 3.90 | 3.70 5.30 | 4.20 4.50 | 62 72 |
| N32MLLM, N32MLLW, N32TLLW | | 5.70 | 6.10 | 10.60 | 8.00 | 113.5 |
| N32MLLMX, N32MLLWX, Seat N32TLLWX, Back | | 2.40 3.60 | 3.30 3.70 | 5.00 6.60 | 4.20 4.50 | 48 72 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N32STAAW, N32SMAAM, N32SMAAW, N32SMBBM, N32SMBBW | | 2.70 | 2.80 | 4.00 | 4.40 | 54 |
| N32STHHW, N32SMHHM, N32SMHHW | | 6.40 | 6.80 | 7.80 | 7.50 | 127.5 |
| N32STLLW, N32SMLLM, N32SMLLW | | 5.40 | 5.70 | 10.20 | 7.50 | 107.5 |
| N32STAAWX, N32SMAAMX, N32SMAAWX, N32SMBBMX, N32SMBBW | Seat Back | 1.30 1.70 | 2.10 1.80 | 2.40 2.20 | 2.70 2.40 | 26 34 |
| N32STHHWX, N32SMHHMX, N32SMHHWX | Seat Back | 3.20 3.40 | 3.50 3.60 | 3.70 4.50 | 4.20 4.40 | 64 68 |
| N32STLLWX, N32SMLLMX, N32SMLLWX | Seat Back | 2.40 3.40 | 3.30 3.40 | 4.90 5.90 | 4.20 4.40 | 48 68 |
| N33M1B | Complete | 2.80 | – | – | – | – |
| N33M1BX | Seat Upholstery | 1.90 2.10 | – – | – – | – – | – – |
| N33M2B | Complete | 4.40 | – | – | – | – |
| N33M2BX | Seat Upholstery | 2.60 2.90 | – – | – – | – – | – – |
| N33M1M, N33M1MG, N33M1MGL, N33M1MGR | Complete | 2.10 | – | – | – | – |
| N33M1MX, N33M1MGX, N33M1MGLX, N33M1MGRX | Seat Upholstery | 1.40 1.40 | – – | – – | – – | – – |
| N33M1RG, N33M1LG | Complete | 2.30 | – | – | – | – |
| N33M1RGX, N33M1LGX | Seat Upholstery | 1.30 1.40 | – – | – – | – – | – – |
| N33MIN9G | Complete | 3.20 | – | – | – | – |
| N33MIN9GX | Seat Upholstery | 1.80 1.90 | – – | – – | – – | – – |
| N33MOUG9 | Complete | 2.70 | – | – | – | – |
| N33MOU9GX | Seat Upholstery | 1.70 1.80 | – – | – – | – – | – – |
| N33B1 | Complete | 1.50 | – | – | – | – |
| N33B1X | Seat Upholstery | 0.90 1.10 | – – | – – | – – | – – |
| N35AAC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35AACS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35ABC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35ABCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35ACC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35ACCD | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35ACCD | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35ACCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35AEC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AEC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AECDS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AEC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AECDS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AEC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AJC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35AJCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35AMC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AMCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35AOC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35AOC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35AOCDS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|----------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N35AOCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35APC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35APCD | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35APCDS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35APCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35ASC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35ASCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35ATC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35ATCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BAC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BACS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BBC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BBCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BCC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BCCD | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BCCDS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BCCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BEC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BECD | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BECDS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BECS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BJC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BJCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BMC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BMCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BOC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BOCD | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BOCDS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BOCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BPC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BPCD | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BPCDS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BPCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BSC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BSCS | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35BTC | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35BTCS | | 1.80 | 2.30 | 2.70 | 3.10 | 35 |
| N35CAC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35CBC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35CCC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35CCCD | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35CEC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35CECD | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35CJC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35CMC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35COC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35COCD | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35CPC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35CPCD | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35CSC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35CTC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35EAC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N35EBC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35ECC | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35ECCD | | 0.90 | 1.50 | 2.10 | 2.10 | 17 |
| N35EEC | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35EECD | | 1.50 | 1.70 | 2.60 | 3.00 | 29 |
| N35JAC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35JCC | | 1.10 | 1.80 | 2.10 | 2.20 | 21 |
| N35MAC | | 2.60 | 3.10 | 3.40 | 3.70 | 50.5 |
| N35MBC | | 2.60 | 3.10 | 3.40 | 3.70 | 50.5 |
| 39A-GWXX, 39A-GWXT | | | | | | |
| 39A-GRXX | | 1.10 | 1.30 | 2.30 | 2.40 | 22 |
| 39A-GWXXX, 39A-GWXXTX | Seat | 0.80 | 0.90 | 1.20 | 1.00 | 7 |
| 39A-GRXXX | Back | 0.60 | 0.80 | 1.40 | 1.40 | 12 |
| 39A-TAA, 39A-TAAT | | 1.80 | 2.10 | 3.80 | 4.40 | 36 |
| 39A-TAAX, 39A-TAATX | Seat | 0.80 | 1.60 | 2.10 | 2.10 | 16 |
| | Back | 1.10 | 1.40 | 2.00 | 2.40 | 22 |
| 39A-TAAA, 39A-TAAAT | | 2.70 | 3.30 | 5.90 | 6.40 | 54 |
| 39A-TAAAX, 39A-TAAATX | Seat | 1.50 | 2.20 | 3.00 | 3.10 | 30 |
| | Back | 1.60 | 1.90 | 3.20 | 3.40 | 32 |
| 39A-BWAA, 39A-BWAAT | | 1.90 | 2.10 | 2.30 | 2.50 | 38 |
| 39A-BWAAX, 39A-BWAATX | Seat | 0.90 | 1.00 | 1.20 | 1.10 | 18 |
| | Back | 1.10 | 1.30 | 1.40 | 1.40 | 22 |
| 39H-GWXX, 39H-GWXT | | 0.80 | 1.50 | 1.40 | 2.00 | 14 |
| 39H-GWXXX, 39H-GWXXTX | Seat | 0.80 | 0.90 | 1.20 | 1.10 | 7 |
| 39H-GRXXX | Back | 0.70 | 0.90 | 0.80 | 1.00 | 14 |
| 39B-GWXX, 39B-GWXT | | | | | | |
| 39S-GWXX, 39S-GWXT | | | | | | |
| 39L-GWXX, 39L-GWXT | | | | | | |
| 39D-GWXX, 39D-GWXT | | | | | | |
| 39B-GRXX, 39L-GRXX | | | | | | |
| 39S-GRXX, 39D-GRXX | | 0.80 | 0.90 | 1.20 | 1.10 | 7 |
| 39U-GWXX, 39U-GWXT | | 1.30 | 1.50 | 2.40 | 3.00 | 23 |
| 39U-GWXXX, 39U-GWXXTX | Seat | 0.80 | 0.90 | 1.20 | 1.10 | 7 |
| | Back | 0.70 | 0.90 | 1.40 | 2.00 | 14 |
| 39U-GRXX | | 1.30 | 1.50 | 1.50 | 3.00 | 23 |
| 39E-GRXXX | Seat | 0.80 | 0.90 | 1.10 | 1.10 | 7 |
| | Back | 0.70 | 0.90 | 0.80 | 2.00 | 14 |
| 39E-GWXX, 39E-GWXT | | | | | | |
| 39E-GRXX | | 1.30 | 1.50 | 1.40 | 2.00 | 23 |
| 39E-GWXXX, 39E-GWXXTX | Seat | 0.80 | 0.90 | 1.20 | 1.10 | 7 |
| 39E-GRXXX | Back | 0.70 | 0.90 | 0.80 | 1.00 | 14 |
| N40GU1, N40CU1, N40BU1 | | 0.50 | 0.70 | 0.90 | 1.25 | 5 |
| N40GU2, N40CU2, N40BU2 | | 0.50 | 0.70 | 0.90 | 1.80 | 10 |
| N45AUR, N45BUR, N45HU, N45HUL, N45JU, N45JUL, N45U1, N45U2 | | 0.70 | 0.80 | 0.80 | 0.90 | 5 |
| N45AU, N45BU, N45U3 | | 1.30 | 1.50 | 1.40 | 4.00 | 24.5 |
| 48-EK, 48-EKN | | 2.90 | 3.10 | 3.90 | 3.90 | 59 |
| 48-ES, 48-ESN | | 2.90 | 3.10 | 3.90 | 3.90 | 59 |
| 48-GC, 48-GCN | | 2.90 | 3.10 | 3.90 | 3.90 | 59 |
| N48GFA, N48GFM | | 1.70 | 1.70 | 2.90 | 3.00 | 31.5 |
| N48GFAX, | Back | 0.90 | 0.90 | 1.00 | 1.30 | 8 |
| N48GFMX | Extreme | 0.80 | 0.90 | 0.90 | 0.80 | 6.5 |
| | Seat | 1.10 | 1.10 | 1.20 | 1.10 | 19 |
| N49D14LM, N49D1DM | Complete | 1.40 | 1.50 | 2.30 | 3.70 | 26.6 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N49D14LMP, N49D1DMP | Upholstery | 1.30 | 1.40 | 2.30 | 3.70 | 24.4 |
| | Piping | 0.20 | | | | 2.8 |
| N49D14LMX, N49D1DMX | Seat | 1.00 | 1.20 | 1.50 | 1.60 | 20 |
| | Seat Accent | 0.50 | 0.70 | 1.40 | 2.70 | 7.2 |
| N49GMD1, N49GMS1, N49GMSC1, N49GMS1H, N49GMS1W | | 2.20 | 2.40 | 3.80 | 4.10 | 44 |
| N49GMD1X, N49GMS1X, N49GMSC1X, N49GMS1HX, N49GMS1WX | Upholstery | 1.40 | 1.60 | 2.20 | 2.60 | 28 |
| | Extreme | 1.00 | 1.20 | 1.90 | 2.20 | 20 |
| N49GMD1P, N49GMS1P, N49GMSC1P, N49GMS1HP, N49GMS1WP | Upholstery | 2.20 | 2.40 | 3.10 | 3.40 | 44 |
| | Piping | 0.30 | 0.30 | 0.30 | 0.30 | 6 |
| N49GUW, N49GUM | Complete | 1.30 | 1.50 | 2.50 | 3.50 | 26.6 |
| N49GUWX, N49GUMX | Upholstery | 0.80 | 1.00 | 1.80 | 2.50 | 14.9 |
| | Extreme back (include part under the seat) | 0.80 | 1.00 | 1.30 | 2.00 | 14.9 |
| N49BUW, N49BUM N49CUW, N49CUM | Complete | 0.90 | 1.30 | 2.00 | 2.50 | 17.2 |
| N49BUWX, N49BUMX, N49CUWX, N49CUMX | Upholstery | 0.80 | 1.00 | 1.40 | 1.80 | 14.9 |
| | Extreme back (include part under the seat) | 0.60 | 0.80 | 1.00 | 1.80 | 12.2 |
| N49GUNW, N49GUNM | Complete | 1.10 | 1.40 | 2.00 | 2.70 | 22.1 |
| N49GUNWX, N49GUNMX | Upholstery | 0.70 | 0.80 | 1.00 | 1.80 | 13.8 |
| | Extreme back (include part under the seat) | 0.80 | 1.00 | 1.20 | 1.80 | 14.9 |
| N49BUNW, N49BUNM, N49CUNW, N49CUNM | Complete | 0.70 | 1.00 | 1.50 | 2.30 | 13.8 |
| N49BUNWX, N49BUNMX, N49CUNWX, N49CUNMX | Upholstery | 0.60 | 0.80 | 1.00 | 1.80 | 11.1 |
| | Extreme back (include part under the seat) | 0.60 | 0.80 | 1.00 | 1.80 | 12.2 |
| N49GMND1, N49GMNS1H, N49GMNS1W, N49GMNS1, N49GMNSC1 | Complete | 2.10 | 2.50 | 3.50 | 4.00 | 42.6 |
| N49GMND1X, N49GMNS1HX, N49GMNS1WX, N49GMNS1X N49GMNSC1X | Upholstery | 1.30 | 1.50 | 2.00 | 2.50 | 24.9 |
| | Extreme back (include part under the seat) | 1.00 | 1.30 | 2.00 | 2.80 | 19.9 |
| N49DN1DM, N49DN14LM | Complete | 0.80 | 1.00 | 2.30 | 3.20 | 16.6 |
| N49DN1DMX, N49DN14LMX | Seat | 0.70 | 0.80 | 1.00 | 1.30 | 14.4 |
| | Seat Accent | 0.50 | 0.60 | 1.70 | 2.70 | 10.0 |
| N52GHA, N52GHAC, N52GHM, N52GHMC | | 0.80 | 0.80 | 1.10 | 1.00 | 14 |
| N52GUM, N52GUA N52GUMC, N52GUAC | | 0.70 | 0.90 | 1.50 | 1.80 | 13.8 |
| N52GUMX, N52GUAX | Back | 0.50 | 0.70 | 0.50 | 1.10 | 9.4 |
| N52GUMCX, N52GUACX | Seat | 0.70 | 0.70 | 0.90 | 1.00 | 13.8 |
| N53GU4LM, N53GU4HM, N53GU4HW, N53GU5LMC, N53GU5LAMC, N53GURKW N53GUMD | Complete | 2.90 | 3.20 | 4.00 | 4.50 | 57.6 |
| N53GU4LMX, N53GU4HMX, N53GU4HWX, N53GU5LMCX, N53GU5LAMCX, N53GURKW N53GUMDX | Seat | 0.90 | 1.00 | 1.40 | 1.50 | 17.2 |
| | Back | 0.90 | 1.00 | 1.40 | 1.50 | 17.2 |
| | Extreme | 1.30 | 1.00 | 1.40 | 1.50 | 24.4 |
| N53GW4LM, N53GW4HM, N53GW4HW, N53GW5LMC, N53GW5LAMC, N53GWRKW N53GWMD | Complete | 1.70 | 1.90 | 2.30 | 2.50 | 33.8 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N53GW4LMX, N53GW4HMX, N53GW4HWX, N53GW5LMCX, N53GW5LAMCX, N53GWRKWX N53GWM DX | Seat Back | 0.90 0.90 | 1.00 1.00 | 1.40 1.40 | 1.50 1.50 | 17.2 17.2 |
| N55AA, N55BB | | 1.20 | 1.50 | 2.30 | 2.90 | 23 |
| N55CC, N55DD | | 0.80 | 1.00 | 1.10 | 1.10 | 10 |
| N55EE, N55HH | | 0.80 | 1.20 | 1.70 | 1.80 | 15 |
| N55AAX | Back | 0.70 | 0.70 | 0.70 | 0.90 | 6.5 |
| N55BBX | Extreme Seat | 0.70 0.80 | 0.70 0.80 | 0.70 1.00 | 0.90 1.10 | 6.0 7.5 |
| N55EEX | Back | 0.50 | 0.50 | 0.60 | 0.80 | 4.5 |
| N55HHX | Extreme Seat | 0.40 0.80 | 0.50 0.80 | 0.60 1.00 | 0.80 1.10 | 3.5 7.5 |
| N59AA, N59AAT, N59AL | | 0.90 | 1.40 | 1.60 | 2.40 | 18 |
| N59BB, N59BBT, N59BL | | 1.20 | 1.60 | 1.90 | 3.40 | 24 |
| N59CC, N59CCT, N59CL | | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N59DD, N59DDT, N59DL | | 0.90 | 1.30 | 1.50 | 1.90 | 18 |
| N59HAA, N59HAAT | | 0.90 | 1.40 | 1.60 | 2.40 | 18 |
| N59HCC, N59HCCT | | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N59HH, N59HHT, N59HL | | 0.90 | 1.40 | 1.60 | 2.40 | 18 |
| N59JJ, N59JJT, N59JL | | 1.10 | 1.60 | 1.80 | 2.90 | 22 |
| N59KK, N59KKT | | 0.90 | 1.00 | 1.20 | 1.50 | 18 |
| N59MM, N59MMT | | 1.50 | 1.60 | 2.10 | 2.30 | 30 |
| N59PP, N59PPT | | 1.40 | 1.50 | 1.70 | 2.20 | 28 |
| N59AAX, N59HAAX | Back | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59AATX, N59HAATX | Extreme | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59ALX | Seat | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N59BBX | Back | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59BBTX | Lumbar | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59BLX | Extreme Back Extreme Lumbar Seat | 0.40 0.40 0.90 | 0.60 0.60 1.10 | 0.70 0.70 1.20 | 0.90 0.90 1.10 | 2.6 2.6 18 |
| N59DDX | Back | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59DDTX | Extreme Back | 0.30 | 0.40 | 0.60 | 0.80 | 1.5 |
| N59DLX | Seat | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N59HHX | Lumbar | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59HHTX | Extreme Lumbar | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59HLX | Seat | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N59JJX | Back | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59JJTX | Lumbar | 0.40 | 0.60 | 0.70 | 0.90 | 2.6 |
| N59JLX | Extreme Back Extreme Lumbar Seat | 0.30 0.40 0.90 | 0.40 0.60 1.10 | 0.60 0.70 1.20 | 0.80 0.90 1.10 | 1.5 2.6 18 |
| N59MMX | Back | 0.40 | 0.50 | 0.60 | 0.90 | 4 |
| N59MMTX | Extreme Back Seat | 0.40 0.90 | 0.50 1.00 | 0.60 1.10 | 0.90 1.40 | 4 18 |
| N59PPX | Back | 0.40 | 0.50 | 0.60 | 0.90 | 4 |
| N59PPTX | Extreme Back Seat | 0.20 0.90 | 0.30 1.00 | 0.50 1.10 | 0.70 1.40 | 2.5 18 |
| N60AA, N60SAA, N60BB, N60SBB, N60CC, N60SCC, N60DD, N60SDD, N60SAAC, N60SBBC, N60SCCC, N60SDDC, N60SFA, N60SFB, N60SFC, N60SFD, N60STA, N60STB, N60STC, N60STD | | 0.90 | 1.00 | 1.40 | 2.30 | 18 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL | 5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL | 12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL | COL SQUARE FEET |
|--|--|--------------------------------|---|--|---|-----------------------|
| N60AAX, N60SAAX, N60BBX, N60SBBX, N60SAACX, N60SBBCX, N60SFAX, N60SFBX, N60STAX, N60STBX | Back Seat | 0.50 0.90 | 0.60 0.90 | 0.70 1.10 | 1.30 1.00 | 10 7 |
| N60AW, N60BW, N60CW, N60DW, N60SAW, N60SBW, N60SAWC, N60SBWC, N60SFAW, N60SFBW, N60STAW, N60STBW, N60STCW, N60STDW, N60SCW, N60SDW, N60SCWC, N60SDWC, N60SFCW, N60SFDW | | 1.00 | 1.00 | 1.30 | 1.30 | 7 |
| N60CCX, N60SCCX, N60DDX, N60SDDX, N60SCCCX, N60SDDCX, N60SFCX, N60SFDX, N60STCX, N60STDX | Back Seat | 0.60 0.90 | 0.60 0.90 | 0.70 1.10 | 1.30 1.00 | 12 7 |
| N60EM, N60SEM, N60PM, N60SPM | | 1.20 | 1.60 | 1.90 | 1.90 | 22 |
| N60EMX, N60SEM, N60PMX, N60SPMX | Back Seat | 0.60 0.80 | 0.90 0.90 | 1.00 1.10 | 1.40 1.00 | 9 14 |
| N60EMW, N60GMW, N60SEMW, N60SGMW, N60RMW, N60PMW, N60SRMW, N60SPMW | | 0.80 | 0.90 | 1.10 | 1.00 | 14 |
| N60EE, N60SEE, N60GG, N60SGG, N60PP, N60SPP, N60RR, N60SRR | | 1.60 | 1.80 | 2.10 | 2.30 | 30.5 |
| N60EEX, N60SEEX, N60GGX, N60SGGX, N60PPX, N60SPPX, N60RRX, N60SRRX | Back Seat | 0.80 0.90 | 0.90 1.00 | 1.10 1.20 | 1.00 1.30 | 14 17 |
| N60EW, N60SEEW, N60GW, N60SGGW, N60PW, N60SPPW, N60RW | | 0.80 | 0.90 | 1.10 | 1.00 | 14 |
| N60GM, N60SGM, N60RM, N60SRRW | | 1.20 | 1.70 | 2.20 | 1.90 | 22 |
| N60GMX, N60SGMX, N60RMX, N60SRMX | Back Seat | 0.60 0.80 | 0.90 0.90 | 1.30 1.10 | 1.40 1.00 | 9 14 |
| N61PES, N61PESR | | 0.70 | 0.75 | 1.00 | 1.30 | 6.5 |
| 62X-GUXX | | 2.15 | 2.81 | 5.00 | 6.03 | 44 |
| 64X-GWXX | | 1.36 | 1.58 | 2.97 | 2.97 | 28 |
| N65AAA | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65AAP | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65AASA | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65AASP | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65BBA | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65BBP | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65BBSA | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65BBSP | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65CCA | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65CCP | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65CCSA | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65CCSP | | 1.90 | 2.80 | 3.10 | 4.10 | 37 |
| N65DDA | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65DDP | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65DDSA | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |
| N65DDSP | | 1.80 | 2.40 | 3.00 | 3.40 | 36 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|----------------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N65EEA | | 1.00 | 1.50 | 2.00 | 2.40 | 19 |
| N65EEP | | 1.00 | 1.50 | 2.00 | 2.40 | 19 |
| N65GGA | | 1.00 | 1.10 | 1.30 | 1.20 | 11 |
| N65GGP | | 1.00 | 1.10 | 1.30 | 1.20 | 11 |
| N66RD16G, N66RD16C | | 1.10 | 1.30 | 1.60 | 3.30 | 22 |
| N66RD18C, N66RD18G | | 1.20 | 1.50 | 1.60 | 3.40 | 24 |
| N66RD18CX, N66RD18GX | Seat | 0.60 | 0.70 | 0.70 | 0.90 | 6.5 |
| | Upholstery | 1.20 | 1.40 | 1.50 | 2.90 | 24 |
| N66RD22C, N66RD22G | | 1.30 | 2.20 | 2.60 | 3.90 | 26 |
| N66RD22CX, N66RD22GX | Seat | 0.80 | 0.80 | 1.00 | 0.90 | 8.5 |
| | Upholstery | 1.20 | 2.20 | 1.90 | 2.90 | 24 |
| N66SQ16G, N66SQ16C | | 1.10 | 1.90 | 2.40 | 2.70 | 22 |
| N66SQ18C, N66SQ18G | | 1.80 | 1.90 | 1.90 | 4.90 | 36 |
| N66SQ18CX, N66SQ18GX | Seat | 0.60 | 0.70 | 0.70 | 0.90 | 6.5 |
| | Upholstery | 1.20 | 1.40 | 1.30 | 3.90 | 24 |
| N66SQ22C, N66SQ22G | | 1.90 | 2.10 | 1.90 | 4.90 | 38 |
| N66SQ22CX, N66SQ22GX | Seat | 0.70 | 0.70 | 1.00 | 0.90 | 7 |
| | Upholstery | 1.20 | 1.40 | 1.30 | 3.90 | 24 |
| N66TZ16G, N66TZ16C | | 1.00 | 1.30 | 1.90 | 2.30 | 20 |
| N66TZ18G, N66TZ18C | | 1.10 | 1.60 | 2.20 | 3.40 | 22 |
| N66TZ22G, N66TZ22C | | 1.40 | 1.90 | 2.20 | 3.90 | 28 |
| N66RD16GX, N66RD16CX | Seat | 0.60 | 0.80 | 0.90 | 1.30 | 12 |
| | Upholstery | 1.10 | 1.30 | 1.90 | 2.30 | 22 |
| N66SQ16GX, N66SQ16CX | Seat | 0.60 | 0.80 | 0.90 | 1.30 | 12 |
| | Upholstery | 1.10 | 1.30 | 1.90 | 2.30 | 22 |
| N66TZ16GX, N66TZ16CX | Seat | 0.50 | 0.60 | 0.90 | 1.30 | 10 |
| | Upholstery | 1.00 | 1.30 | 1.60 | 1.80 | 20 |
| N66TZ18GX, N66TZ18CX | Seat | 0.60 | 0.80 | 0.90 | 1.30 | 12 |
| | Upholstery | 1.10 | 1.40 | 1.60 | 3.30 | 22 |
| N66TZ22GX, N66TZ22CX | Seat | 0.60 | 0.80 | 1.00 | 1.40 | 12 |
| | Upholstery | 1.10 | 1.40 | 1.60 | 3.40 | 22 |
| N71M1M, N71MS1M | | 1.70 | 2.70 | 3.40 | 4.80 | 34 |
| N71M1A, N71MS1A | | 2.10 | 2.80 | 4.10 | 5.20 | 42 |
| N71M1R, N71M1L | | 1.90 | 2.80 | 3.90 | 5.00 | 38 |
| N71M1MX, N71MS1MX | Back | 1.10 | 1.30 | 1.50 | 2.30 | 22 |
| | Seat | 1.10 | 1.70 | 2.60 | 3.20 | 22 |
| N71M1AX, N71MS1AX | Back | 1.10 | 1.30 | 1.50 | 2.30 | 22 |
| | Seat | 1.10 | 1.70 | 2.60 | 3.20 | 22 |
| | Arm | 0.90 | 1.00 | 1.70 | 2.70 | 18 |
| N71M1RX, N71M1LX | Back | 1.10 | 1.30 | 1.50 | 2.30 | 22 |
| | Seat | 1.10 | 1.70 | 2.60 | 3.20 | 22 |
| | Arm | 0.90 | 1.00 | 1.60 | 1.70 | 18 |
| N71D1 | | 1.10 | 1.70 | 2.60 | 3.20 | 22 |
| N71D2 | | 1.50 | 2.50 | 4.00 | 4.00 | 28 |
| 72X-GUXT, 72-GUXX | | 1.20 | 1.70 | 1.80 | 2.20 | 25 |
| N74M1A | | 5.60 | 7.00 | 8.20 | 9.40 | 111 |
| N74M1AX | Back | 0.70 | 1.00 | 1.50 | 2.30 | 14 |
| | Seat | 0.80 | 1.50 | 2.00 | 2.90 | 16 |
| | Upholstery | 4.50 | 4.90 | 5.60 | 8.40 | 90 |
| N74M1AT | | 6.80 | 8.00 | 9.00 | 10.20 | 136 |
| N74M1ATX | Back | 1.20 | 1.70 | 2.00 | 2.90 | 23 |
| | Seat | 1.40 | 1.70 | 2.50 | 3.30 | 27 |
| | Upholstery | 4.50 | 4.90 | 5.60 | 8.40 | 90 |
| N74M1ATB | | 6.20 | 7.80 | 8.90 | 10.00 | 124 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N74M1ATBX | Back | 1.20 | 1.70 | 2.00 | 2.90 | 23 |
| | Seat | 0.80 | 1.50 | 2.00 | 2.90 | 16 |
| | Upholstery | 4.50 | 4.90 | 5.60 | 8.40 | 90 |
| N74M2A | | 9.50 | 10.50 | 12.90 | 14.50 | 189 |
| N74M2AX | Back | 1.60 | 1.90 | 2.50 | 4.90 | 31 |
| | Seat | 2.40 | 2.90 | 4.00 | 4.90 | 48 |
| | Upholstery | 5.80 | 6.50 | 7.20 | 8.70 | 115 |
| N74M2AT | | 11.00 | 12.00 | 14.00 | 16.50 | 219 |
| N74M2ATX | Back | 2.70 | 3.00 | 3.90 | 5.90 | 53 |
| | Seat | 2.80 | 3.30 | 4.30 | 5.80 | 55 |
| | Upholstery | 5.80 | 6.50 | 7.20 | 8.70 | 115 |
| N74M2ATB | | 10.60 | 11.90 | 14.00 | 16.00 | 211 |
| N74M2ATBX | Back | 2.70 | 3.00 | 3.90 | 5.90 | 53 |
| | Seat | 2.40 | 2.90 | 4.00 | 4.90 | 48 |
| | Upholstery | 5.80 | 6.50 | 7.20 | 8.70 | 115 |
| N74M4A | | 10.00 | 17.00 | 21.00 | 25.20 | 198 |
| N74M4AX | Back | 2.10 | 3.30 | 4.40 | 6.70 | 42 |
| | Seat | 2.80 | 4.60 | 7.50 | 9.00 | 56 |
| | Upholstery | 6.60 | 9.00 | 10.20 | 10.80 | 132 |
| N74M4AT | | 14.90 | 20.40 | 23.80 | 29.00 | 297 |
| N74M4ATX | Back | 4.40 | 5.50 | 7.00 | 9.00 | 88 |
| | Seat | 4.90 | 6.00 | 8.00 | 10.80 | 97 |
| | Upholstery | 6.60 | 9.00 | 10.20 | 10.80 | 132 |
| N74M4ATB | | 12.80 | 19.30 | 23.70 | 27.00 | 255 |
| N74M4ATBX | Back | 4.40 | 5.50 | 7.00 | 9.00 | 88 |
| | Seat | 2.80 | 4.60 | 7.50 | 9.00 | 56 |
| | Upholstery | 6.60 | 9.00 | 10.20 | 10.80 | 132 |
| N74M1AUW | | 4.80 | 6.50 | 8.00 | 9.50 | 94.7 |
| N74M1AUWX | Back | 0.70 | 1.00 | 1.50 | 2.30 | 14.0 |
| | Seat | 0.80 | 1.50 | 2.00 | 2.90 | 16.0 |
| | Upholstery | 3.80 | 4.50 | 5.50 | 7.00 | 74.8 |
| N74M1ATUW | | 6.00 | 7.00 | 9.00 | 10.50 | 119.0 |
| N74M1ATUWX | Back | 1.20 | 1.70 | 2.00 | 2.90 | 23.0 |
| | Seat | 1.40 | 1.70 | 2.50 | 3.30 | 27.0 |
| | Upholstery | 3.80 | 4.50 | 5.50 | 7.00 | 74.8 |
| N74M1ATBUW | | 5.50 | 7.00 | 8.50 | 10.00 | 109.1 |
| N74M1ATBUWX | Back | 1.20 | 1.70 | 2.00 | 2.90 | 23.0 |
| | Seat | 0.80 | 1.50 | 2.00 | 2.90 | 16.0 |
| | Upholstery | 3.80 | 4.50 | 5.50 | 7.00 | 74.8 |
| N74M1ASUW | | 4.80 | 6.50 | 7.80 | 9.00 | 94.1 |
| N74M1ASUWX | Back | 0.80 | 1.00 | 1.50 | 1.80 | 15.5 |
| | Seat | 0.80 | 1.50 | 2.00 | 2.90 | 16.0 |
| | Upholstery | 3.80 | 4.50 | 5.50 | 7.00 | 74.8 |
| N74M1S | | 5.50 | 7.00 | 8.50 | 9.00 | 108.5 |
| N74M1SX | Back | 0.80 | 1.00 | 1.50 | 1.80 | 15.5 |
| | Seat | 0.80 | 1.50 | 2.00 | 2.90 | 16.0 |
| | Upholstery | 4.50 | 4.90 | 5.60 | 8.40 | 90.0 |
| N74M2AUW | | 8.60 | 10.00 | 12.00 | 15.00 | 171.1 |
| N74M2AUWX | Back | 1.60 | 1.90 | 2.50 | 4.90 | 31.0 |
| | Seat | 2.40 | 2.90 | 4.00 | 4.90 | 48.0 |
| | Upholstery | 4.90 | 5.50 | 7.00 | 10.00 | 95.8 |
| N74M2ATUW | | 10.00 | 11.50 | 14.00 | 16.50 | 199.3 |
| N74M2ATUWX | Back | 2.70 | 3.00 | 3.90 | 5.90 | 53.0 |
| | Seat | 2.80 | 3.30 | 4.30 | 5.80 | 55.0 |
| | Upholstery | 4.90 | 5.50 | 7.00 | 10.00 | 95.8 |
| N74M2ATBUW | | 9.60 | 11.00 | 13.00 | 15.50 | 190.4 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|------------------------------------|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N74M2ATBUWX | Back | 2.70 | 3.00 | 3.90 | 5.90 | 53.0 |
| | Seat | 2.40 | 2.90 | 4.00 | 4.90 | 48.0 |
| | Upholstery | 4.90 | 5.50 | 7.00 | 10.00 | 95.8 |
| N74M2ASUW | | 8.40 | 10.00 | 11.50 | 13.50 | 167.2 |
| N74M2ASUWX | Back | 1.50 | 2.00 | 2.50 | 4.00 | 29.9 |
| | Seat | 2.40 | 2.90 | 4.00 | 4.90 | 48.0 |
| | Upholstery | 4.90 | 5.50 | 7.00 | 10.00 | 95.8 |
| N74M2AS | | 9.50 | 11.00 | 13.00 | 14.00 | 188.8 |
| N74M2ASX | Back | 1.50 | 2.00 | 2.50 | 4.00 | 29.9 |
| | Seat | 2.40 | 2.90 | 4.00 | 4.90 | 48.0 |
| | Upholstery | 5.80 | 6.50 | 7.20 | 8.70 | 115.0 |
| N74M4AUW | | 9.10 | 16.00 | 20.50 | 25.00 | 179.9 |
| N74M4AUWX | Back | 2.10 | 3.30 | 4.40 | 6.70 | 42.0 |
| | Seat | 2.80 | 4.60 | 7.50 | 9.00 | 56.0 |
| | Upholstery | 5.50 | 8.00 | 10.00 | 12.00 | 109.6 |
| N74M4ATUW | | 14.00 | 19.00 | 24.00 | 28.50 | 277.3 |
| N74M4ATUWX | Back | 4.40 | 5.50 | 7.00 | 9.00 | 88.0 |
| | Seat | 4.90 | 6.00 | 8.00 | 10.80 | 97.0 |
| | Upholstery | 5.50 | 8.00 | 10.00 | 12.00 | 109.6 |
| N74M4ATBUW | | 11.90 | 18.50 | 23.50 | 25.00 | 235.3 |
| N74M4ATBUWX | Back | 4.40 | 5.50 | 7.00 | 9.00 | 88.0 |
| | Seat | 2.80 | 4.60 | 7.50 | 9.00 | 56.0 |
| | Upholstery | 5.50 | 8.00 | 10.00 | 12.00 | 109.6 |
| N74M4ASUW | | 8.90 | 15.50 | 19.00 | 22.00 | 176.0 |
| N74M4ASUWX | Back | 2.20 | 3.50 | 4.30 | 5.00 | 43.2 |
| | Seat | 2.80 | 4.60 | 7.50 | 9.00 | 56.0 |
| | Upholstery | 5.50 | 8.00 | 10.00 | 12.00 | 109.6 |
| N74M4AS | | 10.00 | 17.00 | 21.00 | 22.00 | 197.6 |
| N74M4ASX | Back | 2.20 | 3.50 | 4.30 | 5.00 | 43.2 |
| | Seat | 2.80 | 4.60 | 7.50 | 9.00 | 56.0 |
| | Upholstery | 6.60 | 9.00 | 10.20 | 10.80 | 132.0 |
| N75BAC | | 2.30 | 3.10 | 3.50 | 5.40 | 47 |
| N75BBC | | 2.30 | 3.10 | 3.50 | 5.40 | 47 |
| N75BCC | | 2.20 | 2.60 | 3.00 | 5.00 | 45 |
| N75BDC | | 2.20 | 2.60 | 3.00 | 5.00 | 45 |
| N75SAC | | 2.30 | 3.10 | 3.50 | 5.40 | 47 |
| N75SBC | | 2.30 | 3.10 | 3.50 | 5.40 | 47 |
| N75SCC | | 2.20 | 2.60 | 3.00 | 5.00 | 45 |
| N75SDC | | 2.20 | 2.60 | 3.00 | 5.00 | 45 |
| N75SPC | | 2.20 | 2.60 | 3.00 | 5.00 | 45 |
| N75SSC | | 2.30 | 3.10 | 3.50 | 5.40 | 47 |
| N75WS | | 1.30 | 1.50 | 2.20 | 2.90 | 26 |
| N77D14LM | | 0.80 | 1.00 | 2.00 | 3.20 | 14.4 |
| N77D14LMX | Seat | 0.70 | 0.80 | 1.00 | 1.40 | 12.2 |
| | Seat Accent | 0.40 | 0.70 | 1.40 | 2.70 | 7.2 |
| N77GL4LM, N77GL4HM, N77GL4HW | | 1.80 | 1.90 | 3.40 | 3.40 | 34.9 |
| N77GL4LMX, N77GL4HMX, N77GL4HWX | Back | 1.20 | 1.50 | 1.80 | 2.50 | 22.2 |
| | Extreme | 1.20 | 1.50 | 2.00 | 2.50 | 22.2 |
| N77GM4LM, N77GM4HM, N77GM4HW | | 2.00 | 2.40 | 3.90 | 4.00 | 38.2 |
| N77GM4LMX, N77GM4HMX, N77GM4HWX | Back | 1.30 | 1.70 | 2.20 | 2.50 | 24.9 |
| | Extreme | 1.20 | 1.70 | 2.30 | 2.50 | 22.2 |
| N77GH4LM, N77GH4HM, N77GH4HW | | 2.10 | 2.80 | 4.80 | 4.80 | 41.6 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N77GH4LMX, N77GH4HMX, N77GH4HWX | Back | 1.30 | 1.70 | 2.20 | 2.50 | 24.9 |
| | Extreme | 1.20 | 1.70 | 2.30 | 2.50 | 22.2 |
| | Accent | 0.50 | 1.70 | 1.50 | 1.80 | 10.0 |
| N78PAU | | 1.80 | 2.20 | 2.90 | 3.00 | 35.5 |
| N78GEAU | | 2.10 | 2.30 | 3.50 | 3.90 | 41.5 |
| N78GEAW | | 1.90 | 2.00 | 3.20 | 3.50 | 36.5 |
| N78GFAU, N78GFMU, N78SFAU, N78SFMU, N78AFLAU, N78AFRAU, N78AFLMU, N78AFRMU | | 1.50 | 1.70 | 2.60 | 2.90 | 30 |
| N78T2AU, N78B2AU, N78B2EU | | 2.80 | 3.40 | 4.10 | 5.90 | 55 |
| N78T3AU, N78B3AU, N78B3EU | | 4.10 | 5.10 | 6.50 | 8.90 | 80 |
| N78GFAW, N78GFMW, N78SFAW, N78SFMW, N78AFLAW, N78AFRAW, N78AFLMW, N78AFRMW | | 1.40 | 1.50 | 2.20 | 2.90 | 26.5 |
| N78T2AW, N78B2AW N78B2EW | | 2.40 | 2.80 | 3.70 | 5.40 | 46.5 |
| N78T3AW, N78B3AW, N78B3EW | | 3.70 | 4.30 | 5.60 | 7.90 | 72 |
| N78D1M | | 1.10 | 1.20 | 1.30 | 1.70 | 21.5 |
| N78D2M, N78D2A | | 1.80 | 1.90 | 2.20 | 3.20 | 34 |
| N78D3M, N78D3A | | 2.20 | 2.30 | 2.90 | 4.70 | 43 |
| N78PAUX | Back | 1.00 | 1.20 | 1.20 | 1.10 | 20 |
| | Extreme | 1.00 | 1.10 | 1.20 | 1.10 | 19.5 |
| | Seat | 0.90 | 1.00 | 1.10 | 1.30 | 17 |
| N78GEAUX | Back | 0.80 | 0.80 | 1.40 | 1.40 | 14.5 |
| | Extreme | 0.70 | 0.80 | 0.80 | 0.90 | 12.75 |
| | Seat | 1.00 | 1.10 | 2.10 | 1.90 | 20 |
| N78GEAWX | Back | 0.60 | 0.70 | 1.20 | 1.30 | 12 |
| | Extreme | 0.60 | 0.70 | 0.70 | 0.90 | 10.5 |
| | Seat | 1.00 | 1.10 | 2.10 | 1.90 | 20 |
| N78GFAUX, N78GFMUX, N78SFAUX, N78SFMUX, N78AFLAUX, N78AFRAUX, N78AFLMUX, N78AFRMUX | Back | 0.80 | 0.90 | 1.10 | 1.00 | 14.5 |
| | Extreme | 0.70 | 0.80 | 0.70 | 0.90 | 7 |
| | Seat | 0.90 | 1.00 | 1.10 | 1.30 | 17 |
| N78T2AUX, N78B2AUX, N78B2EUX | Back | 1.30 | 1.50 | 1.40 | 2.00 | 25 |
| | Extreme | 0.70 | 1.40 | 1.30 | 1.90 | 12 |
| | Seat | 1.60 | 1.80 | 2.00 | 2.30 | 31 |
| N78T3AUX, N78B32AUX, N78B32EUX | Back | 1.50 | 1.80 | 2.30 | 3.00 | 28 |
| | Extreme | 1.30 | 2.10 | 2.00 | 2.90 | 24.5 |
| | Seat | 2.40 | 2.50 | 3.00 | 3.30 | 47 |
| N78GFAWX, N78GFMWX, N78SFAWX, N78SFMWX, N78AFLAWX, N78AFRAWX, N78AFLMWX, N78AFRMWX | Back | 0.60 | 0.70 | 0.70 | 0.90 | 12 |
| | Extreme | 0.60 | 0.70 | 0.70 | 0.90 | 5 |
| | Seat | 0.90 | 1.00 | 1.10 | 1.30 | 17 |
| N78T2AWX, N78B2AWX, N78B2EWX | Back | 0.90 | 1.20 | 1.30 | 1.30 | 18 |
| | Extreme | 0.60 | 1.30 | 1.30 | 1.40 | 10.5 |
| | Seat | 1.60 | 1.80 | 2.00 | 2.30 | 31 |
| N78T3AWX, N78B3AWX, N78B3EWX | Back | 1.20 | 1.30 | 1.90 | 2.90 | 22 |
| | Extreme | 1.10 | 1.80 | 1.90 | 1.90 | 20.5 |
| | Seat | 2.40 | 2.50 | 3.00 | 3.30 | 47 |
| N78LAAAU, N78LAAAUB, N78LAAAUR, N78LAAAUL | | 7.60 | 9.10 | 14.80 | 18.40 | 150 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N78LAAAUX, N78LAAAUBX, N78LAAAURX, N78LAAAULX | Seat | 2.80 | 3.80 | 3.70 | 7.80 | 54 |
| | Back | 1.90 | 2.60 | 3.00 | 3.10 | 35.5 |
| | Arm | 2.90 | 3.20 | 5.00 | 7.90 | 56 |
| | Extreme Back | 1.70 | 2.70 | 3.00 | 3.00 | 33 |
| N78LAAAW, N78LAAAWR, N78LAAAWL, N78LAAAWB | | 7.70 | 9.10 | 14.40 | 18.40 | 151 |
| N78LAAAWX, N78LAAAWRX, N78LAAAWLX, N78LAAAWBX | Seat | 2.80 | 3.80 | 3.70 | 7.80 | 54 |
| | Front Back | 1.60 | 1.80 | 2.90 | 3.00 | 30.5 |
| | Arm | 2.90 | 3.20 | 5.00 | 7.90 | 56 |
| | Extreme Back | 1.50 | 2.50 | 2.90 | 3.00 | 28.5 |
| N78LAAU, N78LAAUR N78LAAUL, N78LAAUB | | 5.40 | 6.40 | 10.20 | 12.90 | 105 |
| N78LAAUX, N78LAAURX, N78LAAULX, N78LAAUBX | Seat | 1.90 | 2.60 | 2.50 | 5.30 | 40 |
| | Back | 1.70 | 1.80 | 2.10 | 2.10 | 32 |
| | Arm | 2.40 | 2.60 | 3.30 | 5.90 | 45 |
| | Extreme Back | 0.90 | 1.90 | 2.10 | 2.00 | 17 |
| N78LAAW, N78LAAWR N78LAAWL, N78LAAWB | | 5.10 | 6.10 | 10.20 | 12.90 | 100 |
| N78LAAWX, N78LAAWRX, N78LAAWLX, N78LAAWBX | Seat | 1.90 | 2.60 | 2.50 | 7.30 | 40 |
| | Front Back | 1.50 | 1.70 | 2.00 | 2.00 | 28 |
| | Arm | 2.40 | 2.60 | 3.30 | 5.90 | 45 |
| | Extreme Back | 0.80 | 1.70 | 2.00 | 2.00 | 14.5 |
| N78LAU, N78LAUR, N78LAUL | | 3.20 | 3.70 | 5.90 | 7.40 | 61 |
| N78LAUX, N78LAURX, N78LAULX | Seat | 1.30 | 1.30 | 1.30 | 2.80 | 23.5 |
| | Back | 1.00 | 1.00 | 1.20 | 1.10 | 18.5 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 0.90 | 1.00 | 1.10 | 1.00 | 8 |
| N78LAW, N78LAWR, N78LAWL | | 3.00 | 3.70 | 5.90 | 7.40 | 57.5 |
| N78LAWX, N78LAWRX, N78LAWLX | Seat | 1.30 | 1.30 | 1.30 | 2.80 | 23.5 |
| | Front Back | 0.90 | 0.90 | 1.10 | 1.00 | 15.5 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 0.80 | 0.90 | 1.10 | 1.00 | 8 |
| N78LBU, N78LBUR, N78LBUL, N78LBUB | | 4.70 | 5.90 | 8.90 | 11.30 | 92 |
| N78LBUX, N78LBURX, N78LBULX, N78LBUBX | Seat | 1.90 | 2.60 | 2.50 | 5.30 | 40 |
| | Back | 1.70 | 1.80 | 2.10 | 2.10 | 32 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 0.90 | 1.90 | 2.10 | 2.00 | 17 |
| N78LBW, N78LBWR, N78LBWL, N78LBWB | | 4.40 | 5.50 | 8.70 | 11.30 | 87 |
| N78LBWX, N78LBWRX, N78LBWLX, N78LBWBX | Seat | 1.90 | 2.60 | 2.50 | 5.30 | 40 |
| | Front Back | 1.50 | 1.70 | 2.00 | 2.00 | 28 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 0.80 | 1.70 | 2.00 | 2.00 | 14.5 |
| N78LCU, N78LCUR, N78LCUL, N78LCUB | | 6.40 | 7.60 | 12.00 | 15.80 | 126 |
| N78LCUX, N78LCURX, N78LCULX, N78LCUBX | Seat | 2.80 | 3.80 | 3.70 | 7.80 | 54 |
| | Back | 1.90 | 2.60 | 3.00 | 3.10 | 35.5 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 1.70 | 2.70 | 3.00 | 3.00 | 33 |
| N78LCW, N78LCWR, N78LCWL, N78LCWB | | 6.10 | 7.30 | 12.00 | 15.80 | 118.5 |
| N78LCWX, N78LCWRX, N78LCWLX, N78LCWBX | Seat | 2.80 | 3.80 | 3.70 | 7.80 | 54 |
| | Front Back | 1.60 | 1.80 | 2.90 | 3.00 | 30.5 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 1.50 | 2.50 | 2.90 | 3.00 | 28.5 |
| N78LEU | | 4.10 | 4.80 | 5.90 | 7.40 | 78.5 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|--|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N78LEUX | Seat | 1.30 | 1.70 | 1.80 | 2.80 | 24 |
| | Back | 1.00 | 1.00 | 1.20 | 1.50 | 18.5 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 0.90 | 1.00 | 1.10 | 1.00 | 17 |
| N78LEW | | 3.80 | 4.50 | 5.90 | 7.40 | 74 |
| N78LEWX | Seat | 1.30 | 1.70 | 1.80 | 2.80 | 24 |
| | Front Back | 0.90 | 0.90 | 1.10 | 1.40 | 15.5 |
| | Arm | 1.80 | 1.80 | 2.80 | 3.90 | 34 |
| | Extreme Back | 0.80 | 0.90 | 1.10 | 1.00 | 14.5 |
| N79AAC | | 1.90 | 2.90 | 3.00 | 3.00 | 38 |
| N79BBC, N79CC | | 1.70 | 1.90 | 3.00 | 3.00 | 33 |
| N81AAES, N81AAEY, N81AAM, N81EAES, N81EAEY, N81EAM, N81GAAS, N81GAAY, N81GAM, N81HAAS, N81HAAY, N81RAAS, N81RAAY, N81SAAS, N81SAAY, N81SAES, N81SAEY, N81SAM, QN81GAAY, QN81GAM | Upholstery | 1.50 | 1.90 | 3.20 | 4.70 | 27.3 |
| N81AAESX, N81AAEYX, N81AAMX, N81EAESX, N81EAEYX, N81EAMX, N81GAASX, N81GAAYX, N81GAMX, N81HAASX, N81HAAYX, N81RAASX, N81RAAYX, N81SAASX, N81SAAYX, N81SAESX, N81SAEYX, N81SAMX, QN81GAAYX, QN81GAMX | Back Seat | 1.00 1.00 | 1.40 1.20 | 2.30 1.80 | 2.90 2.70 | 17.9 17.9 |
| N81PAAS, N81PAAY, N81PAM | Upholstery | 1.70 | 2.40 | 3.70 | 4.70 | 32.2 |
| N81PAASX, N81PAAYX, N81PAMX | Back Seat | 1.20 1.00 | 1.70 1.20 | 2.80 1.80 | 3.30 2.70 | 22.2 17.9 |
| N81T2ACS, N81T2ACY | Upholstery | 2.90 | 3.50 | 6.60 | 8.70 | 54.4 |
| N81T2ACSX, N81T2ACYX | Back Seat | 1.80 1.40 | 2.40 1.50 | 4.50 2.40 | 4.90 4.70 | 32.8 24.5 |
| N81T3ACS, N81T3ACY | Upholstery | 4.20 | 5.30 | 9.70 | 12.70 | 82.1 |
| N81T3ACSX, N81T3ACYX | Back Seat | 2.70 2.00 | 3.40 2.30 | 6.60 3.30 | 6.90 6.70 | 50.1 37.8 |
| N81ABES, N81ABEY, N81ABM, N81EBES, N81EBEY, N81EBM, N81GBAS, N81GBAY, N81GBM, N81HBAS, N81HBAY, N81RBAS, N81RBAY, N81SBAS, N81SBAY, N81SBES, N81SBEY, N81SBM, QN81GBAY, QN81GBM | Upholstery | 2.50 | 2.80 | 3.50 | 4.70 | 47.7 |
| N81ABESX, N81ABEYX, N81ABMX, N81EBESX, N81EBEYX, N81EBMX, N81GBASX, N81GBAYX, N81GBMX, N81HBASX, N81HBAYX, N81RBASX, N81RBAYX, N81SBASX, N81SBAYX, N81SBESX, N81SBEYX, N81SBMX, QN81GBAYX, QN81GBMX | Back Seat | 1.60 1.00 | 1.70 1.30 | 2.40 1.70 | 2.90 2.70 | 30.0 17.9 |
| N81PBAS, N81PBAY, N81PBM | Upholstery | 2.60 | 3.30 | 4.10 | 4.70 | 50.1 |
| N81PBASX, N81PBAYX, N81PBMX | Back Seat | 1.80 1.00 | 2.30 1.30 | 3.10 1.70 | 3.40 2.70 | 32.2 17.9 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N81ACES, N81ACEY, N81ACM, N81ECES, N81ECEY, N81ECM, N81GCAS, N81GCAY, N81GCM, N81RCAS, N81RCAY, N81SCAS, N81SCAY, N81SCES, N81SCEY, N81SCM, QN81GCAY, QN81GCM | Upholstery | 2.50 | 3.00 | 3.50 | 4.70 | 47.7 |
| N81ACESX, N81ACEYX, N81ACMX, N81ECESX, N81ECEYX, N81ECMX, N81GCASX, N81GCAYX, N81GCMX, N81RCASX, N81RCAYX, N81SCASX, N81SCAYX, N81SCESX, N81SCEYX, N81SCMX, QN81GCAYX, QN81GCMX | Back Seat | 1.60 1.00 | 1.80 1.30 | 2.40 1.70 | 3.30 2.70 | 30.0 17.9 |
| N81PCAS, N81PCAY, N81PCM | Upholstery | 3.00 | 3.50 | 4.50 | 4.80 | 57.2 |
| N81PCASX, N81PCAYX, N81PCM | Back Seat | 2.10 1.00 | 2.50 1.30 | 3.10 1.70 | 3.80 2.70 | 39.4 17.9 |
| N84L1A | | 8.30 | 8.90 | 12.20 | 14.70 | 165 |
| N84L1AX | Upholstery Seat Back Arm | 2.40 2.10 1.30 2.60 | 2.90 2.70 1.60 3.20 | 4.20 4.60 2.20 3.90 | 4.70 5.70 3.30 7.50 | 47 41 26 52 |
| N84L1UA | | 8.30 | 8.90 | 12.20 | 14.70 | 165 |
| N84L1UAX | Upholstery Seat Back Arm | 2.40 2.10 1.30 2.60 | 2.90 2.70 1.60 3.20 | 4.20 4.60 2.20 3.90 | 4.70 5.70 3.30 7.50 | 47 41 26 52 |
| N84L1L | | 7.00 | 7.80 | 10.80 | 13.20 | 139 |
| N84L1LX | Upholstery Seat Back Arm | 2.40 2.10 1.30 1.30 | 2.90 2.90 1.60 1.70 | 4.20 4.20 2.20 2.50 | 4.70 4.70 3.30 4.50 | 47 47 26 27 |
| N84L1R | | 7.00 | 7.50 | 10.80 | 13.20 | 138 |
| N84L1RX | Upholstery Seat Back Arm | 2.40 2.10 1.30 1.30 | 2.90 2.70 1.60 1.70 | 4.20 2.70 2.20 2.50 | 4.70 5.70 3.30 4.50 | 47 41 26 27 |
| N84L1M | | 5.70 | 6.60 | 9.40 | 10.70 | 39 |
| N84L1MX | Upholstery Seat Back | 2.40 2.10 1.30 | 2.90 2.70 1.60 | 4.20 4.60 2.20 | 4.70 5.70 3.30 | 47 41 26 |
| N84L2A | | 13.30 | 14.70 | 19.70 | 23.20 | 266 |
| N84L2AX | Upholstery Seat Back Arm | 4.20 4.20 2.60 2.60 | 4.80 5.00 2.80 3.20 | 6.70 8.70 3.40 3.90 | 7.00 10.70 3.50 7.50 | 82 83 18 52 |
| N84L2UA | | 13.30 | 14.70 | 19.70 | 23.20 | 266 |
| N84L2UAX | Upholstery Seat Back Arm | 4.20 4.20 2.60 2.60 | 4.80 5.00 2.80 3.20 | 6.70 8.70 3.40 3.90 | 7.00 10.70 3.50 7.50 | 82 83 18 52 |
| N84L2L | | 12.00 | 13.40 | 18.40 | 21.20 | 241 |
| N84L2LX | Upholstery Seat Back Arm | 4.20 4.20 2.60 1.30 | 4.80 5.00 2.80 1.70 | 6.70 8.70 3.40 2.50 | 7.00 10.70 3.50 4.50 | 82 83 18 27 |
| N84L2R | | 12.00 | 13.40 | 18.40 | 21.20 | 241 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-----------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N84L2RX | Upholstery | 4.20 | 4.80 | 6.70 | 7.00 | 82 |
| | Seat | 4.20 | 5.00 | 8.70 | 10.70 | 83 |
| | Back | 2.60 | 2.80 | 3.40 | 3.40 | 18 |
| | Arm | 1.30 | 1.70 | 2.50 | 4.50 | 27 |
| N84L2M | | 10.70 | 12.00 | 16.10 | 18.70 | 214 |
| N84L2MX | Upholstery | 4.20 | 4.80 | 6.70 | 7.00 | 82 |
| | Seat | 4.20 | 5.00 | 8.80 | 10.70 | 83 |
| | Back | 2.60 | 2.80 | 3.40 | 3.40 | 18 |
| N84L3A | | 18.30 | 20.10 | 27.30 | 31.20 | 364 |
| N84L3AX | Upholstery | 5.90 | 9.00 | 12.20 | 12.50 | 168 |
| | Seat | 6.30 | 7.00 | 12.90 | 15.70 | 124 |
| | Back | 3.90 | 4.20 | 4.80 | 5.00 | 73 |
| | Arm | 2.60 | 3.20 | 3.90 | 7.50 | 52 |
| N84L3UA | | 18.30 | 20.10 | 27.30 | 31.20 | 364 |
| N84L3UAX | Upholstery | 5.90 | 9.00 | 12.20 | 12.50 | 168 |
| | Seat | 6.30 | 7.00 | 12.90 | 15.70 | 124 |
| | Back | 3.90 | 4.20 | 4.80 | 5.00 | 73 |
| | Arm | 2.60 | 3.20 | 3.90 | 7.50 | 52 |
| N84L3L | | 17.00 | 18.90 | 25.90 | 29.10 | 338 |
| N84L3LX | Upholstery | 5.90 | 9.30 | 12.20 | 12.70 | 169 |
| | Seat | 6.30 | 9.00 | 12.20 | 12.50 | 168 |
| | Back | 3.90 | 4.20 | 4.80 | 5.00 | 73 |
| | Arm | 1.30 | 1.70 | 2.50 | 4.50 | 27 |
| N84L3R | | 17.00 | 18.90 | 25.90 | 29.10 | 338 |
| N84L3RX | Upholstery | 5.90 | 9.30 | 12.20 | 12.70 | 169 |
| | Seat | 6.30 | 9.00 | 12.20 | 12.50 | 168 |
| | Back | 3.90 | 4.20 | 4.80 | 5.00 | 73 |
| | Arm | 1.30 | 1.70 | 2.50 | 4.50 | 27 |
| N84L3M | | 15.70 | 17.70 | 24.50 | 26.70 | 313 |
| N84L3MX | Upholstery | 5.90 | 9.30 | 12.20 | 12.70 | 169 |
| | Seat | 6.30 | 9.30 | 12.20 | 12.70 | 169 |
| | Back | 3.90 | 4.20 | 4.80 | 5.00 | 73 |
| N84IN9L | | 8.00 | 8.70 | 11.50 | 11.70 | 160 |
| N84IN9LX | Upholstery | 3.70 | 4.00 | 5.60 | 5.90 | 70 |
| | Seat | 2.10 | 9.00 | 12.20 | 12.50 | 168 |
| | Back | 2.50 | 2.90 | 3.40 | 3.70 | 50 |
| N84IN9R | | 8.00 | 8.70 | 11.50 | 11.70 | 160 |
| N84IN9RX | Upholstery | 3.70 | 4.00 | 5.60 | 5.90 | 70 |
| | Seat | 2.10 | 9.00 | 12.20 | 12.50 | 168 |
| | Back | 2.50 | 2.90 | 3.40 | 3.70 | 50 |
| N84IN9D | | 8.40 | 9.60 | 12.90 | 15.20 | 173 |
| N84IN9DX | Upholstery | 3.70 | 4.70 | 6.70 | 7.00 | 83 |
| | Seat | 2.50 | 2.80 | 4.60 | 6.70 | 48 |
| | Back | 2.50 | 2.90 | 3.40 | 3.90 | 50 |
| N84D1 | | 3.30 | 3.80 | 7.00 | 9.10 | 67 |
| N84D1X | Upholstery | 1.20 | 1.80 | 3.20 | 4.70 | 26 |
| | Seat | 2.10 | 2.50 | 4.30 | 5.20 | 42 |
| N84D1U | | 3.30 | 3.80 | 7.00 | 9.10 | 67 |
| N84D1UX | Upholstery | 1.20 | 1.80 | 3.20 | 4.70 | 26 |
| | Seat | 2.10 | 2.50 | 4.30 | 5.20 | 42 |
| N84D2 | | 3.50 | 4.00 | 7.00 | 10.10 | 70 |
| N84D2X | Upholstery | 1.20 | 1.80 | 3.20 | 4.70 | 26 |
| | Seat | 2.30 | 2.60 | 4.30 | 6.20 | 45 |
| N84D2U | | 3.50 | 4.00 | 7.00 | 10.10 | 70 |
| N84D2UX | Upholstery | 1.20 | 1.80 | 3.20 | 4.70 | 26 |
| | Seat | 2.30 | 2.60 | 4.30 | 6.20 | 45 |
| N84T36ENL | | 1.30 | 2.30 | 4.60 | 6.70 | 37 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---------------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N84T36ENUL | | 1.30 | 2.30 | 4.60 | 6.70 | 37 |
| N84T36ENS | | 1.30 | 2.30 | 4.60 | 6.70 | 37 |
| N84T36ENUS | | 1.30 | 2.30 | 4.60 | 6.70 | 37 |
| N84T60MGL | | 1.90 | 2.00 | 3.10 | 4.70 | 26 |
| N84T60MGUL | | 1.90 | 2.00 | 3.10 | 4.70 | 26 |
| N84T60MGS | | 1.90 | 2.00 | 3.40 | 4.70 | 26 |
| N84T60MGUS | | 1.90 | 2.00 | 3.40 | 4.70 | 26 |
| N85CAC | | 1.70 | 2.40 | 3.00 | 3.00 | 35 |
| N85CBC | | 1.60 | 2.30 | 2.70 | 3.00 | 34 |
| N85LA, N85LAT | | 2.80 | 4.90 | 5.80 | 7.00 | 56 |
| N85LAX, N85LATX | Back | 0.90 | 1.00 | 1.20 | 1.10 | 18 |
| | Seat | 1.10 | 1.20 | 1.80 | 2.30 | 22 |
| | Outer Shell | 1.90 | 3.10 | 3.90 | 5.00 | 38 |
| N85LB, N85LBT | | 4.00 | 7.60 | 8.90 | 10.80 | 80 |
| N85LBX, N85LBTX | Back | 1.00 | 2.00 | 2.20 | 2.10 | 20 |
| | Seat | 1.30 | 2.20 | 2.80 | 3.30 | 26 |
| | Outer Shell | 2.10 | 3.80 | 4.80 | 6.00 | 42 |
| N85LC, N85LCT | | 5.30 | 10.40 | 11.30 | 13.80 | 106 |
| N85LCX, N85LCTX | Back | 1.80 | 2.90 | 3.10 | 3.20 | 36 |
| | Seat | 1.90 | 3.50 | 3.10 | 4.80 | 38 |
| | Outer Shell | 2.70 | 4.60 | 5.70 | 7.00 | 54 |
| N85LD, N85LDT | | 2.60 | 4.40 | 6.40 | 6.30 | 52 |
| N85LDX, N85LDTX | Seat | 1.70 | 3.40 | 4.00 | 4.30 | 34 |
| | Outer Shell | 1.10 | 1.30 | 2.60 | 2.40 | 22 |
| N85SA, N85SAT | | 0.90 | 1.50 | 2.30 | 2.40 | 18 |
| N85SAA, N85SAAT | | 1.80 | 2.90 | 4.10 | 4.40 | 36 |
| N85SAAA, N85SAAAT | | 2.50 | 4.10 | 5.90 | 6.40 | 50 |
| N85SAAAX, N85SAAATX | Back | 1.30 | 1.50 | 3.20 | 3.40 | 26 |
| | Seat | 2.50 | 2.80 | 3.10 | 3.10 | 50 |
| N85SAAX, N85SAATX | Back | 0.90 | 1.10 | 2.20 | 2.40 | 18 |
| | Seat | 1.70 | 1.90 | 2.20 | 2.10 | 34 |
| N85SACA, N85SACAT | | 2.50 | 3.80 | 5.30 | 5.40 | 50 |
| N85SACAX, N85SACATX | Back | 0.90 | 1.10 | 2.30 | 2.40 | 18 |
| | Seat | 2.50 | 2.80 | 3.10 | 3.10 | 50 |
| N85SAX, N85SATX | Back | 0.50 | 0.70 | 1.30 | 1.40 | 10 |
| | Seat | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N85SB, N85SBT | | 1.20 | 1.60 | 2.60 | 3.00 | 24 |
| N85SBX, N85SBTX | Back | 0.60 | 0.80 | 1.40 | 2.00 | 12 |
| | Seat | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N85SC, N85SCT | | 0.80 | 1.00 | 1.10 | 1.00 | 17 |
| N85SE, N85SET | | 2.00 | 2.20 | 2.60 | 3.00 | 40 |
| N85SEX, N85SETX | Back | 1.20 | 1.40 | 1.40 | 2.00 | 24 |
| | Seat | 0.90 | 1.10 | 1.20 | 1.10 | 18 |
| N87AAA36 | | 2.10 | 2.50 | 3.90 | 3.30 | 42 |
| N87AAA36X | Back | 1.50 | 1.80 | 2.10 | 2.30 | 29 |
| | Back Accent | 1.10 | 1.20 | 1.20 | 1.50 | 21 |
| | Upholstery | 0.80 | 1.00 | 1.20 | 1.30 | 15 |
| N87C120 | | 2.80 | 3.20 | 3.90 | 5.00 | 52 |
| N87C120X | Back | 2.30 | 2.50 | 3.20 | 3.50 | 44 |
| | Back Accent | 0.80 | 0.80 | 1.80 | 1.80 | 12 |
| | Upholstery | 0.80 | 1.10 | 2.20 | 2.20 | 16 |
| N87TA | | 4.00 | 3.00 | 4.00 | 6.90 | 79 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|----------------------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N87TAX | Back | 1.30 | 1.80 | 2.40 | 2.40 | 32 |
| | Back Accent | 1.20 | 1.30 | 2.40 | 2.40 | 23 |
| | Upholstery | 0.80 | 1.10 | 2.40 | 2.30 | 16 |
| | Extreme | 1.50 | 1.80 | 2.40 | 2.40 | 29 |
| N87LALAR | | 3.00 | 3.80 | 4.50 | 4.80 | 59 |
| N87LALARX | Back | 1.00 | 1.10 | 1.20 | 1.80 | 18 |
| | Back Accent | 1.10 | 1.30 | 1.80 | 1.90 | 22 |
| | Upholstery | 0.80 | 1.00 | 1.70 | 1.70 | 16 |
| | Extreme | 1.50 | 1.80 | 2.20 | 2.30 | 29 |
| N87AS1A36 | | 3.00 | 3.70 | 5.00 | 5.20 | 59 |
| N87AS1A36X | Back | 0.80 | 1.00 | 1.20 | 1.30 | 15 |
| | Back Accent | 1.10 | 1.20 | 1.20 | 1.50 | 21 |
| | Upholstery | 0.80 | 1.00 | 1.70 | 1.80 | 15 |
| | Extreme | 0.50 | 1.00 | 1.20 | 1.30 | 15 |
| | Seat | 1.30 | 1.40 | 1.80 | 2.00 | 25 |
| N87AS2A36 | | 4.50 | 5.30 | 6.20 | 6.70 | 88 |
| N87AS2A36X | Back | 1.50 | 1.80 | 2.10 | 2.30 | 29 |
| | Back Accent | 1.10 | 1.20 | 1.20 | 1.50 | 21 |
| | Upholstery | 1.10 | 1.40 | 2.60 | 2.80 | 22 |
| | Seat | 3.00 | 3.50 | 3.80 | 5.20 | 61 |
| N87CS120 | | 4.10 | 5.00 | 8.00 | 9.50 | 82 |
| N87CS120X | Back | 2.20 | 2.50 | 3.40 | 3.50 | 44 |
| | Back Accent | 0.60 | 0.80 | 1.80 | 1.80 | 12 |
| | Upholstery | 1.50 | 2.00 | 3.80 | 3.80 | 30 |
| | Seat | 2.10 | 2.80 | 5.20 | 5.20 | 42 |
| N87TSA | | 6.20 | 5.40 | 6.30 | 8.30 | 123 |
| N87TSAX | Back | 1.30 | 1.80 | 2.40 | 2.40 | 31 |
| | Back Accent | 1.20 | 1.30 | 2.40 | 2.40 | 23 |
| | Upholstery | 0.80 | 1.10 | 2.30 | 2.40 | 16 |
| | Extreme | 1.50 | 1.80 | 2.40 | 2.40 | 29 |
| | Seat | 2.30 | 2.50 | 2.80 | 2.90 | 47 |
| N87LSALAR | | 4.00 | 4.60 | 5.50 | 5.30 | 78 |
| N87LSALARX | Back | 1.00 | 1.10 | 1.20 | 1.80 | 18 |
| | Back Accent | 1.10 | 1.30 | 1.80 | 1.90 | 22 |
| | Upholstery | 1.50 | 1.70 | 2.40 | 2.40 | 29 |
| | Extreme | 1.50 | 1.80 | 2.20 | 2.30 | 29 |
| | Seat | 1.20 | 1.40 | 1.70 | 1.70 | 24 |
| N87IN3616C, N87IN3616G | | 1.50 | 0.60 | 2.40 | 2.70 | 30 |
| N87IN3616CX, N87IN3616GX | Upholstery | 0.40 | 0.70 | 0.90 | 1.80 | 8 |
| | Seat | 1.20 | 1.50 | 1.80 | 2.20 | 24 |
| N87IN3618C, N87IN3618G | | 1.80 | 2.00 | 2.40 | 3.30 | 35 |
| N87IN3618CX, N87IN3618GX | Upholstery | 0.50 | 0.70 | 0.90 | 1.80 | 10 |
| | Seat | 1.40 | 1.50 | 1.90 | 2.30 | 26 |
| N87CR12016C, N87CR12016G | | 1.00 | 1.50 | 1.80 | 2.80 | 20 |
| N87CR12016CX, N87CR12016GX | Upholstery | 0.40 | 0.70 | 0.90 | 1.80 | 8 |
| | Seat | 1.00 | 1.10 | 1.80 | 2.30 | 19 |
| N87CR12018C, N87CR12018G | | 1.30 | 1.60 | 2.10 | 2.80 | 25 |
| N87CR12018CX, N87CR12018GX | Upholstery | 0.50 | 0.70 | 0.90 | 1.80 | 10 |
| | Seat | 1.00 | 1.10 | 2.00 | 2.30 | 20 |
| 89X-EWEXC | | 1.80 | 2.70 | 3.00 | 3.00 | 37 |
| 89X-MWEXC | | 1.60 | 2.40 | 2.90 | 2.90 | 33 |
| 89X-EUEXC, 89X-EUFXC | | 2.15 | 2.70 | 3.00 | 3.80 | 44 |
| 89X-MUEXC, 89X-MUFXC | | 2.00 | 2.40 | 2.90 | 3.30 | 41 |
| 89X-EWECC | | 1.80 | 2.70 | 3.00 | 3.80 | 37 |
| 89X-MWECC | | 1.60 | 2.40 | 2.90 | 3.30 | 33 |
| 89X-GWXX | | 1.50 | 2.30 | 2.60 | 2.90 | 31 |
| N90AA, N90AAT, N90AATB | | 4.80 | 7.10 | 8.50 | 8.90 | 106 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|----------------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N90BB, N90BBT, N90BBTB | | 8.40 | 10.90 | 12.40 | 13.50 | 184 |
| N90CC, N90CCT, N90CCTB | | 9.20 | 15.10 | 16.60 | 17.50 | 203 |
| N90AAP, N90AATP, N90AATBP | Upholstery | 4.80 | 7.10 | 8.50 | 8.90 | 106 |
| N90AAX, N90AATX, N90AATBX | Seat/Back Upholstery | 1.40 4.00 | 2.40 4.60 | 3.60 5.10 | 3.70 6.50 | 32 90 |
| N90BBP, N90BBTP, N90BBTBP | Upholstery | 8.40 | 10.90 | 12.40 | 13.50 | 184 |
| N90BBX, N90BBTX, N90BBTBX | Seat/Back Upholstery | 3.40 5.40 | 5.20 5.90 | 5.80 7.40 | 5.80 7.90 | 74 119 |
| N90CCP, N90CCTP, N90CCTBP | Upholstery | 9.20 | 15.10 | 16.60 | 17.50 | 203 |
| N90CCX, N90CCTX, N90CCTBX | Seat/Back Upholstery | 5.00 6.20 | 7.70 7.90 | 8.60 8.00 | 8.60 9.40 | 110 136 |
| N92B1 | | 2.70 | 3.10 | 3.70 | 3.30 | 52.5 |
| N92B2 | | 4.40 | 5.00 | 5.80 | 5.40 | 86.5 |
| N92B3 | | 6.10 | 6.90 | 8.00 | 7.40 | 119.5 |
| N92B9 | | 2.90 | 3.30 | 4.90 | 5.60 | 57.5 |
| N92CSA, N92CSAC, N92CSAL, N92CSACL, N92CSAR, N92CSACR | | 3.50 | 4.60 | 6.10 | 7.80 | 70 |
| N92CSAX, N92CSACX, N92CSALX, N92CSACLX, N92CSARX, N92CSACRX | Upholstery Arm | 2.40 2.00 | 3.00 2.20 | 3.50 2.50 | 3.80 3.90 | 48 40 |
| N92CSLL, N92CSLLC, N92CSRR, N92CSRRC | | 2.80 | 3.40 | 5.20 | 5.90 | 56 |
| N92CSLLX, N92CSLLCX, N92CSRRX, N92CSRRCX | Upholstery Arm | 2.40 0.90 | 3.00 1.10 | 3.50 1.90 | 3.80 1.90 | 48 18 |
| N92CSM, N92CSMC | | 2.40 | 3.00 | 3.50 | 3.80 | 48 |
| N92H1B, N92H1BR, N92H1BL | | 7.70 | 8.30 | 9.30 | 10.40 | 151 |
| N92H1BH | | 10.60 | 11.30 | 12.50 | 12.90 | 211 |
| N92H1BHX | Seat Back Lumbar Accent Arms | 2.70 1.40 0.40 1.00 5.70 | 3.10 1.50 0.50 1.10 5.90 | 3.60 1.50 0.60 1.20 7.50 | 4.30 2.20 0.80 1.30 7.50 | 53 25 7 18 113 |
| N92H1BM | | 9.20 | 9.90 | 11.30 | 12.20 | 183 |
| N92H1BMX | Seat Back Lumbar Accent Arms | 2.70 1.40 0.40 1.00 4.30 | 3.10 1.50 0.50 1.10 4.60 | 3.60 1.50 0.60 1.20 6.30 | 4.30 2.20 0.80 1.30 7.10 | 53 25 7 18 86 |
| N92H1BX, N92H1BRX, N92H1BLX | Seat Back Lumbar Accent Arms | 2.70 1.40 0.40 1.00 2.80 | 3.10 1.50 0.50 1.10 3.20 | 3.60 1.50 0.60 1.20 3.80 | 4.30 2.20 0.80 1.30 3.90 | 53 25 7 18 58 |
| N92H1M | | 5.00 | 5.70 | 6.10 | 6.40 | 97 |
| N92H1MX | Seat Back Lumbar Accent | 2.70 1.40 0.40 1.00 | 3.10 1.50 0.50 1.10 | 3.60 1.50 0.60 1.20 | 4.30 2.20 0.80 1.30 | 53 25 7 18 |
| N92H1R, N92H1RR, N92H1L, N92H1LL | | 6.30 | 6.90 | 7.40 | 8.40 | 124 |
| N92H1RH, N92H1LH | | 7.80 | 8.40 | 9.40 | 9.90 | 155.5 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92H1RHX, N92H1LHX | Seat | 2.70 | 3.10 | 3.60 | 4.30 | 53 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Accent | 1.00 | 1.10 | 1.20 | 1.30 | 18 |
| | Arms | 2.90 | 3.10 | 4.40 | 4.50 | 57.5 |
| N92H1RM, N92H1LM | | 7.10 | 7.80 | 8.80 | 9.20 | 142 |
| N92H1RMX, N92H1LMX | Seat | 2.70 | 3.10 | 3.60 | 4.30 | 53 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Accent | 1.00 | 1.10 | 1.20 | 1.30 | 18 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92H1RX, N92H1RRX, N92H1LX, N92H1LLX | Seat | 2.70 | 3.10 | 3.60 | 4.30 | 53 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Accent | 1.00 | 1.10 | 1.20 | 1.30 | 18 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |
| N92H2B, N92H2BR, N92H2BL, N92H2BB, N92HTU2B, N92HTU2BR, N92HTU2BL, N92HTU2BB | | 11.50 | 12.50 | 13.70 | 14.90 | 229 |
| N92H2BH, N92HTU2BH | | 14.50 | 15.40 | 17.40 | 19.80 | 289 |
| N92H2BHX, N92HTU2BHX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 5.70 | 5.90 | 7.50 | 7.50 | 113 |
| N92H2BM, N92HTU2BM | | 13.10 | 13.90 | 16.10 | 18.80 | 261 |
| N92H2BMX, N92HTU2BMX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |
| N92H2BX, N92H2BRX, N92H2BLX, N92H2BBX, N92HTU2BX, N92HTU2BRX, N92HTU2BLX, N92HTU2BBX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.10 | 2.50 | 2.30 | 35.5 |
| | Arms | 2.80 | 3.20 | 3.80 | 3.90 | 58 |
| N92H2M, N92HTU2M | | 8.90 | 9.70 | 11.00 | 10.90 | 177 |
| N92H2MX, N92MTU2MX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.10 | 2.50 | 2.30 | 35.5 |
| N92H2R, N92H2RR, N92H2L, N92H2LL, N92HTU2R, N92HTU2RR, N92HTU2L, N92HTU2LL | | 10.20 | 11.10 | 12.20 | 12.90 | 203 |
| N92H2RH, N92H2LH, N92HTU2RH, N92HTU2LH | | 11.70 | 12.60 | 14.30 | 15.90 | 233 |
| N92H2RHX, N92H2LHX, N92HTU2RHX, N92HTU2LHX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 2.90 | 3.10 | 4.40 | 4.50 | 57.5 |
| N92H2RM, N92H2LM, N92HTU2RM, N92HTU2LM | | 11.00 | 11.70 | 13.70 | 15.80 | 219 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92H2RMX, N92H2LMX, N92HTU2RMX, N92HTU2LMX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92H2RX, N92H2RRX, N92H2LX, N92H2LLX, N92HTU2RX, N92HTU2RRX, N92HTU2LX, N92HTU2LLX | Seat | 4.30 | 5.20 | 6.30 | 6.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.10 | 2.50 | 2.30 | 35.5 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |
| N92H3B, N92H3BR, N92H3BL, N92H3BB, N92HTU3B, N92HTU3BR, N92HTU3BL, N92HTU3BB | | 15.50 | 16.90 | 18.50 | 18.90 | 307 |
| | N92H3BH, N92HTU3BH | 18.40 | 19.40 | 22.30 | 21.20 | 366 |
| N92H3BHX, N92HTU3BHX | Seat | 5.90 | 6.70 | 7.90 | 7.90 | 118 |
| | Back | 3.70 | 3.80 | 3.80 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 5.70 | 5.90 | 7.50 | 7.50 | 113 |
| N92H3BM, N92HTU3BM | | 17.00 | 17.90 | 21.10 | 21.20 | 339 |
| | N92H3BMX, N92HTU3BMX | Seat | 5.90 | 6.70 | 7.90 | 7.90 |
| | Back | 3.70 | 3.80 | 3.80 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |
| | N92H3BX, N92H3BRX, N92H3BLX, N92H3BBX, N92HTU3BX, N92HTU3BRX, N92HTU3BLX, N92HTU3BBX | Seat | 5.90 | 6.70 | 7.90 | 7.90 |
| Back | | 3.70 | 3.80 | 3.80 | 5.90 | 74 |
| Lumbar | | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| Accent | | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| Arms | | 2.80 | 3.20 | 3.80 | 3.90 | 58 |
| N92H3M, N92HTU3M | | 12.80 | 13.80 | 15.80 | 14.50 | 253 |
| | N92H3MX, N92HTU3MX | Seat | 5.90 | 6.70 | 7.90 | 7.90 |
| | Back | 3.70 | 3.80 | 3.80 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | | | | | | |
| N92H3R, N92H3RR, N92H3L, N92H3LL, N92HTU3R, N92HTU3RR, N92HTU3L, N92HTU3LL | | 14.10 | 15.30 | 17.10 | 17.40 | 281 |
| | N92H3RH, N92H3LH, N92HTU3RH, N92HTU3LH | 15.60 | 16.40 | 19.20 | 18.20 | 311 |
| N92H3RHX, N92H3LHX, N92HTU3RHX, N92HTU3LHX | Seat | 5.90 | 6.70 | 7.90 | 7.90 | 118 |
| | Back | 3.70 | 3.80 | 4.50 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 2.90 | 3.10 | 4.40 | 4.50 | 57.5 |
| N92H3RM, N92H3LM, N92HTU3RM, N92HTU3LM | | 14.90 | 15.80 | 18.60 | 18.30 | 297 |
| | N92H3RMX, N92H3LMX, N92HTU3RMX, N92HTU3LMX | Seat | 5.90 | 6.70 | 7.90 | 7.90 |
| | Back | 3.70 | 3.80 | 4.50 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92H3RX, N92H3RRX, N92H3LX, N92H3LLX, N92HTU3RX, N92HTU3RRX, N92HTU3LX, N92HTU3LLX | Seat | 5.90 | 6.70 | 7.90 | 7.90 | 118 |
| | Back | 3.70 | 3.80 | 3.80 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92HC2 | | 9.20 | 13.70 | 16.70 | 16.90 | 181.5 |
| N92HC2X | Back | 3.80 | 4.10 | 5.00 | 7.90 | 74 |
| | Lumbar | 0.70 | 0.80 | 1.20 | 1.80 | 12.5 |
| | Seat | 3.70 | 4.30 | 5.90 | 7.30 | 73 |
| | Accent | 2.90 | 4.10 | 4.90 | 4.30 | 55.5 |
| N92HC3 | | 13.11 | 18.90 | 23.10 | 23.50 | 261 |
| N92HC3X | Back | 5.40 | 5.90 | 7.50 | 8.60 | 107.5 |
| | Lumbar | 1.20 | 1.50 | 1.80 | 3.40 | 24 |
| | Seat | 5.50 | 6.00 | 6.50 | 8.30 | 108 |
| | Accent | 4.80 | 5.30 | 6.00 | 5.90 | 96 |
| N92HIN9, N92HTUIN9 | | 6.20 | 7.70 | 11.50 | 13.30 | 122 |
| N92HIN9X, N92HTUIN9X | Seat | 2.70 | 3.30 | 4.90 | 5.30 | 54 |
| | Back | 2.40 | 2.50 | 2.80 | 3.90 | 48 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 14 |
| | Accent | 1.50 | 1.80 | 2.40 | 2.30 | 30 |
| N92HOU9 | | 5.20 | 6.00 | 9.00 | 10.40 | 103 |
| N92HOU9X | Seat | 2.80 | 3.40 | 4.60 | 5.30 | 55 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 28 |
| | Lumbar | 0.50 | 0.50 | 0.60 | 0.80 | 10 |
| | Accent | 1.00 | 1.10 | 1.20 | 1.30 | 18 |
| N92HSQ9D, N92HTUSQ9D | Complete | 5.50 | 7.50 | 9.60 | 9.90 | 108 |
| N92HSQ9DX, N92HTUSQ9DX | Seat | 2.70 | 3.20 | 4.00 | 4.00 | 54 |
| | Back | 2.70 | 3.30 | 4.00 | 4.00 | 40 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| | Accent | 1.40 | 2.10 | 2.40 | 2.30 | 28 |
| N92HSQ9R, N92HSQ9L | Complete | 5.20 | 6.80 | 7.30 | 9.30 | 102 |
| N92HTUSQ9R, N92HTUSQ9L | Seat | 2.40 | 3.30 | 3.30 | 4.00 | 48 |
| | Back | 2.00 | 2.20 | 3.00 | 3.20 | 40 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| | Accent | 1.40 | 2.10 | 2.40 | 2.30 | 28 |
| N92HTL2B, N92HTL2BR, N92HTL2BL, N92HTL2BB, N92HTW2B, N92HTW2BR, N92HTW2BL, N92HTW2BB | | 9.40 | 10.10 | 11.00 | 11.90 | 185.5 |
| N92HTL2BX, N92HTL2BRX, N92HTL2BLX, N92HTL2BBX, N92HTW2BX, N92HTW2BRX, N92HTW2BLX, N92HTW2BBX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.10 | 2.50 | 2.30 | 35.5 |
| | Arms | 2.80 | 3.20 | 3.80 | 3.90 | 58 |
| N92HTL2M, N92HTW2M | | 6.70 | 7.50 | 8.50 | 7.90 | 133.5 |
| N92HTL2MX, N92HTW2MX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.10 | 2.50 | 2.30 | 35.5 |
| N92HTL2R, N92HTL2RR, N92HTL2L, N92HTL2LL, N92HTW2R, N92HTW2RR, N92HTW2L, N92HTW2LL | | 8.10 | 8.90 | 9.80 | 9.9 | 161 |
| N92HTL2RH, N92HTL2LH, N92HTW2RH, N92HTW2LH | | 9.50 | 10.30 | 11.90 | 13.40 | 189 |
| N92HTL2RHX, N92HTL2LHX, N92HTW2RHX, N92HTW2LHX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 2.90 | 3.10 | 4.40 | 4.50 | 57.5 |
| N92HTL2RM, N92HTL2LM, N92HTW2RM, N92HTW2LM | | 8.80 | 9.60 | 11.20 | 14.00 | 175 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92HTL2RMX, N92HTL2LMX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| N92HTW2RMX, N92HTW2LMX | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92HTL2RX, N92HTL2RRX, N92HTL2LX, N92HTL2LLX, N92HTW2RX, N92HTW2RRX, N92HTW2LX, N92HTW2LLX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |
| N92HTL3B, N92HTL3BR, N92HTL3BL, N92HTL3BB, N92HTW3B, N92HTW3BR, N92HTW3BL, N92HTW3BB | | 12.30 | 13.20 | 14.70 | 14.90 | 245 |
| N92HTL3BH, N92HTW3BH | | 15.20 | 16.10 | 18.30 | 18.20 | 303 |
| N92HTL3BHX, N92HTW3BHX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 5.70 | 5.90 | 7.50 | 7.50 | 113 |
| N92HTL3BM, N92HTW3BM | | 13.70 | 14.50 | 17.40 | 17.20 | 273 |
| N92HTL3BMX, N92HTW3BMX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |
| N92HTL3BX, N92HTL3BRX, N92HTL3BLX, N92HTL3BBX, N92HTW3BX, N92HTW3BRX, N92HTW3BLX, N92HTW3BBX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 2.80 | 3.20 | 3.80 | 3.90 | 58 |
| N92HTL3M, N92HTW3M | | 9.60 | 10.50 | 11.60 | 10.50 | 191 |
| N92HTL3MX, N92HTW3MX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| N92HTL3R, N92HTL3RR, N92HTL3L, N92HTL3LL, N92HTW3R, N92HTW3RR, N92HTW3L, N92HTW3LL | | 10.90 | 11.80 | 13.40 | 12.80 | 217 |
| N92HTL3RH, N92HTL3LH, N92HTW3RH, N92HTW3LH | | 12.30 | 13.10 | 15.20 | 13.80 | 245 |
| N92HTL3RHX, N92HTL3LHX N92HTW3RHX, N92HTW3LHX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 2.90 | 3.10 | 4.40 | 4.50 | 57.5 |
| N92HTL3RM, N92HTL3LM, N92HTW3RM, N92HTW3LM | | 11.70 | 12.40 | 14.30 | 14.30 | 233 |
| N92HTL3RMX, N92HTL3LMX N92HTW3RMX, N92HTW3LMX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92HTL3RX, N92HTL3RRX, N92HTL3LX, N92HTL3LLX, N92HTW3RX, N92HTW3RRX, N92HTW3LX, N92HTW3LLX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Accent | 2.80 | 3.10 | 3.70 | 3.30 | 56 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92HTLIN9, N92HTWIN9 | | 4.60 | 5.70 | 7.90 | 8.90 | 91 |
| N92HTLIN9X, N92HTWIN9X | Seat | 2.30 | 2.80 | 3.80 | 4.80 | 46 |
| | Back | 1.20 | 1.60 | 2.20 | 2.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 14 |
| | Accent | 1.50 | 1.80 | 2.40 | 2.30 | 30 |
| N92HTLSQ9D, N92HTWSQ9D | | 3.50 | 5.50 | 6.70 | 6.80 | 70 |
| N92HTLSQ9D, N92HTWSQ9D | Seat | 2.00 | 2.30 | 2.50 | 2.80 | 39 |
| | Back | 1.30 | 1.40 | 2.10 | 2.20 | 26 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| | Accent | 1.40 | 2.10 | 2.40 | 2.30 | 28 |
| N92HTLSQ9R, N92HTLSQ9L, N92HTWSQ9R, N92HTWSQ9L | | 3.30 | 5.50 | 6.70 | 6.80 | 66 |
| N92HTLSQ9RX, N92HTLSQ9LX, N92HTWSQ9RX, N92HTWSQ9LX | Seat | 1.60 | 2.30 | 2.50 | 3.20 | 33 |
| | Back | 1.30 | 1.40 | 2.10 | 2.20 | 26 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| | Accent | 1.40 | 2.10 | 2.40 | 2.30 | 28 |
| N92HTUC2 | | 9.20 | 10.90 | 15.30 | 15.80 | 182.5 |
| N92HTUC2X | Seat | 2.70 | 3.00 | 4.90 | 5.30 | 53 |
| | Back | 3.80 | 4.10 | 5.00 | 7.90 | 74 |
| | Lumbar | 0.70 | 0.80 | 1.20 | 1.80 | 12.5 |
| | Accent | 2.90 | 4.10 | 4.90 | 4.30 | 55.5 |
| N92HTUC3 | | 12.70 | 13.80 | 15.80 | 14.50 | 253 |
| N92HTUC3X | Seat | 6.60 | 8.40 | 9.30 | 10.50 | 131.5 |
| | Back | 5.40 | 5.90 | 7.50 | 8.60 | 107.5 |
| | Lumbar | 1.20 | 1.50 | 1.80 | 3.40 | 24 |
| | Accent | 4.80 | 5.30 | 6.00 | 5.90 | 96 |
| N92HTUSQ9RX, N92HTUSQ9LX | Seat | 2.60 | 2.80 | 3.60 | 3.30 | 52 |
| | Back | 2.00 | 2.20 | 3.00 | 3.20 | 40 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 1.30 | 8 |
| | Accent | 1.40 | 2.10 | 2.40 | 2.30 | 28 |
| N92HTW2BH, N92HTL2BH | | 12.30 | 13.20 | 14.90 | 17.40 | 245 |
| N92HTW2BHX, N92HTL2BHX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 5.70 | 5.90 | 7.50 | 7.50 | 113 |
| N92HTW2BM, N92HTL2BM | | 10.90 | 11.60 | 13.40 | 15.80 | 217 |
| N92HTW2BMX, N92HTL2BMX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Accent | 1.90 | 2.00 | 2.50 | 2.30 | 35.5 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |
| N92HTWC2, N92HTLC2 | | 5.40 | 8.00 | 11.90 | 12.40 | 107 |
| N92HTWC2X, N92HTLC2X | Seat | 2.20 | 2.80 | 3.30 | 3.90 | 43 |
| | Back | 1.70 | 1.90 | 2.50 | 3.90 | 34 |
| | Lumbar | 0.70 | 0.80 | 1.20 | 1.80 | 12.5 |
| | Accent | 2.90 | 4.10 | 4.90 | 4.30 | 55.5 |
| N92HTWC3, N92HTLC3 | | 7.60 | 11.00 | 14.50 | 14.70 | 150 |
| N92HTWC3X, N92HTLC3X | Seat | 3.20 | 3.80 | 4.30 | 5.80 | 62 |
| | Back | 1.90 | 2.50 | 3.10 | 4.90 | 38 |
| | Lumbar | 1.20 | 1.50 | 1.80 | 3.40 | 24 |
| | Accent | 4.80 | 5.30 | 6.00 | 5.90 | 96 |
| N92M1B, N92M1BR, N92M1BL | | 6.80 | 7.30 | 8.30 | 9.40 | 133 |
| N92M1BM | | 8.30 | 8.90 | 10.00 | 11.20 | 165.5 |
| N92M1BMX | Seat | 2.60 | 3.00 | 3.10 | 3.90 | 50 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92M1BX, N92M1BRX, N92M1BLX | Seat | 2.60 | 3.00 | 3.10 | 3.90 | 50 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Arms | 2.80 | 3.20 | 3.80 | 3.90 | 58 |
| N92M1M | | 4.10 | 4.70 | 4.90 | 5.40 | 80 |
| N92M1MX | Seat | 2.60 | 3.00 | 3.10 | 3.90 | 50 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| N92M1R, N92M1RR, N92M1L, N92M1LL | | 5.50 | 6.00 | 6.50 | 7.40 | 107 |
| N92M1RM, N92M1LM | | 6.20 | 6.80 | 7.60 | 8.30 | 123.5 |
| N92M1RMX, N92M1LMX | Seat | 2.60 | 3.00 | 3.10 | 3.90 | 50 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92M1RX, N92M1RRX N92M1LX, N92M1LLX | Seat | 2.60 | 3.00 | 3.10 | 3.90 | 50 |
| | Back | 1.40 | 1.50 | 1.50 | 2.20 | 25 |
| | Lumbar | 0.40 | 0.50 | 0.60 | 0.80 | 7 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |
| N92M2B, N92M2BR, N92M2BL, N92M2BB, N92MTU2B, N92MTU2BR, N92MTU2BL, N92MTU2BB | | 9.80 | 10.30 | 11.10 | 12.90 | 195 |
| N92M2BM, N92MTU2BM | | 11.30 | 12.00 | 13.70 | 16.20 | 225 |
| N92M2BMX, N92MTU2BMX | Seat | 4.10 | 4.60 | 4.90 | 5.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |
| N92M2BX, N92M2BRX, N92M2BLX, N92M2BBX, N92MTU2BX, N92MTU2BRX, N92MTU2BLX, N92MTU2BBX | Seat | 4.10 | 4.60 | 4.90 | 5.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Arms | 2.80 | 3.20 | 3.80 | 3.90 | 58 |
| N92M2M, N92MTU2M | | 7.10 | 7.70 | 8.50 | 8.30 | 139.5 |
| N92M2MX, N92MTU2MX | Seat | 4.10 | 4.60 | 4.90 | 5.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| N92M2R, N92M2RR, N92M2L, N92M2LL N92MTU2R, N92MTU2RR, N92MTU2L, N92MTU2LL | | 8.40 | 9.10 | 9.80 | 11.00 | 167 |
| N92M2RM, N92M2LM, N92MTU2RM, N92MTU2LM | | 9.20 | 9.80 | 11.20 | 13.10 | 183 |
| N92M2RMX, N92M2LMX, N92MTU2RMX, N92MTU2LMX | Seat | 4.10 | 4.60 | 4.90 | 5.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92M2RX, N92M2RRX, N92M2LX, N92M2LLX, N92MTU2RX, N92MTU2RRX, N92MTU2LX, N92MTU2LLX | Seat | 4.10 | 4.60 | 4.90 | 5.30 | 80 |
| | Back | 2.50 | 2.60 | 2.60 | 3.90 | 50 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Arms | 1.50 | 1.60 | 1.90 | 1.90 | 30 |
| N92M3B, N92M3BR, N92M3BL, N92M3BB, N92MTU3B, N92MTU3BR, N92MTU3BL, N92MTU3BB | | 12.80 | 13.80 | 15.00 | 16.90 | 255 |
| N92M3BM, N92MTU3BM | | 14.30 | 15.10 | 17.40 | 18.20 | 285 |
| N92M3BMX, N92MTU3BMX | Seat | 5.60 | 6.30 | 6.70 | 7.30 | 111.5 |
| | Back | 3.70 | 3.80 | 4.50 | 5.90 | 74 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-------------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92M3BX, N92M3BRX, N92M3BLX, N92M3BBX, N92MTU3BX, N92MTU3BRX, N92MTU3BLX, N92MTU3BBX | Seat Back Lumbar Arms | 5.60 3.70 1.10 2.80 | 6.30 3.80 1.20 3.20 | 6.70 3.80 1.20 3.80 | 7.30 5.90 1.80 3.90 | 111.5 74 22 58 |
| N92M3M, N92MTU3M | | 10.10 | 11.00 | 12.20 | 12.90 | 199 |
| N92M3MX, N92MTU3MX | Seat Back Lumbar | 5.60 3.70 1.10 | 6.30 3.80 1.20 | 6.70 4.50 1.20 | 7.30 5.90 1.80 | 111.5 74 22 |
| N92M3R, N92M3RR, N92M3L, N92M3LL, N92MTU3R, N92MTU3RR, N92MTU3L, N92MTU3LL | | 11.50 | 12.40 | 13.40 | 14.90 | 229 |
| N92M3RM, N92M3LM, N92MTU3RM, N92MTU3LM | | 12.20 | 13.10 | 14.90 | 15.20 | 243 |
| N92M3RMX, N92M3LMX, N92MTU3RMX, N92MTU3LMX | Seat Back Lumbar Arms | 5.60 3.70 1.10 2.20 | 6.30 3.80 1.20 2.40 | 6.70 3.80 1.20 3.70 | 7.30 5.90 1.80 4.10 | 111.5 74 22 44 |
| N92M3RX, N92M3RRX, N92M3LX, N92M3LLX, N92MTU3RX, N92MTU3RRX, N92MTU3LX, N92MTU3LLX | Seat Back Lumbar Arms | 5.60 3.70 1.10 1.50 | 6.30 3.80 1.20 1.60 | 6.70 3.80 1.20 1.90 | 7.30 5.90 1.80 1.90 | 111.5 74 22 30 |
| N92MC2 | | 6.80 | 9.00 | 12.00 | 13.30 | 135 |
| N92MC2X | Back Lumbar Seat | 3.80 0.70 3.70 | 4.10 0.80 4.30 | 5.00 1.20 5.90 | 7.90 1.80 7.30 | 74 12.5 74 |
| N92MC3 | | 10.20 | 13.50 | 16.00 | 18.00 | 202 |
| N92MC3X | Back Lumbar Seat | 5.40 1.20 5.50 | 5.90 1.50 6.60 | 7.50 1.80 8.00 | 8.60 3.40 8.50 | 107.5 24 108 |
| N92MIN9, N92MTUIN9 | | 5.00 | 6.00 | 8.40 | 10.20 | 100 |
| N92MIN9X, N92MTUIN9X | Seat Back Lumbar | 2.70 2.40 0.70 | 3.30 2.50 0.80 | 4.90 2.80 0.90 | 5.30 3.90 1.30 | 54 48 14 |
| N92MOU9 | | 4.30 | 4.90 | 6.60 | 7.70 | 86 |
| N92MOU9X | Seat Back Lumbar | 2.80 1.40 0.50 | 3.40 1.50 0.50 | 4.60 1.50 0.60 | 5.30 2.20 0.80 | 55 28 10 |
| N92MSQ9D, N92MTUSQ9D | Complete | 4.30 | 5.40 | 7.00 | 7.80 | 86 |
| N92MSQ9DX, N92MTUSQ9DX | Seat Back Lumbar | 2.70 2.00 0.40 | 3.30 2.10 0.50 | 4.00 3.00 0.60 | 4.00 3.20 1.30 | 54 40 8 |
| N92MSQ9R, N92MSQ9L, N92MTUSQ9R, N92MTUSQ9L | Complete | 4.00 | 5.50 | 8.00 | 8.00 | 80 |
| N92MSQ9RX, N92MSQ9LX, N92MTUSQ9RX, N92MTUSQ9LX | Seat Back Lumbar | 2.40 2.00 0.40 | 3.20 2.10 0.50 | 3.30 3.00 0.60 | 4.00 3.20 1.30 | 48 40 8 |
| N92MTL2B, N92MTL2BR, N92MTL2BL, N92MTL2BB, N92MTW2B, N92MTW2BR, N92MTW2BL, N92MTW2BB | | 7.60 | 8.10 | 9.20 | 10.30 | 151 |
| N92MTL2BX, N92MTL2BRX, N92MTL2BLX, N92MTL2BBX, N92MTW2BX, N92MTW2BRX, N92MTW2BLX, N92MTW2BBX | Seat Back Lumbar Arms | 3.20 1.20 0.70 2.80 | 3.60 1.30 0.80 3.20 | 3.70 1.30 0.90 3.80 | 4.30 1.90 1.30 3.90 | 63.75 24 13 58 |
| N92MTL2M, N92MTW2M | | 5.00 | 5.30 | 6.10 | 5.80 | 100 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-------------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92MTL2MX, N92MTW2MX | Seat Back Lumbar | 3.20 1.20 0.70 | 3.60 1.30 0.80 | 3.70 1.30 0.90 | 4.30 1.90 1.30 | 63.75 24 13 |
| N92MTL2R, N92MTL2RR, N92MTL2L, N92MTL2LL, N92MTW2R, N92MTW2RR, N92MTW2L, N92MTW2LL | | 6.30 | 6.80 | 7.40 | 8.40 | 125.5 |
| N92MTL2RX, N92MTL2RRX, N92MTL2LX, N92MTL2LLX, N92MTW2RX, N92MTW2RRX, N92MTW2LX, N92MTW2LLX | Seat Back Lumbar Arms | 3.20 1.20 0.70 1.50 | 3.60 1.30 0.80 1.60 | 3.70 1.30 0.90 1.90 | 4.30 1.90 1.30 1.90 | 63.75 24 13 30 |
| N92MTL3B, N92MTL3BR, N92MTL3BL, N92MTL3BB, N92MTW3B, N92MTW3BR, N92MTW3BL, N92MTW3BB | | 9.60 | 10.30 | 11.30 | 12.80 | 191 |
| N92MTL3BM, N92MTW3BM | | 11.10 | 11.80 | 13.40 | 14.90 | 221 |
| N92MTL3BMX, N92MTW3BMX | Seat Back Lumbar Arms | 4.40 2.70 1.10 4.30 | 4.80 2.80 1.20 4.60 | 4.90 3.30 1.20 6.30 | 5.90 3.30 1.80 7.10 | 88 54 22 86 |
| N92MTL3BX, N92MTL3BRX, N92MTL3BLX, N92MTL3BBX, N92MTW3BX, N92MTW3BRX, N92MTW3BLX, N92MTW3BBX | Seat Back Lumbar Arms | 4.40 2.70 1.10 2.80 | 4.80 2.80 1.20 3.20 | 4.90 3.30 1.20 3.80 | 5.90 3.30 1.80 3.90 | 88 54 22 58 |
| N92MTL3M, N92MTW3M | | 6.90 | 7.60 | 8.50 | 8.90 | 137.5 |
| N92MTL3MX, N92MTW3MX | Seat Back Lumbar | 4.40 2.70 1.10 | 4.80 2.80 1.20 | 4.90 3.30 1.20 | 5.90 3.30 1.80 | 88 54 22 |
| N92MTL3R, N92MTL3RR, N92MTL3L, N92MTL3LL, N92MTW3R, N92MTW3RR, N92MTW3L, N92MTW3LL | | 8.30 | 8.90 | 9.80 | 10.30 | 165 |
| N92MTL3RX, N92MTL3RRX, N92MTL3LX, N92MTL3LLX, N92MTW3RX, N92MTW3RRX, N92MTW3LX, N92MTW3LLX | Seat Back Lumbar Arms | 4.40 2.70 1.10 1.50 | 4.80 2.80 1.20 1.60 | 4.90 3.30 1.20 1.90 | 5.90 3.30 1.80 1.90 | 88 54 22 30 |
| N92MTLIN9, N92MTWIN9 | | 3.20 | 4.00 | 5.40 | 6.90 | 64 |
| N92MTLIN9X, N92MTWIN9X | Seat Back Lumbar | 2.30 1.20 0.70 | 2.80 1.60 0.80 | 3.80 2.20 0.90 | 4.80 2.90 1.30 | 46 24 14 |
| N92MTLSQ9D, N92MTWSQ9D | | 2.50 | 3.50 | 4.30 | 5.20 | 50 |
| N92MTLSQ9DX, N92MTWSQ9DX | Seat Back Lumbar | 1.90 1.30 0.40 | 2.30 1.40 0.50 | 2.50 2.10 0.60 | 2.80 2.20 1.30 | 39 26 8 |
| N92MTLSQ9R, N92MTLSQ9L, N92MTWSQ9R, N92MTWSQ9L | | 2.20 | 3.50 | 4.30 | 5.20 | 44 |
| N92MTLSQ9RX, N92MTLSQ9LX, N92MTWSQ9RX, N92MTWSQ9LX | Seat Back Lumbar | 1.60 1.30 0.40 | 2.30 1.40 0.50 | 2.50 2.10 0.60 | 3.20 2.20 1.30 | 32 26 8 |
| N92MTUC2 | | 6.60 | 7.20 | 10.40 | 11.40 | 130 |
| N92MTUC2X | Seat Back Lumbar | 2.70 3.80 0.70 | 3.00 4.10 0.80 | 4.90 5.00 1.20 | 5.30 7.90 1.80 | 53 74 12.5 |
| N92MTUC3 | | 11.70 | 14.10 | 16.90 | 18.80 | 233 |
| N92MTUC3X | Seat Back Lumbar | 6.60 5.40 1.20 | 8.40 5.90 1.50 | 9.30 7.50 1.80 | 10.50 8.60 3.40 | 131.5 107.5 24 |
| N92MTW2BM, N92MTL2BM | | 9.10 | 9.70 | 11.20 | 13.70 | 181.5 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92MTW2BMX, N92MTL2BMX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Arms | 4.30 | 4.60 | 6.30 | 7.10 | 86 |
| N92MTW2RM, N92MTW2LM, N92MTL2RM, N92MTL2LM | | 7.00 | 7.50 | 8.80 | 10.90 | 139.5 |
| N92MTW2RMX, N92MTW2LMX, N92MTL2RMX, N92MTL2LMX | Seat | 3.20 | 3.60 | 3.70 | 4.30 | 63.75 |
| | Back | 1.20 | 1.30 | 1.30 | 1.90 | 24 |
| | Lumbar | 0.70 | 0.80 | 0.90 | 1.30 | 13 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92MTW3RM, N92MTW3LM, N92MTL3RM, N92MTL3LM | | 9.00 | 9.70 | 10.70 | 11.90 | 179 |
| N92MTW3RMX, N92MTW3LMX, N92MTL3RMX, N92MTL3LMX | Seat | 4.40 | 4.80 | 4.90 | 5.90 | 88 |
| | Back | 2.70 | 2.80 | 3.30 | 3.30 | 54 |
| | Lumbar | 1.10 | 1.20 | 1.20 | 1.80 | 22 |
| | Arms | 2.20 | 2.40 | 3.70 | 4.10 | 44 |
| N92MTWC2, N92MTLC2 | | 3.50 | 4.80 | 7.00 | 7.90 | 69 |
| N92MTWC2X, N92MTLC2X | Seat | 2.20 | 2.80 | 3.30 | 3.90 | 43 |
| | Back | 1.70 | 1.90 | 2.50 | 3.90 | 34 |
| | Lumbar | 0.70 | 0.80 | 1.20 | 1.80 | 12.5 |
| N92MTWC3, N92MTLC3 | | 4.70 | 6.50 | 8.50 | 11.00 | 92 |
| N92MTWC3X, N92MTLC3X | Seat | 3.20 | 3.80 | 4.30 | 5.80 | 62 |
| | Back | 1.90 | 2.50 | 3.10 | 4.90 | 38 |
| | Lumbar | 1.20 | 1.50 | 1.80 | 3.40 | 24 |
| N92MBH2MS, N92MBH2MSP | | 7.40 | 8.00 | 10.50 | 10.80 | 146.2 |
| N92MBH2MSX, N92MBH2MSPX | Seat | 4.20 | 5.00 | 6.50 | 7.50 | 83.02 |
| | Back | 2.70 | 3.00 | 3.80 | 4.00 | 52.6 |
| | Lumbar | 0.60 | 1.00 | 1.00 | 1.80 | 11.62 |
| N92HBH2MS, N92HBH2MSP | | 9.10 | 10.00 | 12.80 | 13.00 | 181.0 |
| N92HBH2MSX, N92HBH2MSPX | Seat | 4.20 | 5.00 | 6.50 | 7.50 | 83.02 |
| | Back | 2.70 | 3.00 | 3.80 | 4.00 | 52.6 |
| | Lumbar | 0.60 | 1.00 | 1.00 | 1.80 | 11.62 |
| | Accent | 2.00 | 2.50 | 3.00 | 3.50 | 39.9 |
| N92MBH2MD, N92MBH2MDP | | 9.70 | 11.00 | 14.00 | 16.80 | 193.2 |
| N92MBH2MDX, N92MBH2MDPX | Seat | 6.60 | 8.00 | 10.50 | 12.50 | 130.06 |
| | Back | 2.30 | 2.80 | 3.00 | 5.00 | 44.3 |
| | Lumbar | 1.20 | 1.50 | 1.80 | 3.00 | 23.8 |
| N92HBH2MD, N92HBH2MDP | | 11.80 | 13.50 | 16.50 | 20.00 | 234.2 |
| N92HBH2MDX, N92HBH2MDPX | Seat | 6.60 | 8.00 | 10.50 | 12.50 | 130.06 |
| | Back | 2.30 | 2.80 | 3.00 | 5.00 | 44.3 |
| | Lumbar | 1.20 | 1.50 | 1.80 | 3.00 | 23.8 |
| | Accent | 2.30 | 2.80 | 3.00 | 4.50 | 44.9 |
| N92MOUR9 | | 4.90 | 5.30 | 6.70 | 6.90 | 96.6 |
| N92MOUR9X | Seat | 3.20 | 3.40 | 5.00 | 4.50 | 62.1 |
| | Back | 1.70 | 1.80 | 1.80 | 2.60 | 32.2 |
| | Lumbar | 0.60 | 0.60 | 0.70 | 1.00 | 11.5 |
| N92MINR9 | | 5.90 | 6.40 | 8.60 | 9.00 | 117.3 |
| N92MINR9X | Seat | 3.20 | 3.40 | 5.00 | 4.40 | 62.1 |
| | Back | 2.80 | 2.90 | 3.30 | 4.50 | 55.2 |
| | Lumbar | 0.90 | 1.00 | 1.10 | 1.50 | 16.1 |
| N92HOUR9 | | 5.80 | 6.60 | 8.20 | 8.10 | 111.6 |
| N92HOUR9X | Seat | 3.20 | 3.40 | 5.00 | 4.50 | 62.1 |
| | Back | 1.70 | 1.80 | 1.80 | 2.60 | 32.2 |
| | Lumbar | 0.60 | 0.60 | 0.70 | 1.00 | 11.5 |
| | Accent | 1.20 | 1.30 | 1.40 | 1.50 | 20.7 |
| N92HINR9 | | 7.20 | 8.40 | 11.70 | 12.00 | 142.1 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-------------------|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N92HINR9X | Seat | 3.20 | 3.40 | 5.00 | 4.40 | 62.1 |
| | Back | 2.80 | 2.90 | 3.30 | 4.50 | 55.2 |
| | Lumbar | 0.90 | 1.00 | 1.10 | 1.50 | 16.1 |
| | Accent | 1.80 | 2.10 | 2.80 | 2.70 | 34.5 |
| N92MINR9SW | Complete | 6.40 | 6.90 | 9.30 | 9.80 | 127.5 |
| N92MINR9SWX | Seat | 3.40 | 3.70 | 5.40 | 4.80 | 67.5 |
| | Back | 3.00 | 3.20 | 3.50 | 4.90 | 60.0 |
| | Lumbar | 0.90 | 1.00 | 1.20 | 1.70 | 17.5 |
| N92MINR9SL | | 6.40 | 6.90 | 9.30 | 9.80 | 127.5 |
| N92MINR9SLX | Seat | 3.40 | 3.70 | 5.40 | 4.80 | 67.5 |
| | Back | 3.00 | 3.20 | 3.50 | 4.90 | 60.0 |
| | Lumbar | 0.90 | 1.00 | 1.20 | 1.70 | 17.5 |
| N92MTUINR9 | | 5.90 | 6.40 | 8.60 | 9.00 | 117.3 |
| N92MTUINR9X | Seat | 3.20 | 3.40 | 5.00 | 4.40 | 62.1 |
| | Back | 2.80 | 2.90 | 3.30 | 4.50 | 55.2 |
| | Lumbar | 0.90 | 1.00 | 1.10 | 1.50 | 16.1 |
| N92HTUINR9 | | 7.20 | 8.40 | 11.70 | 12.00 | 142.1 |
| N92HTUINR9X | Seat | 3.20 | 3.40 | 5.00 | 4.40 | 62.1 |
| | Back | 2.80 | 2.90 | 3.30 | 4.50 | 55.2 |
| | Lumbar | 0.90 | 1.00 | 1.10 | 1.50 | 16.1 |
| | Accent | 1.80 | 2.10 | 2.80 | 2.70 | 34.5 |
| N92BR9 | | 3.40 | 3.80 | 5.70 | 6.50 | 66.2 |
| N92BQR | | 2.70 | 3.10 | 3.70 | 3.30 | 52.5 |
| N92BHR | | 4.40 | 4.40 | 5.00 | 5.80 | 86.5 |
| N95AA, N95AAC | | 5.80 | 7.00 | 8.40 | 9.50 | 116 |
| N95AAL, N95AALC | | 5.80 | 7.00 | 8.40 | 9.50 | 116 |
| N95AAR, N95AARC | | 5.80 | 7.00 | 8.40 | 9.40 | 116 |
| N95AAX, N95AACX | Back | 0.90 | 1.00 | 1.10 | 1.00 | 8 |
| N95AARX, N95AARCX | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 9 |
| N95AALX, N95AALCX | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.30 | 1.40 | 1.80 | 1.70 | 12 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 2.50 | 2.80 | 3.80 | 4.00 | 48 |
| N95BB | | 7.00 | 10.60 | 12.70 | 13.90 | 140 |
| N95BBB | | 7.00 | 10.60 | 12.70 | 13.90 | 140 |
| N95BBL | | 7.00 | 10.60 | 12.70 | 13.90 | 140 |
| N95BBR | | 7.00 | 10.60 | 12.70 | 13.90 | 140 |
| N95BBX, | Back | 1.40 | 1.70 | 2.00 | 2.00 | 26 |
| N95BBRX, | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| N95BBLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95BBBX | Seat | 1.90 | 3.40 | 4.00 | 4.30 | 35 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 2.50 | 2.80 | 3.80 | 4.00 | 48 |
| N95CC | | 9.00 | 14.10 | 16.30 | 18.40 | 179 |
| N95CCB | | 9.00 | 14.10 | 16.30 | 18.40 | 179 |
| N95CCL | | 9.00 | 14.10 | 16.30 | 18.40 | 179 |
| N95CCR | | 9.00 | 14.10 | 16.30 | 18.40 | 179 |
| N95CCX, | Back | 1.70 | 2.50 | 3.00 | 3.00 | 31 |
| N95CCR, | Extreme | 2.60 | 2.80 | 3.00 | 3.00 | 50.5 |
| N95CCLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95CCBX | Seat | 3.00 | 5.30 | 6.10 | 6.80 | 58 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 2.50 | 2.80 | 3.80 | 4.00 | 48 |
| N95DD | | 2.60 | 2.90 | 3.20 | 3.50 | 52 |
| N95DDX | Seat | 1.70 | 1.80 | 1.80 | 1.90 | 22.5 |
| | Seat Accent | 1.00 | 1.00 | 1.30 | 1.40 | 18 |
| N95EE | | 3.40 | 5.50 | 6.20 | 6.50 | 68 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-----------------|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N95EEX | Seat | 2.60 | 4.50 | 4.90 | 5.40 | 49.25 |
| | Seat Accent | 1.00 | 1.00 | 1.30 | 1.40 | 18 |
| N95GG | | 5.90 | 8.00 | 9.30 | 9.50 | 118 |
| N95GGX | Seat | 5.00 | 7.00 | 8.00 | 8.40 | 98 |
| | Seat Accent | 1.00 | 1.00 | 1.30 | 1.40 | 18 |
| N95MA, N95MAC | | 3.20 | 4.30 | 5.00 | 5.40 | 64 |
| N95MAL | | 4.20 | 5.70 | 6.60 | 7.40 | 84 |
| N95MALT | | 4.20 | 5.70 | 6.60 | 7.40 | 84 |
| N95MAR | | 4.20 | 5.70 | 6.60 | 7.40 | 84 |
| N95MART | | 4.20 | 5.70 | 6.60 | 7.40 | 84 |
| N95MARX, | Back | 0.90 | 1.00 | 1.10 | 1.00 | 8 |
| N95MARTX, | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 9 |
| N95MALX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95MALT X | Seat | 1.30 | 1.40 | 1.80 | 1.70 | 12 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 1.50 | 1.50 | 2.00 | 2.00 | 27 |
| N95MAX, N95MACX | Back | 0.90 | 1.00 | 1.10 | 1.00 | 8 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 9 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.30 | 1.40 | 1.80 | 1.70 | 12 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MB | | 5.10 | 7.90 | 9.30 | 9.90 | 102 |
| N95MBL | | 6.10 | 9.20 | 10.50 | 11.90 | 122 |
| N95MBLT | | 6.10 | 9.20 | 10.50 | 11.90 | 122 |
| N95MBR | | 6.10 | 9.20 | 10.50 | 11.90 | 122 |
| N95MBRT | | 6.10 | 9.20 | 10.50 | 11.90 | 122 |
| N95MBRX, | Back | 1.40 | 1.70 | 2.00 | 2.00 | 26 |
| N95MBRTX, | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| N95MBLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95MBLT X | Seat | 1.90 | 3.40 | 4.00 | 4.30 | 35 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 1.50 | 1.50 | 2.00 | 2.00 | 27 |
| N95MBX | Back | 1.40 | 1.70 | 2.00 | 2.00 | 26 |
| | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.90 | 3.40 | 4.00 | 4.30 | 35 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MC | | 7.10 | 11.40 | 13.00 | 14.40 | 142 |
| N95MCL | | 8.10 | 12.80 | 14.50 | 16.40 | 162 |
| N95MCLT | | 8.10 | 12.80 | 14.50 | 16.40 | 162 |
| N95MCR | | 8.10 | 12.80 | 14.50 | 16.40 | 162 |
| N95MCRT | | 8.10 | 12.80 | 14.50 | 16.40 | 162 |
| N95MCRX, | Back | 1.70 | 2.50 | 3.00 | 3.00 | 31 |
| N95MCRTX, | Extreme | 2.60 | 2.80 | 3.00 | 3.00 | 50.5 |
| N95MCLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95MCLT X | Seat | 3.00 | 5.30 | 6.10 | 6.80 | 58 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 1.50 | 1.50 | 2.00 | 2.00 | 27 |
| N95MCX | Back | 1.70 | 2.50 | 3.00 | 3.00 | 31 |
| | Extreme | 2.60 | 2.80 | 3.00 | 3.00 | 50.5 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 3.00 | 5.30 | 6.10 | 6.80 | 58 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MH | | 2.60 | 3.30 | 4.10 | 5.00 | 52 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-------------------|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N95MHX | Back | 0.90 | 1.00 | 1.10 | 1.00 | 17 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 10.5 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.40 | 1.40 | 1.70 | 1.80 | 26.5 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MHA | | 2.60 | 3.40 | 4.10 | 4.40 | 52 |
| N95MHAX | Back | 0.90 | 1.00 | 1.10 | 1.00 | 17 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.50 | 1.60 | 1.70 | 1.80 | 28 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MJ | | 3.30 | 3.70 | 5.00 | 5.20 | 66 |
| N95MJX | Back | 1.00 | 1.00 | 1.20 | 1.00 | 17 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 12.5 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.50 | 1.60 | 1.70 | 1.80 | 29 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MJA | | 2.50 | 3.30 | 3.70 | 4.40 | 50 |
| N95MJAX | Back | 0.90 | 0.90 | 1.10 | 1.00 | 15 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 4.5 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.50 | 1.60 | 1.70 | 3.30 | 28 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MK | | 4.10 | 4.40 | 6.60 | 7.10 | 82 |
| N95MKX | Back | 1.70 | 1.70 | 2.00 | 2.00 | 31 |
| | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.40 | 1.50 | 1.70 | 1.80 | 26.5 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MKA | | 3.40 | 3.70 | 4.60 | 6.00 | 68 |
| N95MKAX | Back | 0.90 | 1.00 | 1.10 | 1.00 | 15 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Seat | 2.00 | 2.20 | 2.60 | 4.70 | 39 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95AA, N95AAC | | 6.60 | 8.00 | 9.80 | 25.00 | 131 |
| N95AAL, N95AALC | | 6.60 | 8.00 | 9.80 | 25.00 | 131 |
| N95AAR, N95AARC | | 6.60 | 8.00 | 9.80 | 24.90 | 131 |
| N95AAX, N95AACX | Back | 1.30 | 1.50 | 1.80 | 8.70 | 16 |
| N95AARX, N95AARCX | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 9 |
| N95AALX, N95AALCX | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.70 | 1.90 | 2.50 | 9.40 | 20 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 2.50 | 2.80 | 3.80 | 4.00 | 48 |
| N95BB | | 8.60 | 12.60 | 15.50 | 44.80 | 171 |
| N95BBB | | 8.60 | 12.60 | 15.50 | 44.80 | 171 |
| N95BBL | | 8.60 | 12.60 | 15.50 | 44.80 | 171 |
| N95BBR | | 8.60 | 12.60 | 15.50 | 44.80 | 171 |
| N95BBX, | Back | 2.20 | 2.70 | 3.40 | 17.50 | 41 |
| N95BBRX, | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| N95BBLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95BBBX | Seat | 2.70 | 4.40 | 5.40 | 19.80 | 50 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 2.50 | 2.80 | 3.80 | 4.00 | 48 |
| N95CC | | 11.30 | 17.10 | 20.50 | 64.80 | 225 |
| N95CCB | | 11.30 | 17.10 | 20.50 | 64.80 | 225 |
| N95CCL | | 11.30 | 17.10 | 20.50 | 64.80 | 225 |
| N95CCR | | 11.30 | 17.10 | 20.50 | 64.80 | 225 |

COM YARDAGE

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILOADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|-----------------|---|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N95CCX, | Back | 2.90 | 4.00 | 5.10 | 26.20 | 54 |
| N95CCR,X, | Extreme | 2.60 | 2.80 | 3.00 | 3.00 | 51 |
| N95CCLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95CCBX | Seat | 4.20 | 6.80 | 8.20 | 30.00 | 81 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 2.50 | 2.80 | 3.80 | 4.00 | 48 |
| N95DD | | 3.00 | 3.40 | 3.90 | 11.20 | 60 |
| N95DDX | Seat | 2.10 | 2.30 | 2.50 | 9.60 | 30 |
| | Seat Accent | 1.00 | 1.00 | 1.30 | 1.40 | 18 |
| N95EE | | 4.20 | 6.50 | 7.60 | 22.00 | 83 |
| N95EEX | Seat | 3.40 | 5.50 | 6.30 | 20.90 | 65 |
| | Seat Accent | 1.00 | 1.00 | 1.30 | 1.40 | 18 |
| N95GG | | 7.10 | 9.50 | 11.40 | 32.70 | 141 |
| N95GGX | Seat | 6.20 | 8.50 | 10.10 | 31.60 | 121 |
| | Seat Accent | 1.00 | 1.00 | 1.30 | 1.40 | 18 |
| N95MA, N95MAC | | 4.00 | 5.30 | 6.40 | 20.90 | 79 |
| N95MAL | | 5.00 | 6.70 | 8.00 | 22.90 | 99 |
| N95MALT | | 5.00 | 6.70 | 8.00 | 22.90 | 99 |
| N95MAR | | 5.00 | 6.70 | 8.00 | 22.90 | 99 |
| N95MART | | 5.00 | 6.70 | 8.00 | 22.90 | 99 |
| N95MARX, | Back | 1.30 | 1.50 | 1.80 | 8.70 | 16 |
| N95MARTX, | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 9 |
| N95MALX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95MALTX | Seat | 1.70 | 1.90 | 2.50 | 9.40 | 20 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 1.50 | 1.50 | 2.00 | 2.00 | 27 |
| N95MAX, N95MACX | Back | 1.30 | 1.50 | 1.80 | 8.70 | 16 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 9 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.70 | 1.90 | 2.50 | 9.40 | 20 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MB | | 6.70 | 9.90 | 12.10 | 40.80 | 133 |
| N95MBL | | 7.70 | 11.20 | 13.30 | 42.80 | 153 |
| N95MBLT | | 7.70 | 11.20 | 13.30 | 42.80 | 153 |
| N95MBR | | 7.70 | 11.20 | 13.30 | 42.80 | 153 |
| N95MBRT | | 7.70 | 11.20 | 13.30 | 42.80 | 153 |
| N95MBRX, | Back | 2.20 | 2.70 | 3.40 | 17.50 | 41 |
| N95MBRTX, | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| N95MBLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95MBLTX | Seat | 2.70 | 4.40 | 5.40 | 19.80 | 50 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 1.50 | 1.50 | 2.00 | 2.00 | 27 |
| N95MBX | Back | 2.20 | 2.70 | 3.40 | 17.50 | 41 |
| | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 2.70 | 4.40 | 5.40 | 19.80 | 50 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MC | | 9.40 | 14.40 | 17.20 | 60.80 | 188 |
| N95MCL | | 10.40 | 15.80 | 18.70 | 62.80 | 208 |
| N95MCLT | | 10.40 | 15.80 | 18.70 | 62.80 | 208 |
| N95MCR | | 10.40 | 15.80 | 18.70 | 62.80 | 208 |
| N95MCRT | | 10.40 | 15.80 | 18.70 | 62.80 | 208 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---------------------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| N95MCRX, | Back | 2.90 | 4.00 | 5.10 | 26.20 | 54 |
| N95MCRTX, | Extreme | 2.60 | 2.80 | 3.00 | 3.00 | 51 |
| N95MCLX, | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| N95MCLTX | Seat | 4.20 | 6.80 | 8.20 | 30.00 | 81 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Arm | 1.50 | 1.50 | 2.00 | 2.00 | 27 |
| N95MCX | Back | 2.90 | 4.00 | 5.10 | 26.20 | 54 |
| | Extreme | 2.60 | 2.80 | 3.00 | 3.00 | 51 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 4.20 | 6.80 | 8.20 | 30.00 | 81 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MH | | 3.40 | 4.30 | 5.50 | 20.50 | 67 |
| N95MHX | Back | 1.30 | 1.50 | 1.80 | 8.70 | 25 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 11 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.80 | 1.90 | 2.40 | 9.50 | 34 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MHA | | 3.40 | 4.40 | 5.50 | 19.90 | 67 |
| N95MHAX | Back | 1.30 | 1.50 | 1.80 | 8.70 | 25 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.90 | 2.10 | 2.40 | 9.50 | 36 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MJ | | 4.10 | 4.70 | 6.40 | 20.70 | 81 |
| N95MJX | Back | 1.40 | 1.50 | 1.90 | 8.70 | 25 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 13 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.90 | 2.10 | 2.40 | 9.50 | 37 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MJA | | 3.30 | 4.30 | 5.10 | 19.90 | 65 |
| N95MJAX | Back | 1.30 | 1.40 | 1.80 | 8.70 | 23 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 5 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.90 | 2.10 | 2.40 | 11.00 | 36 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MK | | 4.90 | 5.40 | 8.00 | 22.60 | 97 |
| N95MKX | Back | 2.10 | 2.20 | 2.70 | 9.70 | 39 |
| | Extreme | 1.80 | 1.90 | 2.10 | 2.10 | 34 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Seat | 1.80 | 2.00 | 2.40 | 9.50 | 34 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| N95MKA | | 4.20 | 4.70 | 6.00 | 21.50 | 83 |
| N95MKAX | Back | 1.30 | 1.50 | 1.80 | 8.70 | 23 |
| | Extreme | 1.00 | 1.00 | 1.20 | 1.10 | 6 |
| | Back Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| | Seat | 2.40 | 2.70 | 3.30 | 12.40 | 47 |
| | Seat Accent | 1.00 | 1.00 | 1.20 | 1.30 | 17 |
| NAC1820CUSH, NAC1820CUSHT | | 0.70 | 0.90 | 1.60 | 3.10 | 12 |
| NAC1824CUSH, NAC1824CUSHT | | 0.70 | 1.20 | 1.50 | 2.70 | 12 |
| NAC1830CUSH, NAC1830CUSHT | | 0.90 | 1.40 | 1.70 | 2.70 | 17 |
| NAC1836CUSH, NAC1836CUSHT | | 1.10 | 1.40 | 1.70 | 2.70 | 20 |
| NAC1840CUSH, NAC1840CUSHT | | 1.00 | 1.40 | 2.00 | 2.20 | 20 |
| NAC1848CUSH, NAC1848CUSHT | | 1.10 | 1.40 | 1.70 | 2.70 | 20 |
| NAC1860CUSH, NAC1860CUSHT | | 1.60 | 1.80 | 2.90 | 4.20 | 32 |
| NAC1872CUSH, NAC1872CUSHT | | 1.70 | 2.10 | 2.90 | 4.20 | 37 |
| NAC2024CUSH, NAC2024CUSHT | | 0.70 | 1.30 | 2.00 | 3.20 | 12 |
| NAC24CUSH, NAC24CUSHT | | 0.80 | 1.30 | 2.30 | 2.20 | 15 |
| NAC2424CUSH, NAC2424CUSHT | | 0.80 | 1.70 | 2.30 | 2.70 | 14.5 |

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

| MODEL | RAILROADED Contact customer service 800-482-1717 for ydg requirements | NON DIRECTIONAL OR SOLID | 1"-4" REPEAT | 5"-11" REPEAT | 12"-18" REPEAT | COL SQUARE FEET |
|---------------------------|--|--------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-----------------------|
| | | | 4" VERTICAL X 4" HORIZONTAL | 11" VERTICAL X 11" HORIZONTAL | 18" VERTICAL X 18" HORIZONTAL | |
| NAC2430CUSH, NAC2430CUSHT | | 1.20 | 1.70 | 2.30 | 2.70 | 23 |
| NAC2436CUSH, NAC2436CUSHT | | 1.20 | 1.70 | 2.30 | 2.70 | 23 |
| NAC2440CUSH, NAC2440CUSHT | | 1.20 | 1.70 | 2.60 | 3.20 | 24 |
| NAC2448CUSH, NAC2448CUSHT | | 1.20 | 1.60 | 2.30 | 2.70 | 24 |
| NAC2460CUSH, NAC2460CUSHT | | 2.10 | 2.70 | 3.80 | 4.20 | 42 |
| NAC2472CUSH, NAC2472CUSHT | | 2.10 | 2.70 | 3.80 | 4.20 | 42 |
| NAC2552CUSH, NAC2552CUSHT | | 1.90 | 2.80 | 4.10 | 4.60 | 37 |
| NAC2727CUSH, NAC2727CUSHT | | 1.40 | 1.80 | 2.50 | 2.70 | 28 |
| NAC2828CUSH, NAC2828CUSHT | | 1.50 | 1.90 | 2.60 | 3.20 | 29 |
| NAC36CUSH, NAC36CUSHT | | 1.60 | 2.00 | 2.60 | 3.60 | 30 |
| NAC3636CUSH, NAC3636CUSHT | | 1.70 | 2.10 | 2.60 | 4.10 | 33 |
| 451 | | 3.30 | 4.05 | 5.35 | 5.90 | 67 |
| 451T | | 3.60 | 4.15 | 5.30 | 5.90 | 73 |
| 452 | | 3.30 | 4.05 | 5.35 | 5.90 | 67 |
| 452T | | 3.60 | 4.15 | 5.30 | 5.90 | 73 |

COM YARDAGE REQUIREMENTS

STITCH-IT YARDAGE REQUIREMENTS

For Non-Stitch-it locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

| MODEL NUMBER | STITCH-IT LOCATION | NON-DIRECTIONAL YARDAGE |
|--|--------------------|-------------------------|
| N59AAV, N59AATV, N59ALV | Back | 0.90 |
| | Extreme Back | 0.90 |
| | Seat | 1.50 |
| N59DDV, N59DDTV, N59DLV | Back | 0.90 |
| | Seat | 1.50 |
| N59BBV, N59BBTV, N59BLV | Back | 0.90 |
| | Lumbar | 0.90 |
| | Extreme Back | 0.90 |
| | Extreme Lumbar | 0.90 |
| | Seat | 1.50 |
| N59JJV, N59JJTV, N59JLV | Back | 0.90 |
| | Lumbar | 0.90 |
| | Extreme Lumbar | 0.90 |
| | Seat | 1.50 |
| N59HHV, N59HHTV, N59HLV | Lumbar | 0.90 |
| | Extreme Lumbar | 0.90 |
| | Seat | 1.50 |
| N59CCV, N59CCTV, N59CLV | Seat | 1.50 |
| | | |
| N55AAV, N55BBV, N55EEV, N55HHV | Front Back | 0.90 |
| | Extreme Back | 0.90 |
| | Seat | 0.90 |
| N55CCV, N55DDV | Seat | 0.90 |
| NAC1820CUSHV, NAC2024CUSHV | Seat | 0.90 |
| | | |
| NAC1824CUSHV, NAC1830CUSHV, NAC24CUSHV, NAC2424CUSHV | Seat | 1.20 |
| | | |
| NAC1836CUSHV | Seat | 1.30 |
| NAC2430CUSHV | Seat | 1.20 |
| NAC2436CUSHV | Seat | 1.40 |
| NAC2727CUSHV | Seat | 1.50 |
| NAC2828CUSHV | Seat | 1.50 |
| N85SAV, N85SATV, N85SBV, N85SBTV | Front Back | 0.90 |
| | Extreme Back | 0.90 |
| | Seat | 0.90 |
| N85SCV, N85SACATV | Seat | 0.90 |
| N85SAAV, N85SAATV | Front Back | 1.75 |
| | Extreme Back | 1.75 |
| | Seat | 1.75 |
| N85SAAAV, N85SAAATV | Front Back | 2.60 |
| | Extreme Back | 2.60 |
| | Seat | 2.60 |
| N85SACAV, N85SACATV | Front Back | 1.75 |
| | Extreme Back | 1.75 |
| | Seat | 2.60 |
| N71M1MV, N71MS1MV, N71M1AV, N71MS1AV, N71M1RV, N71M1LV | Front Back | 1.40 |
| | Seat | 1.20 |
| | | |
| N71D1V | Seat | 1.20 |
| N10PSQ1414V, N10PSQ1414PV, N10PRT1508V, N10PRT1508PV, N10PBL1806V, N10PBL1806PV | Front | 0.90 |
| | | |
| | | |
| | | |
| | | |
| | | |

STITCH-IT YARDAGE REQUIREMENTS
For Non-Stitch-it locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

| MODEL NUMBER | STITCH-IT LOCATION | NON-DIRECTIONAL YARDAGE |
|--|---------------------------|--------------------------------|
| N10PWD1816V, N10PWD2116V, N10PWD2416V | Front | 0.90 |
| N66RD16GV, N66RD16CV, N66SQ16GV, N66SQ16CV, N66RD18GV, N66RD18CV, N66RD22GV, N66RD22CV, N66SQ18GV, N66SQ18CV, N66SQ22GV, N66SQ22CV, N66TZ16GV, N66TZ16CV, N66TZ18GV, N66TZ18CV, N66TZ22GV, N66TZ22CV | Seat | 0.90 |
| N48GFAV, N48GFMV | Front Back | 1.00 |
| | Seat | 1.50 |