

---

# CONFERENCE TABLE TOPS

# ARROWOOD

## ARROWOOD CONFERENCE TOP SPECIFICATIONS

### TOPS

- Arrowood Veneer (31N) models feature 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1 $\frac{3}{16}$ " TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Sheen (wood only)
6. Finish/Laminate

## ARROWOOD SHAPES AND SIZES



### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

### 31N ARROWOOD VENEER TOP OPTIONS

#### WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

#### TOP SHEEN OPTIONS

- N Matte/Satin
- R Gloss

#### RIM PROFILE



### 21N ARROWOOD LAMINATE TOP OPTIONS

#### LAMINATE COLORS

- AC2 Autumn 2
- AD Almond
- CL Caramel
- CW Cordovan
- DW Judicial
- HN2 Honey 2
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- PB Portobello
- SM Sonoma
- TF Truffle
- 792 Sable
- 793 Acorn

#### RIM PROFILE



### GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

#### Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


#### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


#### Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# ARROWOOD SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 65 for options and upcharge
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim  
 L Laminate Unit

## SAMPLE MODEL NUMBERS:

31NN3636SQW G10C N NM  
 31NN3636SQLW G10C MC


## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

CONFERENCE TABLE TOPS

ARROWOOD

### ARROWOOD SQUARE TOP




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" SQUARE</b> <b>1 1/8" TOP THICKNESS</b>								
31NN3030SQW      Wood	\$ 969	30	30	1 1/8	—	—	33 lbs.	2.0
31NN3030SQLW      Laminate/Wood	969	30	30	1 1/8	—	—	33 lbs.	2.0
<b>36" SQUARE</b>								
31NN3636SQW      Wood	\$ 1141	36	36	1 1/8	—	—	45 lbs.	2.4
31NN3636SQLW      Laminate/Wood	1141	36	36	1 1/8	—	—	45 lbs.	2.4
<b>42" SQUARE</b>								
31NN4242SQW      Wood	\$ 1279	42	42	1 1/8	—	—	61 lbs.	3.2
31NN4242SQLW      Laminate/Wood	1279	42	42	1 1/8	—	—	61 lbs.	3.2
<b>48" SQUARE</b>								
31NN4848SQW      Wood	\$ 1423	48	48	1 1/8	—	—	79 lbs.	4.2
31NN4848SQLW      Laminate/Wood	1423	48	48	1 1/8	—	—	79 lbs.	4.2
<b>54" SQUARE</b>								
31NN5454SQW      Wood	\$ 1671	54	54	1 1/8	—	—	121 lbs.	6.9
31NN5454SQLW      Laminate/Wood	1671	54	54	1 1/8	—	—	121 lbs.	6.9
<b>60" SQUARE</b>								
31NN6060SQW      Wood	\$ 1919	58 1/2	58 1/2	1 1/8	—	—	150 lbs.	8.3
31NN6060SQLW      Laminate/Wood	1919	58 1/2	58 1/2	1 1/8	—	—	150 lbs.	8.3

# ARROWOOD SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (31N only)	LAMINATE (21N only)
31NN3636SQW	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 792 Sable 793 Acorn

## ARROWOOD SQUARE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE 1 1/16" TOP THICKNESS</b>							
31N3030SQW Wood	\$ 863	30	30	1 1/16	—	33 lbs.	2.0
31N3030SQLW Laminate/Wood	863	30	30	1 1/16	—	33 lbs.	2.0
21N3030SQL Laminate	447	30	30	1 1/16	—	33 lbs.	2.0
<b>36" SQUARE</b>							
31N3636SQW Wood	\$ 1016	36	36	1 1/16	—	42 lbs.	2.4
31N3636SQLW Laminate/Wood	1016	36	36	1 1/16	—	42 lbs.	2.4
21N3636SQL Laminate	525	36	36	1 1/16	—	42 lbs.	2.4
<b>42" SQUARE</b>							
31N4242SQW Wood	\$ 1155	42	42	1 1/16	—	58 lbs.	3.2
31N4242SQLW Laminate/Wood	1155	42	42	1 1/16	—	58 lbs.	3.2
21N4242SQL Laminate	752	42	42	1 1/16	—	58 lbs.	3.2
<b>48" SQUARE</b>							
31N4848SQW Wood	\$ 1299	48	48	1 1/16	—	76 lbs.	4.2
31N4848SQLW Laminate/Wood	1299	48	48	1 1/16	—	76 lbs.	4.2
21N4848SQL Laminate	1032	48	48	1 1/16	—	76 lbs.	4.2

CONFERENCE TABLE TOPS

ARROWOOD

# ARROWOOD RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 65 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY


W Wood Unit  
 LW Laminate Top/Wood Rim

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

## SAMPLE MODEL NUMBERS:

31NN48216RTW CUT-G15LR X X R MH  
 31NN48216RTLW X X X CW



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
<b>ARROWOOD RECTANGLE TOP</b>									
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>							
31NN3672RTW	\$ 1809	36	72	1 1/8	-	-	136 lbs.	6.3	
31NN3672RTLW	1809	36	72	1 1/8	-	-	136 lbs.	6.3	
<b>42" x 84"</b>									
31NN4284RTW	\$ 2136	42	84	1 1/8	-	-	180 lbs.	8.3	
31NN4284RTLW	2136	42	84	1 1/8	-	-	180 lbs.	8.3	
<b>48" x 96"</b>									
31NN4896RTW	\$ 2461	48	96	1 1/8	-	-	233 lbs.	10.5	
31NN4896RTLW	2461	48	96	1 1/8	-	-	233 lbs.	10.5	
<b>48" x 120"</b>									
31NN48120RTW	\$ 3358	48	120	1 1/8	-	-	279 lbs.	10.6	
31NN48120RTLW	3358	48	120	1 1/8	-	-	279 lbs.	10.6	
<b>48" x 144"</b>									
31NN48144RTW	\$ 4162	48	144	1 1/8	-	-	332 lbs.	12.5	
31NN48144RTLW	4162	48	144	1 1/8	-	-	332 lbs.	12.5	
<b>48" x 168"</b>									
31NN48168RTW	\$ 4789	48	168	1 1/8	-	-	385 lbs.	14.3	
31NN48168RTLW	4789	48	168	1 1/8	-	-	385 lbs.	14.3	
<b>48" x 192"</b>									
31NN48192RTW	\$ 5415	48	192	1 1/8	-	-	438 lbs.	16.2	
31NN48192RTLW	5415	48	192	1 1/8	-	-	438 lbs.	16.2	
<b>48" x 216"</b>									
31NN48216RTW	\$ 6043	48	216	1 1/8	-	-	524 lbs.	20.0	
31NN48216RTLW	6043	48	216	1 1/8	-	-	524 lbs.	20.0	
<b>48" x 240"</b>									
31NN48240RTW	\$ 6671	48	240	1 1/8	-	-	571 lbs.	22.0	
31NN48240RTLW	6671	48	240	1 1/8	-	-	571 lbs.	22.0	

• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

# ARROWOOD RECTANGLE TOPS


Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 22 for available sizes)		MODIFIED WIDTH (see page 22 for available sizes)		SHEEN (wood tops only)	FINISH (31N only)	LAMINATE (21N only)	
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	N Matte/Satin	AC Autumn	AC2 Autumn 2	
	G10E End	CUT-G16E End					R Gloss	CL Caramel	AD Almond	
	G10LR Left, Right	CUT-G16LR Left, Right						CW Cordovan	CL Caramel	
	G10A All	CUT-G16A All						DW Judicial	CW Cordovan	
	G10CE Center, End	CUT-G16CE Center, End						HN Honey	DW Judicial	
	CUT-G15C Center	X No Grommet						IM Brighton	HN2 Honey 2	
	CUT-G15E End							MC Amber	IM Brighton	
	CUT-G15LR Left, Right							MH Mocha	MC Amber	
	CUT-G15A All							NM Natural	MH Mocha	
	CUT-G15CE Center, End							TF Truffle	NM Natural	
31NN48216RTW	CUT-G15LR		X		X		R	MH		

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>ARROWOOD RECTANGLE TOP (CONTINUED)</b>								
<b>60" x 144" 1 1/16" TOP THICKNESS</b>								
31NN60144RTW Wood	\$ 5408	58%	144	1 1/16"	-	-	412 lbs.	18.0
31NN60144RTLW Laminate/Wood	5408	58%	144	1 1/16"	-	-	412 lbs.	18.0
<b>60" x 168"</b>								
31NN60168RTW Wood	\$ 6225	58%	168	1 1/16"	-	-	480 lbs.	22.5
31NN60168RTLW Laminate/Wood	6225	58%	168	1 1/16"	-	-	480 lbs.	22.5
<b>60" x 192"</b>								
31NN60192RTW Wood	\$ 7042	58%	192	1 1/16"	-	-	539 lbs.	29.0
31NN60192RTLW Laminate/Wood	7042	58%	192	1 1/16"	-	-	539 lbs.	29.0
<b>60" x 216"</b>								
31NN60216RTW Wood	\$ 7855	58%	216	1 1/16"	-	-	647 lbs.	31.0
31NN60216RTLW Laminate/Wood	7855	58%	216	1 1/16"	-	-	647 lbs.	31.0
<b>60" x 240"</b>								
31NN60240RTW Wood	\$ 8669	58%	240	1 1/16"	-	-	706 lbs.	34.0
31NN60240RTLW Laminate/Wood	8669	58%	240	1 1/16"	-	-	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

ARROWOOD RECTANGLE TOP (CONTINUED)



CONFERENCE TABLE TOPS

ARROWOOD

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS

- 1/4" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Sheen (wood only)
6. Finish/Laminate

BARRINGTON SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"




**WOOD FINISHES**

- CW Cordovan
- DW Judicial
- MH Mocha
- TF Truffle

**TOP SHEEN OPTIONS**

- N Matte/Satin
- R Gloss

**RIM PROFILE**



**GROMMET AND CUTOUT OPTIONS**

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

**Round Grommet Option, Black**

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


**Cutout Option for 1 Touch Double Pivoting Power Grommet**

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW  
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


**Cutout Option for Power/Data Oasis**

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB  
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# BARRINGTON ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 71 for options and upcharge
- Reference pages 38-59 for table base guide

## BASE MODEL KEY


W Wood Unit  
 LW Laminate Top/Wood Rim

## SAMPLE MODEL NUMBERS:

50NN36RDW X N DW  
 50NN3636SQW X N MH

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width  
 DI Diameter


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
		D	W	H	A	KW					
<b>BARRINGTON ROUND TOP</b>		<b>30" ROUND</b>	<b>1 1/16" TOP THICKNESS</b>		<b>DI</b>	<b>H</b>					
		50NN30RDW	Wood	\$ 1277	30	—	1 1/16	—	—	33 lbs.	2.0
		50NN30RDLW	Laminate/Wood	1277	36	—	1 1/16	—	—	33 lbs.	2.0
		<b>36" ROUND</b>									
		50NN36RDW	Wood	\$ 1504	36	—	1 1/16	—	—	45 lbs.	2.4
		50NN36RDLW	Laminate/Wood	1504	36	—	1 1/16	—	—	45 lbs.	2.4
		<b>42" ROUND</b>									
		50NN42RDW	Wood	\$ 1643	42	—	1 1/16	—	—	61 lbs.	3.2
		50NN42RDLW	Laminate/Wood	1643	42	—	1 1/16	—	—	61 lbs.	3.2
		<b>48" ROUND</b>									
		50NN48RDW	Wood	\$ 2032	48	—	1 1/16	—	—	79 lbs.	4.2
		50NN48RDLW	Laminate/Wood	2032	48	—	1 1/16	—	—	79 lbs.	4.2
		<b>54" ROUND</b>									
		50NN54RDW	Wood	\$ 2477	54	—	1 1/16	—	—	121 lbs.	6.9
		50NN54RDLW	Laminate/Wood	2477	54	—	1 1/16	—	—	121 lbs.	6.9
		<b>60" ROUND</b>									
		50NN60RDW	Wood	\$ 2730	58 1/2	—	1 1/16	—	—	150 lbs.	8.3
		50NN60RDLW	Laminate/Wood	2730	58 1/2	—	1 1/16	—	—	150 lbs.	8.3

# BARRINGTON SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
50NN36RDW	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	CW Cordovan DW Judicial MH Mocha TF Truffle DW

## BARRINGTON SQUARE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE 1 1/16" TOP THICKNESS</b>							
50NN3030SQW Wood	\$ 1277	30	30	1 1/16	—	33 lbs.	2.0
50NN3030SQLW Laminate/Wood	1277	30	30	1 1/16	—	33 lbs.	2.0
<b>36" SQUARE</b>							
50NN3636SQW Wood	\$ 1504	36	36	1 1/16	—	45 lbs.	2.4
50NN3636SQLW Laminate/Wood	1504	36	36	1 1/16	—	45 lbs.	2.4
<b>42" SQUARE</b>							
50NN4242SQW Wood	\$ 1643	42	42	1 1/16	—	61 lbs.	3.2
50NN4242SQLW Laminate/Wood	1643	42	42	1 1/16	—	61 lbs.	3.2
<b>48" SQUARE</b>							
50NN4848SQW Wood	\$ 2032	48	48	1 1/16	—	79 lbs.	4.2
50NN4848SQLW Laminate/Wood	2032	48	48	1 1/16	—	79 lbs.	4.2
<b>54" SQUARE</b>							
50NN5454SQW Wood	\$ 2477	54	54	1 1/16	—	121 lbs.	6.9
50NN5454SQLW Laminate/Wood	2477	54	54	1 1/16	—	121 lbs.	6.9
<b>60" SQUARE</b>							
50NN6060SQW Wood	\$ 2730	58 3/8	58 3/8	1 1/16	—	150 lbs.	8.3
50NN6060SQLW Laminate/Wood	2730	58 3/8	58 3/8	1 1/16	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

BARRINGTON

# BARRINGTON RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY


W Wood Unit  
 LW Laminate Top/Wood Rim

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

## SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X R DW  
 50NN48216RTLW CUT-G15A X X DW



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
<b>BARRINGTON RECTANGLE TOP</b>									
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>							
50NN3672RTW	Wood	\$ 2348	36	72	1 1/8	—	—	136 lbs.	6.3
50NN3672RTLW	Laminate/Wood	2348	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>									
50NN4284RTW	Wood	\$ 2770	42	84	1 1/8	—	—	180 lbs.	8.3
50NN4284RTLW	Laminate/Wood	2770	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>									
50NN4896RTW	Wood	\$ 3189	47 1/4	96	1 1/8	—	—	233 lbs.	10.5
50NN4896RTLW	Laminate/Wood	3189	47 1/4	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>									
50NN48120RTW	Wood	\$ 4356	47 1/4	120	1 1/8	—	—	279 lbs.	10.6
50NN48120RTLW	Laminate/Wood	4356	47 1/4	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>									
50NN48144RTW	Wood	\$ 5397	47 1/4	144	1 1/8	—	—	332 lbs.	12.5
50NN48144RTLW	Laminate/Wood	5397	47 1/4	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>									
50NN48168RTW	Wood	\$ 6213	47 1/4	168	1 1/8	—	—	385 lbs.	14.3
50NN48168RTLW	Laminate/Wood	6213	47 1/4	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>									
50NN48192RTW	Wood	\$ 7024	47 1/4	192	1 1/8	—	—	438 lbs.	16.2
50NN48192RTLW	Laminate/Wood	7024	47 1/4	192	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>									
50NN48216RTW	Wood	\$ 7835	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
50NN48216RTLW	Laminate/Wood	7835	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>									
50NN48240RTW	Wood	\$ 8650	47 1/4	240	1 1/8	—	—	571 lbs.	22.0
50NN48240RTLW	Laminate/Wood	8650	47 1/4	240	1 1/8	—	—	571 lbs.	22.0


• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

# BARRINGTON RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 22 for available sizes)		MODIFIED WIDTH (see page 22 for available sizes)		SHEEN (wood tops only)		FINISH			
50NN48216RTW	G10C G10E G10LR G10A G10CE CUT-G15C CUT-G15E CUT-G15LR CUT-G15A CUT-G15CE	Center End Left, Right All Center, End Center End Left, Right All Center, End	CUT-G16C CUT-G16E CUT-G16LR CUT-G16A CUT-G16CE X	Center End Left, Right All Center, End No Grommet	X	No Modified Depth	X	No Modified Width	N R	Matte/Satin Gloss	CW DW MH TF	Cordovan Judicial Mocha Truffle
		CUT-G15A			X		X		R		DW	

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
<b>BARRINGTON RECTANGLE TOP (CONTINUED)</b>									
<b>60" x 144"</b>									
<b>1 1/16" TOP THICKNESS</b>									
50NN60144RTW	\$ 7014	58%	143 1/2"	1 1/16"	—	—	412 lbs.	18.0	
50NN60144RTLW	7014	58%	143 1/2"	1 1/16"	—	—	412 lbs.	18.0	
<b>60" x 168"</b>									
50NN60168RTW	\$ 8075	58%	168"	1 1/16"	—	—	480 lbs.	22.5	
50NN60168RTLW	8075	58%	168"	1 1/16"	—	—	480 lbs.	22.5	
<b>60" x 192"</b>									
50NN60192RTW	\$ 9130	58%	192"	1 1/16"	—	—	539 lbs.	29.0	
50NN60192RTLW	9130	58%	192"	1 1/16"	—	—	539 lbs.	29.0	
<b>60" x 216"</b>									
50NN60216RTW	\$ 10189	58%	216"	1 1/16"	—	—	647 lbs.	31.0	
50NN60216RTLW	10189	58%	216"	1 1/16"	—	—	647 lbs.	31.0	
<b>60" x 240"</b>									
50NN60240RTW	\$ 11246	58%	240"	1 1/16"	—	—	706 lbs.	34.0	
50NN60240RTLW	11246	58%	240"	1 1/16"	—	—	706 lbs.	34.0	



• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

CONFERENCE TABLE TOPS  
BARRINGTON

# BARRINGTON BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim

## SAMPLE MODEL NUMBERS:


50NN48216BTW G10A X X N CW  
 50NN48216BTLW G10A X X CW

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
<b>BARRINGTON BOAT TOP</b>									
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>							
50NN3672BTW	Wood	\$ 2534	36	72	1 1/8	—	—	136 lbs.	6.3
50NN3672BTLW	Laminate/Wood	2534	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>									
50NN4284BTW	Wood	\$ 2952	42	84	1 1/8	—	—	180 lbs.	8.3
50NN4284BTLW	Laminate/Wood	2952	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>									
50NN4896BTW	Wood	\$ 3370	47 1/4	96	1 1/8	—	—	233 lbs.	10.5
50NN4896BTLW	Laminate/Wood	3370	47 1/4	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>									
50NN48120BTW	Wood	\$ 4733	47 1/4	120	1 1/8	—	—	279 lbs.	10.6
50NN48120BTLW	Laminate/Wood	4733	47 1/4	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>									
50NN48144BTW	Wood	\$ 5762	47 1/4	144	1 1/8	—	—	332 lbs.	12.5
50NN48144BTLW	Laminate/Wood	5762	47 1/4	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>									
50NN48168BTW	Wood	\$ 6570	47 1/4	168	1 1/8	—	—	385 lbs.	14.3
50NN48168BTLW	Laminate/Wood	6570	47 1/4	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>									
50NN48192BTW	Wood	\$ 7376	47 1/4	192	1 1/8	—	—	438 lbs.	16.2
50NN48192BTLW	Laminate/Wood	7376	47 1/4	192	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>									
50NN48216BTW	Wood	\$ 8180	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
50NN48216BTLW	Laminate/Wood	8180	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>									
50NN48240BTW	Wood	\$ 8984	47 1/4	240	1 1/8	—	—	571 lbs.	22.0
50NN48240BTLW	Laminate/Wood	8984	47 1/4	240	1 1/8	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing




# BARRINGTON BOAT TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	MODIFIED DEPTH (see page 22 for available sizes)	MODIFIED WIDTH (see page 22 for available sizes)	SHEEN (wood tops only)	FINISH	
50NN48216BTW	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End G10A	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet	X No Modified Depth	X No Modified Width	N Matte/Satin R Gloss	CW Cordovan DW Judicial MH Mocha TF Truffle CW

## BARRINGTON BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>60" x 144" 1 1/8" TOP THICKNESS</b>							
50NN60144BTW Wood	\$ 7489	58%	143%	1 1/8"	—	412 lbs.	18.0
50NN60144BTLW Laminate/Wood	7489	58%	143%	1 1/8"	—	412 lbs.	18.0
<b>60" x 168"</b>							
50NN60168BTW Wood	\$ 8542	58%	168	1 1/8"	—	480 lbs.	22.5
50NN60168BTLW Laminate/Wood	8542	58%	168	1 1/8"	—	480 lbs.	22.5
<b>60" x 192"</b>							
50NN60192BTW Wood	\$ 9589	58%	192	1 1/8"	—	539 lbs.	29.0
50NN60192BTLW Laminate/Wood	9589	58%	192	1 1/8"	—	539 lbs.	29.0
<b>60" x 216"</b>							
50NN60216BTW Wood	\$ 10634	58%	216	1 1/8"	—	647 lbs.	31.0
50NN60216BTLW Laminate/Wood	10634	58%	216	1 1/8"	—	647 lbs.	31.0
<b>60" x 240"</b>							
50NN60240BTW Wood	\$ 11678	58%	240	1 1/8"	—	706 lbs.	34.0
50NN60240BTLW Laminate/Wood	11678	58%	240	1 1/8"	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing

## CAPTIVATE CONFERENCE TOP SPECIFICATIONS

### TOPS

- 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim with 2 rim profile options
- Size modifications available at no upcharge; many Captivate conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Modified Depth
5. Modified Width
6. Sheen (wood models)
7. Finish/Laminate

## CAPTIVATE SHAPES AND SIZES



### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"




### WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

### TOP SHEEN OPTIONS

- N Matte/Satin
- R Gloss

### RIM PROFILE



### GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

#### Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


#### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


#### Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# CAPTIVATE SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 79 for options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim

## SAMPLE MODEL NUMBERS:

36N3636SQW TA X N AC  
 36N3636SQLW TA G10C MH


## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

CONFERENCE TABLE TOPS

CAPTIVATE

### CAPTIVATE SQUARE TOP




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" SQUARE</b>		<b>1 1/16" TOP THICKNESS</b>						
36N3030SQ2W Wood	\$ 1705	30	30	1 1/16	-	-	33 lbs.	2.0
36N3030SQ2LW Laminate/Wood	1705	30	30	1 1/16	-	-	33 lbs.	2.0
<b>36" SQUARE</b>								
36N3636SQ2W Wood	\$ 2005	36	36	1 1/16	-	-	45 lbs.	2.4
36N3636SQ2LW Laminate/Wood	2005	36	36	1 1/16	-	-	45 lbs.	2.4
<b>42" SQUARE</b>								
36N4242SQ2W Wood	\$ 2161	42	42	1 1/16	-	-	61 lbs.	3.2
36N4242SQ2LW Laminate/Wood	2161	42	42	1 1/16	-	-	61 lbs.	3.2
<b>48" SQUARE</b>								
36N4848SQ2W Wood	\$ 2622	48	48	1 1/16	-	-	79 lbs.	4.2
36N4848SQ2LW Laminate/Wood	2622	48	48	1 1/16	-	-	79 lbs.	4.2
<b>54" SQUARE</b>								
36N5454SQ2W Wood	\$ 2870	54	54	1 1/16	-	-	121 lbs.	6.9
36N5454SQ2LW Laminate/Wood	2870	54	54	1 1/16	-	-	121 lbs.	6.9
<b>60" SQUARE</b>								
36N6060SQ2W Wood	\$ 3118	58%	58%	1 1/16	-	-	150 lbs.	8.3
36N6060SQ2LW Laminate/Wood	3118	58%	58%	1 1/16	-	-	150 lbs.	8.3

# CAPTIVATE SQUARE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
36N3636SQW	TA Oblique TB Slide	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	TA	X	N	LAC

## CAPTIVATE SQUARE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE 1 1/16" TOP THICKNESS</b>							
36N3030SQW Wood	\$ 1600	30	30	1 1/16	-	33 lbs.	2.0
36N3030SQLW Laminate/Wood	1600	30	30	1 1/16	-	33 lbs.	2.0
<b>36" SQUARE</b>							
36N3636SQW Wood	\$ 1881	37 1/4	37 1/4	1 1/16	-	42 lbs.	2.4
36N3636SQLW Laminate/Wood	1881	37 1/4	37 1/4	1 1/16	-	42 lbs.	2.4
<b>42" SQUARE</b>							
36N4242SQW Wood	\$ 2035	42	42	1 1/16	-	58 lbs.	3.2
36N4242SQLW Laminate/Wood	2035	42	42	1 1/16	-	58 lbs.	3.2
<b>48" SQUARE</b>							
36N4848SQW Wood	\$ 2499	48	48	1 1/16	-	76 lbs.	4.2
36N4848SQLW Laminate/Wood	2499	48	48	1 1/16	-	76 lbs.	4.2

CONFERENCE TABLE TOPS

CAPTIVATE

# CAPTIVATE RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 79 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width


## SAMPLE MODEL NUMBERS:

36N48216RTW TB CUT-G16LR X X R CL  
 36N48216RTLW TB CUT-G16LR X X AC

CONFERENCE TABLE TOPS

CAPTIVATE

### CAPTIVATE RECTANGLE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
36N3672RTW Wood	\$ 3087	35 1/4	71 1/8	1 1/8	—	—	136 lbs.	6.3
36N3672RTLW Laminate/Wood	3087	35 1/4	71 1/8	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
36N4284RTW Wood	\$ 3475	41 1/4	83 1/8	1 1/8	—	—	180 lbs.	8.3
36N4284RTLW Laminate/Wood	3475	41 1/4	83 1/8	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
36N4896RTW Wood	\$ 3860	47 1/4	95 1/8	1 1/8	—	—	233 lbs.	10.5
36N4896RTLW Laminate/Wood	3860	47 1/4	95 1/8	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
36N48120RTW Wood	\$ 5333	47 1/4	119 1/4	1 1/8	—	—	279 lbs.	10.6
36N48120RTLW Laminate/Wood	5333	47 1/4	119 1/4	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
36N48144RTW Wood	\$ 6599	47 1/4	143 1/8	1 1/8	—	—	332 lbs.	12.5
36N48144RTLW Laminate/Wood	6599	47 1/4	143 1/8	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
36N48168RTW Wood	\$ 8212	47 1/4	167 1/4	1 1/8	—	—	385 lbs.	14.3
36N48168RTLW Laminate/Wood	8212	47 1/4	167 1/4	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
36N48192RTW Wood	\$ 9403	47 1/4	191 1/8	1 1/8	—	—	438 lbs.	16.2
36N48192RTLW Laminate/Wood	9403	47 1/4	191 1/8	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
36N48216RTW Wood	\$ 10594	47 1/4	215 1/8	1 1/8	—	—	524 lbs.	20.0
36N48216RTLW Laminate/Wood	10594	47 1/4	215 1/8	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
36N48240RTW Wood	\$ 11787	47 1/4	239 1/8	1 1/8	—	—	571 lbs.	22.0
36N48240RTLW Laminate/Wood	11787	47 1/4	239 1/8	1 1/8	—	—	571 lbs.	22.0


• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

# CAPTIVATE RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET/CUTOUT OPTION	MODIFIED DEPTH (see page 22 for available sizes)	MODIFIED WIDTH (see page 22 for available sizes)	SHEEN (wood tops only)	FINISH
36N48216RTW	TB	CUT-G16LR	X No Modified Depth	X No Modified Width	R Gloss	CL

## CAPTIVATE RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>60" x 144" 1 1/16" TOP THICKNESS</b>								
36N60144RTW Wood	\$ 8576	59 1/4	143 3/8	1 1/16	-	-	412 lbs.	18.0
36N60144RTLW Laminate/Wood	8576	59 1/4	143 3/8	1 1/16	-	-	412 lbs.	18.0
<b>60" x 168"</b>								
36N60168RTW Wood	\$ 10675	59 1/4	167 1/4	1 1/16	-	-	480 lbs.	22.5
36N60168RTLW Laminate/Wood	10675	59 1/4	167 1/4	1 1/16	-	-	480 lbs.	22.5
<b>60" x 192"</b>								
36N60192RTW Wood	\$ 12224	59 1/4	191 3/8	1 1/16	-	-	539 lbs.	29.0
36N60192RTLW Laminate/Wood	12224	59 1/4	191 3/8	1 1/16	-	-	539 lbs.	29.0
<b>60" x 216"</b>								
36N60216RTW Wood	\$ 13774	59 1/4	215 3/8	1 1/16	-	-	647 lbs.	31.0
36N60216RTLW Laminate/Wood	13774	59 1/4	215 3/8	1 1/16	-	-	647 lbs.	31.0
<b>60" x 240"</b>								
36N60240RTW Wood	\$ 15325	59 1/4	239 3/8	1 1/16	-	-	706 lbs.	34.0
36N60240RTLW Laminate/Wood	15325	59 1/4	239 3/8	1 1/16	-	-	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

## CASBAH CONFERENCE TOP SPECIFICATIONS

### TOPS

- 1¾" slipmatched cherry and maple veneer on square tops
- 1¾" slipmatched cherry and maple veneer on rectangle tops
- Wood rim with softened edge profile
- Recessed façade available with Reed or Flat profiles
- Reed only available on wood façade models for a 10% list upcharge
- Flat profile is available in wood finishes, Satin Nickel Metallic, Cinder or Platinum Metallic painted MDF
- Recessed façade is ¾" thick x 1½" tall and is 26% from bottom of façade to floor
- Size modifications available at no upcharge; many Casbah conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:

1. Model Number
2. Façade Profile (wood only)
3. Grommet
4. Modified Depth
5. Modified Width
6. Sheen
7. Finish
8. Paint Color (painted only)

## CASBAH SHAPES AND SIZES



### SQUARE

42" x 42"  
48" x 48"



### RECTANGLE

36" x 72", 42" x 84"  
48" x 96", 120", 144", 168", 192", 216" and 240"

### WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

### TOP SHEEN OPTIONS

- N Matte/Satin
- R Gloss

### FAÇADE PROFILES

- FL Flat
- RE Reed (+10% list upcharge)



Softened Wood Rim with Reed Façade (RE)



Softened Wood Rim with Flat Façade (FL)

### PAINT COLORS (FLAT FAÇADE)

- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

#### Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


#### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


#### Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section






# CASBAH RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	GROMMET/CUTOUT OPTION	MODIFIED DEPTH (see page 22 for available sizes)	MODIFIED WIDTH (see page 22 for available sizes)	SHEEN	FINISH	PAINT COLOR (painted only)
38N4848SQW	RE	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	X No Modified Depth	X No Modified Width	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Platinum 503 Metallic Satin Nickel Metallic

## CASBAH RECTANGLE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>36" x 72"</b>							
<b>1 1/8" TOP THICKNESS</b>							
38N3672RT2W	\$ 3210	36 1/8"	71 1/8"	3 1/8"	—	146 lbs.	9.7
38N3672RT2WP	3210	36 1/8"	71 1/8"	3 1/8"	—	146 lbs.	9.7
<b>42" x 84"</b>							
38N4284RT2W	\$ 3611	42 1/8"	84"	3 1/8"	—	185 lbs.	12.2
38N4284RT2WP	3611	42 1/8"	84"	3 1/8"	—	185 lbs.	12.2
<b>48" x 96"</b>							
38N4896RT2W	\$ 4013	48 1/8"	95 7/8"	3 1/8"	—	247 lbs.	16.3
38N4896RT2WP	4013	48 1/8"	95 7/8"	3 1/8"	—	247 lbs.	16.3
<b>48" x 120"</b>							
38N48120RT2W	\$ 5547	48 1/8"	120"	3 1/8"	—	299 lbs.	16.3
38N48120RT2WP	5547	48 1/8"	120"	3 1/8"	—	299 lbs.	16.3
<b>48" x 144"</b>							
38N48144RT2W	\$ 6860	48 1/8"	143 3/8"	3 1/8"	—	351 lbs.	19.2
38N48144RT2WP	6860	48 1/8"	143 3/8"	3 1/8"	—	351 lbs.	19.2
<b>48" x 168"</b>							
38N48168RT2W	\$ 8538	48 1/8"	168 1/8"	3 1/8"	—	404 lbs.	22.2
38N48168RT2WP	8538	48 1/8"	168 1/8"	3 1/8"	—	404 lbs.	22.2
<b>48" x 192"</b>							
38N48192RT2W	\$ 9781	48 1/8"	192 1/2"	3 1/8"	—	457 lbs.	25.1
38N48192RT2WP	9781	48 1/8"	192 1/2"	3 1/8"	—	457 lbs.	25.1
<b>48" x 216"</b>							
38N48216RT2W	\$ 11036	48 1/8"	216"	3 1/8"	—	556 lbs.	21.0
38N48216RT2WP	11036	48 1/8"	216"	3 1/8"	—	556 lbs.	21.0
<b>48" x 240"</b>							
38N48240RT2W	\$ 12280	48 1/8"	240"	3 1/8"	—	592 lbs.	24.0
38N48240RT2WP	12280	48 1/8"	240"	3 1/8"	—	592 lbs.	24.0

• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

**CLEVER CONFERENCE TOP SPECIFICATIONS**

**TOPS**

- 1½" slipmatched cherry and maple or bookmatched walnut veneer or 1" TFL (thermally fused laminate)
- 1½" slipmatched cherry and maple or bookmatched walnut veneer
- Medium density fiber board with finished knife edge profile
- Size modifications available at no upcharge; many Clever conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

**FINISH APPLICATION**

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


**POWER DATA**

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

**TO ORDER, SPECIFY:**


1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood models)**
6. **Finish/Laminate**

**CLEVER SHAPES AND SIZES**



**ROUND**

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




**SQUARE**

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



**RECTANGLE**

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



**BOAT**

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



**RACETRACK**

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

**WOOD FINISHES**

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

**TOP SHEEN OPTIONS**

- N Matte/Satin
- R Gloss

**RIM PROFILE**



**GROMMET AND CUTOUT OPTIONS**

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

**Round Grommet Option, Black**

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


**Cutout Option for 1 Touch Double Pivoting Power Grommet**

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW  
(Sold Separately)**

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


**Cutout Option for Power/Data Oasis**

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB  
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# CLEVER ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on 1 $\frac{1}{16}$ " round and square tops are G10C and CUT-G15C, reference page 89 for grommet options and upcharge
- Grommet option available on 1 $\frac{1}{16}$ " and 1" round tops is G10C, reference page 89 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide

## BASE MODEL KEY


W Wood Unit  
 LW Laminate Top

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width  
 DI Diameter

## SAMPLE MODEL NUMBERS:

CLNN36RDW G10C N MH  
 CLNN3636SQW X R CW


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>CLEVER ROUND TOP</b>								
								
<b>30" ROUND 1<math>\frac{1}{16}</math>" TOP THICKNESS</b>		<b>DI</b>		<b>H</b>				
CLNN30RDW Wood	\$ 1248	30	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
<b>36" ROUND</b>								
CLNN36RDW Wood	\$ 1470	36	—	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
<b>42" ROUND</b>								
CLNN42RDW Wood	\$ 1785	42	—	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
<b>48" ROUND</b>								
CLNN48RDW Wood	\$ 2100	48	—	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
<b>54" ROUND</b>								
CLNN54RDW Wood	\$ 2351	54	—	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
<b>60" ROUND</b>								
CLNN60RDW Wood	\$ 2603	58 $\frac{1}{2}$	—	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
<b>30" ROUND 1<math>\frac{1}{16}</math>" TOP THICKNESS</b>								
CLN30RDW Wood	\$ 1141	30	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
<b>36" ROUND</b>								
CLN36RDW Wood	\$ 1342	36	—	1 $\frac{1}{16}$	—	—	42 lbs.	2.4
<b>42" ROUND</b>								
CLN42RDW Wood	\$ 1659	42	—	1 $\frac{1}{16}$	—	—	58 lbs.	3.2
<b>48" ROUND</b>								
CLN48RDW Wood	\$ 1975	48	—	1 $\frac{1}{16}$	—	—	76 lbs.	4.2
<b>30" ROUND 1" TOP THICKNESS</b>								
CLN30RDLW Laminate	\$ 1070	30	—	1	—	—	33 lbs.	2.0
<b>36" ROUND</b>								
CLN36RDLW Laminate	\$ 1258	36	—	1	—	—	42 lbs.	2.4
<b>42" ROUND</b>								
CLN42RDLW Laminate	\$ 1558	42	—	1	—	—	58 lbs.	3.2
<b>48" ROUND</b>								
CLN48RDLW Laminate	\$ 1854	48	—	1	—	—	76 lbs.	4.2

# CLEVER SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
CLNN36RDW	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	G10C	N	IMH

## CLEVER SQUARE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE</b>							
<b>30" SQUARE</b>							
<b>36" SQUARE</b>							
<b>36" SQUARE</b>							
<b>42" SQUARE</b>							
<b>42" SQUARE</b>							
<b>48" SQUARE</b>							
<b>48" SQUARE</b>							
<b>54" SQUARE</b>							
<b>54" SQUARE</b>							
<b>60" SQUARE</b>							
<b>60" SQUARE</b>							

CONFERENCE TABLE TOPS

CLEVER

# CLEVER RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 89 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit


## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

## SAMPLE MODEL NUMBER:

CLNN48216RTW CUT-G16C X X R MH

### CLEVER RECTANGLE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
CLNN3672RTW Wood	\$ 2284	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
CLNN4284RTW Wood	\$ 2704	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
CLNN4896RTW Wood	\$ 3127	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
CLNN48120RTW Wood	\$ 4292	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
CLNN48144RTW Wood	\$ 5332	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
CLNN48168RTW Wood	\$ 6147	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
CLNN48192RTW Wood	\$ 6960	48	192	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
CLNN48216RTW Wood	\$ 7772	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
CLNN48240RTW Wood	\$ 8585	48	240	1 1/8	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 22 for conference top sizing



# CLEVER BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 89 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit


## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

## SAMPLE MODEL NUMBERS:

CLNN48216BTW X X X N DW  
 CLNN48216BTW CUT-G16C X X R HN

### CLEVER BOAT TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b> CLNN3672BTW	Wood \$ 2469	36	72	1 $\frac{1}{16}$ "	—	—	136 lbs.	6.3
<b>1<math>\frac{1}{16}</math>" TOP THICKNESS</b>								
<b>42" x 84"</b> CLNN4284BTW	Wood \$ 2889	42	84	1 $\frac{1}{16}$ "	—	—	180 lbs.	8.3
<b>48" x 96"</b> CLNN4896BTW	Wood \$ 3305	48	96	1 $\frac{1}{16}$ "	—	—	233 lbs.	10.5
<b>48" x 120"</b> CLNN48120BTW	Wood \$ 4670	48	120	1 $\frac{1}{16}$ "	—	—	279 lbs.	10.6
<b>48" x 144"</b> CLNN48144BTW	Wood \$ 5698	48	144	1 $\frac{1}{16}$ "	—	—	332 lbs.	12.5
<b>48" x 168"</b> CLNN48168BTW	Wood \$ 6508	48	168	1 $\frac{1}{16}$ "	—	—	385 lbs.	14.3
<b>48" x 192"</b> CLNN48192BTW	Wood \$ 7311	48	192	1 $\frac{1}{16}$ "	—	—	438 lbs.	16.2
<b>48" x 216"</b> CLNN48216BTW	Wood \$ 8116	48	216	1 $\frac{1}{16}$ "	—	—	524 lbs.	20.0
<b>48" x 240"</b> CLNN48240BTW	Wood \$ 8922	48	240	1 $\frac{1}{16}$ "	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing




# CLEVER BOAT TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 22 for available sizes)		MODIFIED WIDTH (see page 22 for available sizes)		SHEEN	FINISH				
CLNN48216BTW	G10C G10E G10LR G10A G10CE CUT-G15C CUT-G15E CUT-G15LR CUT-G15A CUT-G15CE	Center End Left, Right All Center, End Center End Left, Right All Center, End	CUT-G16C CUT-G16E CUT-G16LR CUT-G16A CUT-G16CE X	Center End Left, Right All Center, End No Grommet	X	No Modified Depth	X	No Modified Width	N R	Matte/Satin Gloss	AC CL CW DW HN IM MC MH NM TF	Autumn Caramel Cordovan Judicial Honey Brighton Amber Mocha Natural Truffle
	X				X		X		N		DW	

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>CLEVER BOAT TOP (CONTINUED)</b>							
<b>60" x 144"</b>							
CLNN60144BTW	\$ 7426	58%	144	1 $\frac{1}{16}$ "	—	412 lbs.	18.0
<b>60" x 168"</b>							
CLNN60168BTW	\$ 8476	58%	168	1 $\frac{1}{16}$ "	—	480 lbs.	22.5
<b>60" x 192"</b>							
CLNN60192BTW	\$ 9523	58%	192	1 $\frac{1}{16}$ "	—	539 lbs.	29.0
<b>60" x 216"</b>							
CLNN60216BTW	\$ 10568	58%	216	1 $\frac{1}{16}$ "	—	647 lbs.	31.0
<b>60" x 240"</b>							
CLNN60240BTW	\$ 11616	58%	240	1 $\frac{1}{16}$ "	—	706 lbs.	34.0



- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing

# CLEVER RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 89 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

## SAMPLE MODEL NUMBERS:

CLNN48216RCW X N MH



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>CLEVER RACETRACK TOP</b>								
<b>36" x 72"</b> <b>1 1/8" TOP THICKNESS</b>								
CLNN3672RCW      Wood	\$ 2496	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
CLNN4284RCW      Wood	\$ 2918	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
CLNN4896RCW      Wood	\$ 3340	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
CLNN48120RCW      Wood	\$ 4716	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
CLNN48144RCW      Wood	\$ 5756	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
CLNN48168RCW      Wood	\$ 6574	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
CLNN48192RCW      Wood	\$ 7386	48	192	1 1/8	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
CLNN48216RCW      Wood	\$ 8198	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
CLNN48240RCW      Wood	\$ 9010	48	240	1 1/8	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

# CLEVER RACETRACK TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 22 for available sizes)	MODIFIED WIDTH (see page 22 for available sizes)	SHEEN	FINISH
CLNN48216RCW	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet	X No Modified Depth	X No Modified Width	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	X		X	X	N	MH

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>60" x 144" 1 1/16" TOP THICKNESS</b>							
CLNN60144RCW Wood	\$ 7500	58%	144	1 1/16"	—	412 lbs.	18
<b>60" x 168"</b>							
CLNN60168RCW Wood	\$ 8563	58%	168	1 1/16"	—	480 lbs.	22.5
<b>60" x 192"</b>							
CLNN60192RCW Wood	\$ 9620	58%	192	1 1/16"	—	539 lbs.	29.0
<b>60" x 216"</b>							
CLNN60216RCW Wood	\$ 10677	58%	216	1 1/16"	—	647 lbs.	31.0
<b>60" x 240"</b>							
CLNN60240RCW Wood	\$ 11733	58%	240	1 1/16"	—	706 lbs.	34.0

CLEVER RACETRACK TOP (CONTINUED)



• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

**EPIC CONFERENCE TOP SPECIFICATIONS**

**TOPS**

- Laminate surfaces are 1 $\frac{3}{16}$ " or 1 $\frac{1}{8}$ " HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1 $\frac{3}{16}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on all sides
- Refer to page 99 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

**FINISH APPLICATION**

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


**POWER DATA**

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

**TO ORDER, SPECIFY:**

1. **Model Number**
2. **Rim Profile**
3. **PVC Rim Color (laminated models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Top Sheen (wood models)**
8. **Laminate Top Color/Wood Top Finish**
9. **Wood Rim Finish (combo models)**

**EPIC SHAPES AND SIZES**



**ROUND**

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




**SQUARE**

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



**RECTANGLE**

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



**BOAT**

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



**RACETRACK**

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

**WOOD FINISHES**

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

**TOP SHEEN OPTIONS**

N	Matte/Satin
R	Gloss

**LAMINATE COLORS**

**WOODGRAIN LAMINATE**

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	792	Sable
MC	Amber	793	Acorn
MH	Mocha		

\*Not available on occasional tables

- CSL available; see page 8 for program details and upcharge

**SOLID LAMINATE**

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

**PATTERN LAMINATE\***

809	Tungsten Evolv
814	White Tigris
818	Crisp Linen
819	Flax Gauze
820	Paloma Bisque
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

**RIM PROFILES**

**PVC RIM**


AC2	Autumn 2	PT	Portico	461	Graphite
AD	Almond	SK	Skyline	462	Cinder
CL	Caramel	SM	Sonoma	478	Platinum Grey
CW	Cordovan	TF	Truffle	488	Frosty White
DW	Judicial	405	Designer White	491	Designer White Linear
HN2	Honey 2			492	Cinder Linear
IM	Brighton	417	Mojave	792	Sable
MC	Amber	418	Mouse	793	Acorn
MH	Mocha	419	Wallaby		
NM	Natural	425	Shadow		
PB	Portobello	440	Cloud		

**WOOD RIM**


AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable



Softened PVC (V)



Knife (K)



Softened Wood (F)

**GROMMET AND CUTOUT OPTIONS**

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

**Round Grommet Option, Black**

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


**Cutout Option for 1 Touch Double Pivoting Power Grommet**

\$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 26-27 for cutout locations of CUT-G15



**NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)


- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details

**Cutout Option for Power/Data Oasis**

\$25 list upcharge per cutout location

CUT-G16C	Center	14 1/2"
CUT-G16E	End	
CUT-G16LR	Left, Right	
CUT-G16A	All	8 1/4"
CUT-G16CE	Center, End	

- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# EPIC ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 99 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter

CONFERENCE TABLE TOPS

EPIC

### EPIC ROUND TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" ROUND</b>		<b>1<math>\frac{1}{16}</math>" TOP THICKNESS</b>		<b>DI</b>	<b>H</b>			
25NN30RDW Wood	\$ 1266	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
25NN30RDL Laminate	745	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
<b>36" ROUND</b>								
25NN36RDW Wood	\$ 1489	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	2.4
25NN36RDL Laminate	877	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	2.4
<b>42" ROUND</b>								
25NN42RDW Wood	\$ 1808	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
25NN42RDL Laminate	1200	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
<b>48" ROUND</b>								
25NN48RDW Wood	\$ 2205	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
25NN48RDL Laminate	1601	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
<b>54" ROUND</b>								
25NN54RDW Wood	\$ 2454	54 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
25NN54RDL Laminate	1850	54 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
<b>60" ROUND</b>								
25NN60RDW Wood	\$ 2702	60 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
25NN60RDL Laminate	2101	60 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	150 lbs.	8.3

**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN36RDW F X N MC  
 25NN36RDL V461 X 461

For options, see page 99

**EPIC ROUND TOP  
 SOFTENED RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" ROUND</b>		<b>1 1/16" TOP THICKNESS</b>						
		<b>DI</b>		<b>H</b>				
25N30RDW Wood	\$ 1160	30 1/16	—	1 1/16	—	—	33 lbs. 2.0	
25N30RDL Laminate	638	30 1/16	—	1 1/16	—	—	33 lbs. 2.0	
<b>36" ROUND</b>								
25N36RDW Wood	\$ 1363	36 1/16	—	1 1/16	—	—	40 lbs. 2.4	
25N36RDL Laminate	751	36 1/16	—	1 1/16	—	—	40 lbs. 2.4	
<b>42" ROUND</b>								
25N42RDW Wood	\$ 1684	42 1/16	—	1 1/16	—	—	61 lbs. 3.2	
25N42RDL Laminate	1073	42 1/16	—	1 1/16	—	—	61 lbs. 3.2	
<b>48" ROUND</b>								
25N48RDW Wood	\$ 2080	48 1/16	—	1 1/16	—	—	79 lbs. 4.2	
25N48RDL Laminate	1475	48 1/16	—	1 1/16	—	—	79 lbs. 4.2	

# EPIC ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 99 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide


## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter

### EPIC ROUND TOP KNIFE RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" ROUND</b>		<b>1 1/16" TOP THICKNESS</b>						
		<b>DI</b>		<b>H</b>				
25NN30RDWK Wood	\$ 1645	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
25NN30RDLK Laminate	968	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
<b>36" ROUND</b>								
25NN36RDWK Wood	\$ 1935	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
25NN36RDLK Laminate	1139	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
<b>42" ROUND</b>								
25NN42RDWK Wood	\$ 2350	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
25NN42RDLK Laminate	1558	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
<b>48" ROUND</b>								
25NN48RDWK Wood	\$ 2865	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
25NN48RDLK Laminate	2080	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
<b>54" ROUND</b>								
25NN54RDWK Wood	\$ 3190	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
25NN54RDLK Laminate	2407	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
<b>60" ROUND</b>								
25NN60RDWK Wood	\$ 3512	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3
25NN60RDLK Laminate	2732	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3




**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25N36RDWK F X N MC  
 25N36RDLK V461 X 461

For options, see page 99

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
		D	W	H	A	KW					
<b>EPIC ROUND TOP KNIFE RIM</b>		<b>30" ROUND</b>	<b>1 1/4" TOP THICKNESS</b>	<b>DI</b>	<b>H</b>						
		25N30RDWK	Wood	\$ 1508	30 1/4	—	1 1/4	—	—	33 lbs.	2.0
		25N30RDLK	Laminate	830	30 1/4	—	1 1/4	—	—	33 lbs.	2.0
		<b>36" ROUND</b>									
		25N36RDWK	Wood	\$ 1774	36 1/4	—	1 1/4	—	—	40 lbs.	2.4
		25N36RDLK	Laminate	977	36 1/4	—	1 1/4	—	—	40 lbs.	2.4
		<b>42" ROUND</b>									
		25N42RDWK	Wood	\$ 2188	42 1/4	—	1 1/4	—	—	61 lbs.	3.2
		25N42RDLK	Laminate	1396	42 1/4	—	1 1/4	—	—	61 lbs.	3.2
		<b>48" ROUND</b>									
		25N48RDWK	Wood	\$ 2706	48 1/4	—	1 1/4	—	—	79 lbs.	4.2
		25N48RDLK	Laminate	1918	48 1/4	—	1 1/4	—	—	79 lbs.	4.2

# EPIC SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 99 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

CONFERENCE TABLE TOPS

EPIC

### EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" SQUARE</b> <b>1<sup>1</sup>/<sub>16</sub>" TOP THICKNESS</b>								
25NN3030SQW      Wood	\$ 1266	30 <sup>1</sup> / <sub>16</sub>	30 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	2.0
25NN3030SQL      Laminate	745	30 <sup>1</sup> / <sub>16</sub>	30 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	2.0
<b>36" SQUARE</b>								
25NN3636SQW      Wood	\$ 1489	36 <sup>1</sup> / <sub>16</sub>	36 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	45 lbs.	3.0
25NN3636SQL      Laminate	877	36 <sup>1</sup> / <sub>16</sub>	36 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	45 lbs.	3.0
<b>42" SQUARE</b>								
25NN4242SQW      Wood	\$ 1808	42 <sup>1</sup> / <sub>16</sub>	42 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	59 lbs.	3.8
25NN4242SQL      Laminate	1200	42 <sup>1</sup> / <sub>16</sub>	42 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	59 lbs.	3.8
<b>48" SQUARE</b>								
25NN4848SQW      Wood	\$ 2205	48 <sup>1</sup> / <sub>16</sub>	48 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	76 lbs.	4.5
25NN4848SQL      Laminate	1601	48 <sup>1</sup> / <sub>16</sub>	48 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	76 lbs.	4.5
<b>54" SQUARE</b>								
25NN5454SQW      Wood	\$ 2454	54 <sup>1</sup> / <sub>16</sub>	54 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9
25NN5454SQL      Laminate	1850	54 <sup>1</sup> / <sub>16</sub>	54 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9
<b>60" SQUARE</b>								
25NN6060SQW      Wood	\$ 2702	58 <sup>3</sup> / <sub>16</sub>	58 <sup>3</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	150 lbs.	8.3
25NN6060SQL      Laminate	2101	58 <sup>3</sup> / <sub>16</sub>	58 <sup>3</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	150 lbs.	8.3

**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN3636SQW F G10C N TF  
 25NN3636SQL V405 G10C 405

For options, see page 99

**EPIC SQUARE TOP  
SOFTENED RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE</b>		<b>1 1/16" TOP THICKNESS</b>					
25N3030SQW Wood	\$ 1160	30 1/16"	30 1/16"	1 1/16"	—	33 lbs.	2.0
25N3030SQL Laminate	638	30 1/16"	30 1/16"	1 1/16"	—	33 lbs.	2.0
<b>36" SQUARE</b>							
25N3636SQW Wood	\$ 1363	36 1/16"	36 1/16"	1 1/16"	—	45 lbs.	3.0
25N3636SQL Laminate	751	36 1/16"	36 1/16"	1 1/16"	—	45 lbs.	3.0
<b>42" SQUARE</b>							
25N4242SQW Wood	\$ 1684	42 1/16"	42 1/16"	1 1/16"	—	59 lbs.	3.8
25N4242SQL Laminate	1073	42 1/16"	42 1/16"	1 1/16"	—	59 lbs.	3.8
<b>48" SQUARE</b>							
25N4848SQW Wood	\$ 2080	48 1/16"	48 1/16"	1 1/16"	—	76 lbs.	4.5
25N4848SQL Laminate	1475	48 1/16"	48 1/16"	1 1/16"	—	76 lbs.	4.5

# EPIC SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 99 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide


## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" SQUARE</b>		<b>1 1/16" TOP THICKNESS</b>						
25NN3030SQWK Wood	\$ 1645	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
25NN3030SQLK Laminate	968	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
<b>36" SQUARE</b>								
25NN3636SQWK Wood	\$ 1935	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
25NN3636SQLK Laminate	1139	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
<b>42" SQUARE</b>								
25NN4242SQWK Wood	\$ 2350	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
25NN4242SQLK Laminate	1558	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
<b>48" SQUARE</b>								
25NN4848SQWK Wood	\$ 2865	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
25NN4848SQLK Laminate	2080	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
<b>54" SQUARE</b>								
25NN5454SQWK Wood	\$ 3190	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
25NN5454SQLK Laminate	2407	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
<b>60" SQUARE</b>								
25NN6060SQWK Wood	\$ 3512	58 3/8	58 3/8	1 1/16	—	—	150 lbs.	8.3
25NN6060SQLK Laminate	2732	58 3/8	58 3/8	1 1/16	—	—	150 lbs.	8.3

**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN3636SQWK F G10C N TF  
 25NN3636SQLK V405 G10C 405

For options, see page 99

**EPIC SQUARE TOP  
KNIFE RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE 1 1/16" TOP THICKNESS</b>							
25N3030SQWK Wood	\$ 1508	30 1/16"	30 1/16"	1 1/16"	—	33 lbs.	2.0
25N3030SQLK Laminate	830	30 1/16"	30 1/16"	1 1/16"	—	33 lbs.	2.0
<b>36" SQUARE 1 1/16" TOP THICKNESS</b>							
25N3636SQWK Wood	\$ 1774	36 1/16"	36 1/16"	1 1/16"	—	45 lbs.	3.0
25N3636SQLK Laminate	977	36 1/16"	36 1/16"	1 1/16"	—	45 lbs.	3.0
<b>42" SQUARE</b>							
25N4242SQWK Wood	\$ 2188	42 1/16"	42 1/16"	1 1/16"	—	59 lbs.	3.8
25N4242SQLK Laminate	1396	42 1/16"	42 1/16"	1 1/16"	—	59 lbs.	3.8
<b>48" SQUARE</b>							
25N4848SQWK Wood	\$ 2706	48 1/16"	48 1/16"	1 1/16"	—	76 lbs.	4.5
25N4848SQLK Laminate	1918	48 1/16"	48 1/16"	1 1/16"	—	76 lbs.	4.5

CONFERENCE TABLE TOPS

EPIC

# EPIC RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 99 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide


## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
25NN3672RTW Wood	\$ 2323	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672RTL Laminate	1719	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
25NN4284RTW Wood	\$ 2740	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284RTL Laminate	2139	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
25NN4896RTW Wood	\$ 3157	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896RTL Laminate	2564	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
25NN48120RTW Wood	\$ 4313	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120RTL Laminate	3727	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
25NN48144RTW Wood	\$ 5341	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144RTL Laminate	4768	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
25NN48168RTW Wood	\$ 6151	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168RTL Laminate	5583	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
25NN48192RTW Wood	\$ 6954	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192RTL Laminate	6396	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color
8. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN48216RTW F G10LR X X N CW  
 25NN48216RTL V480 G10LR 480

For options, see page 99

**EPIC RECTANGLE TOP  
 SOFTENED RIM  
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>48" x 216" 1 1/8" TOP THICKNESS</b>							
25NN48216RTW Wood	\$ 7759	48	216	1 1/8	—	524 lbs.	20.0
25NN48216RTL Laminate	7211	48	216	1 1/8	—	524 lbs.	20.0
<b>48" x 240"</b>							
25NN48240RTW Wood	\$ 8564	48	240	1 1/8	—	571 lbs.	22.0
25NN48240RTL Laminate	8029	48	240	1 1/8	—	571 lbs.	22.0
<b>60" x 144"</b>							
25NN60144RTW Wood	\$ 6946	58%	144	1 1/8	—	412 lbs.	18.0
25NN60144RTL Laminate	6199	58%	144	1 1/8	—	412 lbs.	18.0
<b>60" x 168"</b>							
25NN60168RTW Wood	\$ 7996	58%	168	1 1/8	—	480 lbs.	22.5
25NN60168RTL Laminate	7259	58%	168	1 1/8	—	480 lbs.	22.5
<b>60" x 192"</b>							
25NN60192RTW Wood	\$ 9040	58%	192	1 1/8	—	539 lbs.	29.0
25NN60192RTL Laminate	8314	58%	192	1 1/8	—	539 lbs.	29.0
<b>60" x 216"</b>							
25NN60216RTW Wood	\$ 10088	58%	216	1 1/8	—	647 lbs.	31.0
25NN60216RTL Laminate	9377	58%	216	1 1/8	—	647 lbs.	31.0
<b>60" x 240"</b>							
25NN60240RTW Wood	\$ 11134	58%	240	1 1/8	—	706 lbs.	34.0
25NN60240RTL Laminate	10438	58%	240	1 1/8	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# EPIC RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 99 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide


## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC RECTANGLE TOP KNIFE RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
25NN3672RTWK Wood	\$ 3021	36	72	1 1/8	-	-	136 lbs.	6.3
25NN3672RTLK Laminate	2236	36	72	1 1/8	-	-	136 lbs.	6.3
<b>42" x 84"</b>								
25NN4284RTWK Wood	\$ 3563	42	84	1 1/8	-	-	180 lbs.	8.3
25NN4284RTLK Laminate	2782	42	84	1 1/8	-	-	180 lbs.	8.3
<b>48" x 96"</b>								
25NN4896RTWK Wood	\$ 4105	48	96	1 1/8	-	-	233 lbs.	10.5
25NN4896RTLK Laminate	3331	48	96	1 1/8	-	-	233 lbs.	10.5
<b>48" x 120"</b>								
25NN48120RTWK Wood	\$ 5607	48	120	1 1/8	-	-	279 lbs.	10.6
25NN48120RTLK Laminate	4847	48	120	1 1/8	-	-	279 lbs.	10.6
<b>48" x 144"</b>								
25NN48144RTWK Wood	\$ 6943	48	144	1 1/8	-	-	332 lbs.	12.5
25NN48144RTLK Laminate	6198	48	144	1 1/8	-	-	332 lbs.	12.5
<b>48" x 168"</b>								
25NN48168RTWK Wood	\$ 7994	48	168	1 1/8	-	-	385 lbs.	14.3
25NN48168RTLK Laminate	7258	48	168	1 1/8	-	-	385 lbs.	14.3
<b>48" x 192"</b>								
25NN48192RTWK Wood	\$ 9042	48	192	1 1/8	-	-	438 lbs.	16.2
25NN48192RTLK Laminate	8316	48	192	1 1/8	-	-	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops



**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN3672RTWK K G10LR X N CL  
 25NN3672RTLK K425 G10LR X 425

For options, see page 99

**EPIC RECTANGLE TOP  
 KNIFE RIM  
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>48" x 216" 1 1/8" TOP THICKNESS</b>							
25NN48216RTWK Wood	\$ 10088	48	216	1 1/8	—	524 lbs.	20.0
25NN48216RTLK Laminate	9377	48	216	1 1/8	—	524 lbs.	20.0
<b>48" x 240"</b>							
25NN48240RTWK Wood	\$ 11134	48	240	1 1/8	—	571 lbs.	22.0
25NN48240RTLK Laminate	10438	48	240	1 1/8	—	571 lbs.	22.0
<b>60" x 144"</b>							
25NN60144RTWK Wood	\$ 9029	58%	144	1 1/8	—	412 lbs.	18.0
25NN60144RTLK Laminate	8057	58%	144	1 1/8	—	412 lbs.	18.0
<b>60" x 168"</b>							
25NN60168RTWK Wood	\$ 10394	58%	168	1 1/8	—	480 lbs.	22.5
25NN60168RTLK Laminate	9437	58%	168	1 1/8	—	480 lbs.	22.5
<b>60" x 192"</b>							
25NN60192RTWK Wood	\$ 11752	58%	192	1 1/8	—	539 lbs.	29.0
25NN60192RTLK Laminate	10809	58%	192	1 1/8	—	539 lbs.	29.0
<b>60" x 216"</b>							
25NN60216RTWK Wood	\$ 13114	58%	216	1 1/8	—	647 lbs.	31.0
25NN60216RTLK Laminate	12188	58%	216	1 1/8	—	647 lbs.	31.0
<b>60" x 240"</b>							
25NN60240RTWK Wood	\$ 14475	58%	240	1 1/8	—	706 lbs.	34.0
25NN60240RTLK Laminate	13569	58%	240	1 1/8	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# EPIC BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 99 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide


## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC BOAT TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
25NN3672BTW Wood	\$ 2508	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672BTL Laminate	1913	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
25NN4284BTW Wood	\$ 2921	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284BTL Laminate	2330	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
25NN4896BTW Wood	\$ 3334	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896BTL Laminate	2748	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
25NN48120BTW Wood	\$ 4686	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120BTL Laminate	4111	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
25NN48144BTW Wood	\$ 5704	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144BTL Laminate	5141	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
25NN48168BTW Wood	\$ 6504	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168BTL Laminate	5949	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
25NN48192BTW Wood	\$ 7303	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192BTL Laminate	6753	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color
8. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN3672BTW F G10LR X N CW  
 25NN3672BTL V480 G10LR 480

For options, see page 99

**EPIC BOAT TOP  
 SOFTENED RIM  
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>48" x 216" 1 1/8" TOP THICKNESS</b>							
25NN48216BTW Wood	\$ 8098	48	216	1 1/8	—	524 lbs.	20.0
25NN48216BTL Laminate	7546	48	216	1 1/8	—	524 lbs.	20.0
<b>48" x 240"</b>							
25NN48240BTW Wood	\$ 8896	48	240	1 1/8	—	571 lbs.	22.0
25NN48240BTL Laminate	8362	48	240	1 1/8	—	571 lbs.	22.0
<b>60" x 144"</b>							
25NN60144BTW Wood	\$ 7416	58 1/2	144	1 1/8	—	412 lbs.	18.0
25NN60144BTL Laminate	6680	58 1/2	144	1 1/8	—	412 lbs.	18.0
<b>60" x 168"</b>							
25NN60168BTW Wood	\$ 8456	58 1/2	168	1 1/8	—	480 lbs.	22.5
25NN60168BTL Laminate	7732	58 1/2	168	1 1/8	—	480 lbs.	22.5
<b>60" x 192"</b>							
25NN60192BTW Wood	\$ 9494	58 1/2	192	1 1/8	—	539 lbs.	29.0
25NN60192BTL Laminate	8779	58 1/2	192	1 1/8	—	539 lbs.	29.0
<b>60" x 216"</b>							
25NN60216BTW Wood	\$ 10529	58 1/2	216	1 1/8	—	647 lbs.	31.0
25NN60216BTL Laminate	9811	58 1/2	216	1 1/8	—	647 lbs.	31.0
<b>60" x 240"</b>							
25NN60240BTW Wood	\$ 11565	58 1/2	240	1 1/8	—	706 lbs.	34.0
25NN60240BTL Laminate	10870	58 1/2	240	1 1/8	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE TOPS

EPIC

# EPIC BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 99 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide


## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC BOAT TOP KNIFE RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b> <b>1 1/8" TOP THICKNESS</b>								
25NN3672BTWK      Wood	\$ 3260	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672BTLK      Laminate	2488	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
25NN4284BTWK      Wood	\$ 3797	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284BTLK      Laminate	3028	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
25NN4896BTWK      Wood	\$ 4335	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896BTLK      Laminate	3572	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
25NN48120BTWK      Wood	\$ 6093	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120BTLK      Laminate	5345	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
25NN48144BTWK      Wood	\$ 7416	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144BTLK      Laminate	6681	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
25NN48168BTWK      Wood	\$ 8458	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168BTLK      Laminate	7732	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
25NN48192BTWK      Wood	\$ 9494	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192BTLK      Laminate	8779	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color
8. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN48216BTWK K G10A X X N AC  
 25NN48216BTLK K461 G10A X X 461

For options, see page 99

**EPIC BOAT TOP  
 KNIFE RIM  
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>48" x 216" 1 1/16" TOP THICKNESS</b>							
25NN48216BTWK Wood	\$ 10529	48	216	1 1/16	—	524 lbs.	20.0
25NN48216BTLK Laminate	9811	48	216	1 1/16	—	524 lbs.	20.0
<b>48" x 240"</b>							
25NN48240BTWK Wood	\$ 11565	48	240	1 1/16	—	571 lbs.	22.0
25NN48240BTLK Laminate	10873	48	240	1 1/16	—	571 lbs.	22.0
<b>60" x 144"</b>							
25NN60144BTWK Wood	\$ 9639	58 1/2	144	1 1/16	—	412 lbs.	18.0
25NN60144BTLK Laminate	8684	58 1/2	144	1 1/16	—	412 lbs.	18.0
<b>60" x 168"</b>							
25NN60168BTWK Wood	\$ 10994	58 1/2	168	1 1/16	—	480 lbs.	22.5
25NN60168BTLK Laminate	10053	58 1/2	168	1 1/16	—	480 lbs.	22.5
<b>60" x 192"</b>							
25NN60192BTWK Wood	\$ 12341	58 1/2	192	1 1/16	—	539 lbs.	29.0
25NN60192BTLK Laminate	11411	58 1/2	192	1 1/16	—	539 lbs.	29.0
<b>60" x 216"</b>							
25NN60216BTWK Wood	\$ 13686	58 1/2	216	1 1/16	—	647 lbs.	31.0
25NN60216BTLK Laminate	12755	58 1/2	216	1 1/16	—	647 lbs.	31.0
<b>60" x 240"</b>							
25NN60240BTWK Wood	\$ 15034	58 1/2	240	1 1/16	—	706 lbs.	34.0
25NN60240BTLK Laminate	14132	58 1/2	240	1 1/16	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# EPIC RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 99 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC RACETRACK TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/16" TOP THICKNESS</b>						
25NN3672RCW Wood	\$ 2534	36	72	1 1/16	—	—	136 lbs.	6.3
25NN3672RCL Laminate	1932	36	72	1 1/16	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
25NN4284RCW Wood	\$ 2952	42	84	1 1/16	—	—	180 lbs.	8.3
25NN4284RCL Laminate	2354	42	84	1 1/16	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
25NN4896RCW Wood	\$ 3370	48	96	1 1/16	—	—	233 lbs.	10.5
25NN4896RCL Laminate	2775	48	96	1 1/16	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
25NN48120RCW Wood	\$ 4733	48	120	1 1/16	—	—	279 lbs.	10.6
25NN48120RCL Laminate	4152	48	120	1 1/16	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
25NN48144RCW Wood	\$ 5762	48	144	1 1/16	—	—	332 lbs.	12.5
25NN48144RCL Laminate	5191	48	144	1 1/16	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
25NN48168RCW Wood	\$ 6571	48	168	1 1/16	—	—	385 lbs.	14.3
25NN48168RCL Laminate	6009	48	168	1 1/16	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
25NN48192RCW Wood	\$ 7377	48	192	1 1/16	—	—	438 lbs.	16.2
25NN48192RCL Laminate	6821	48	192	1 1/16	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color
8. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN48216RCW F G10LR X X N DW  
 25NN48216RCL V405 G10LR X X 405

**For options, see page 99**

**EPIC RACETRACK TOP  
 SOFTENED RIM  
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>48" x 216" 1 1/8" TOP THICKNESS</b>							
25NN48216RCW Wood	\$ 8182	48	216	1 1/8	—	524 lbs.	20.0
25NN48216RCL Laminate	7622	48	216	1 1/8	—	524 lbs.	20.0
<b>48" x 240"</b>							
25NN48240RCW Wood	\$ 8986	48	240	1 1/8	—	571 lbs.	22.0
25NN48240RCL Laminate	8446	48	240	1 1/8	—	571 lbs.	22.0
<b>60" x 144"</b>							
25NN60144RCW Wood	\$ 7490	58 3/4	144	1 1/8	—	412 lbs.	18.0
25NN60144RCL Laminate	6748	58 3/4	144	1 1/8	—	412 lbs.	18.0
<b>60" x 168"</b>							
25NN60168RCW Wood	\$ 8543	58 3/4	168	1 1/8	—	480 lbs.	22.5
25NN60168RCL Laminate	7810	58 3/4	168	1 1/8	—	480 lbs.	22.5
<b>60" x 192"</b>							
25NN60192RCW Wood	\$ 9590	58 3/4	192	1 1/8	—	539 lbs.	29.0
25NN60192RCL Laminate	8867	58 3/4	192	1 1/8	—	539 lbs.	29.0
<b>60" x 216"</b>							
25NN60216RCW Wood	\$ 10634	58 3/4	216	1 1/8	—	647 lbs.	31.0
25NN60216RCL Laminate	9911	58 3/4	216	1 1/8	—	647 lbs.	31.0
<b>60" x 240"</b>							
25NN60240RCW Wood	\$ 11679	58 3/4	240	1 1/8	—	706 lbs.	34.0
25NN60240RCL Laminate	10980	58 3/4	240	1 1/8	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# EPIC RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 99 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

- W Wood Unit
- L Laminate Unit

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### EPIC RACETRACK TOP KNIFE RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
25NN3672RCWK Wood	\$ 3294	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672RCLK Laminate	2510	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
25NN4284RCWK Wood	\$ 3836	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284RCLK Laminate	3060	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
25NN4896RCWK Wood	\$ 4380	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896RCLK Laminate	3608	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
25NN48120RCWK Wood	\$ 6153	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120RCLK Laminate	5397	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
25NN48144RCWK Wood	\$ 7491	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144RCLK Laminate	6750	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
25NN48168RCWK Wood	\$ 8543	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168RCLK Laminate	7810	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
25NN48192RCWK Wood	\$ 9590	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192RCLK Laminate	8867	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops



**TO ORDER, SPECIFY:**


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminated Top Color
8. Worksurface Sheen (wood models)

**SAMPLE MODEL NUMBERS:**

25NN3672RCWK K G10A X N CW  
 25NN3672RCLK K425 G10A X CW

For options, see page 99

**EPIC RACETRACK TOP  
 KNIFE RIM  
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>48" x 216" 1 1/8" TOP THICKNESS</b>							
25NN48216RCWK Wood	\$ 10636	48	216	1 1/8	—	524 lbs.	20.0
25NN48216RCLK Laminate	9911	48	216	1 1/8	—	524 lbs.	20.0
<b>48" x 240"</b>							
25NN48240RCWK Wood	\$ 11679	48	240	1 1/8	—	571 lbs.	22.0
25NN48240RCLK Laminate	10980	48	240	1 1/8	—	571 lbs.	22.0
<b>60" x 144"</b>							
25NN60144RCWK Wood	\$ 9738	58%	144	1 1/8	—	412 lbs.	18.0
25NN60144RCLK Laminate	8773	58%	144	1 1/8	—	412 lbs.	18.0
<b>60" x 168"</b>							
25NN60168RCWK Wood	\$ 11105	58%	168	1 1/8	—	480 lbs.	22.5
25NN60168RCLK Laminate	10155	58%	168	1 1/8	—	480 lbs.	22.5
<b>60" x 192"</b>							
25NN60192RCWK Wood	\$ 12464	58%	192	1 1/8	—	539 lbs.	29.0
25NN60192RCLK Laminate	11527	58%	192	1 1/8	—	539 lbs.	29.0
<b>60" x 216"</b>							
25NN60216RCWK Wood	\$ 13825	58%	216	1 1/8	—	647 lbs.	31.0
25NN60216RCLK Laminate	12884	58%	216	1 1/8	—	647 lbs.	31.0
<b>60" x 240"</b>							
25NN60240RCWK Wood	\$ 15185	58%	240	1 1/8	—	706 lbs.	34.0
25NN60240RCLK Laminate	14274	58%	240	1 1/8	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# ESCALADE

## ESCALADE CONFERENCE TOP SPECIFICATIONS

### TOPS

- 1 $\frac{1}{2}$ " slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:


1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen**
6. **Finish**

## ESCALADE SHAPES AND SIZES



### ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter




### SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



### RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



### BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

### WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

### TOP SHEEN OPTIONS

- N Matte/Satin
- R Gloss

### RIM PROFILE



### GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

#### Round Grommet Option, Black

\$75 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right
- G10A All
- G10CE Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


#### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G15C Center
- CUT-G15E End
- CUT-G15LR Left, Right
- CUT-G15A All
- CUT-G15CE Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


#### Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

- CUT-G16C Center
- CUT-G16E End
- CUT-G16LR Left, Right
- CUT-G16A All
- CUT-G16CE Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# ESCALADE ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 121 for options and upcharge
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width  
 DI Diameter


## SAMPLE MODEL NUMBERS:

ECN42RDW G10C R DW  
 ECN3636SQW X N MH

CONFERENCE TABLE TOPS

ESCALADE

### ESCALADE ROUND TOP




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>30" ROUND</b> ECN30RDW	<b>1<math>\frac{1}{16}</math>" TOP THICKNESS</b> Wood	\$ 1437	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs. 2.0
<b>36" ROUND</b> ECN36RDW	Wood	\$ 1693	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	45 lbs. 2.4
<b>42" ROUND</b> ECN42RDW	Wood	\$ 1907	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	74 lbs. 4.0
<b>48" ROUND</b> ECN48RDW	Wood	\$ 2342	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	94 lbs. 5.1

# ESCALADE SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN	FINISH
ECN42RDW	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	G10C	R	DW

## ESCALADE SQUARE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>30" SQUARE</b> ECN3030SQW	Wood	\$ 1437	30 $\frac{1}{16}$ "	30 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	—	33 lbs. 2.0
<b>36" SQUARE</b> ECN3636SQW	Wood	\$ 1693	36 $\frac{1}{16}$ "	36 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	—	45 lbs. 2.4
<b>42" SQUARE</b> ECN4242SQW	Wood	\$ 1907	42 $\frac{1}{16}$ "	42 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	—	61 lbs. 3.2
<b>48" SQUARE</b> ECN4848SQW	Wood	\$ 2342	48 $\frac{1}{16}$ "	48 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	—	79 lbs. 4.2
<b>54" SQUARE</b> ECN5454SQW	Wood	\$ 2590	54 $\frac{1}{16}$ "	54 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	—	121 lbs. 6.9
<b>60" SQUARE</b> ECN6060SQW	Wood	\$ 2837	60 $\frac{1}{16}$ "	60 $\frac{1}{16}$ "	1 $\frac{1}{16}$ "	—	150 lbs. 8.3

CONFERENCE TABLE TOPS

ESCALADE

# ESCALADE RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 121 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width


## SAMPLE MODEL NUMBERS:

ECN3672RTW X X N MH  
 ECN60144RTW CUT-G15A X X N CL

CONFERENCE TABLE TOPS

ESCALADE

### ESCALADE RECTANGLE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
ECN3672RTW Wood	\$ 2897	35 1/4	71 1/8	1 1/8	-	-	136 lbs.	6.3
<b>42" x 84"</b>								
ECN4284RTW Wood	\$ 3248	42 1/8	84 3/8	1 1/8	-	-	180 lbs.	8.3
<b>48" x 96"</b>								
ECN4896RTW Wood	\$ 3596	47 1/4	95 1/8	1 1/8	-	-	233 lbs.	10.5
<b>48" x 120"</b>								
ECN48120RTW Wood	\$ 4937	47 1/4	119 1/4	1 1/8	-	-	279 lbs.	10.6
<b>48" x 144"</b>								
ECN48144RTW Wood	\$ 6130	47 1/4	143 3/8	1 1/8	-	-	332 lbs.	12.5
<b>48" x 168"</b>								
ECN48168RTW Wood	\$ 7569	47 1/4	167 1/4	1 1/8	-	-	385 lbs.	14.4
<b>48" x 192"</b>								
ECN48192RTW Wood	\$ 8573	47 1/4	191 1/4	1 1/8	-	-	438 lbs.	16.3
<b>48" x 216"</b>								
ECN48216RTW Wood	\$ 9577	47 1/4	216	1 1/8	-	-	524 lbs.	20.0
<b>48" x 240"</b>								
ECN48240RTW Wood	\$ 10582	47 1/4	240	1 1/8	-	-	571 lbs.	22.0


• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

# ESCALADE RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	MODIFIED DEPTH (see page 22 for available sizes)	MODIFIED WIDTH (see page 22 for available sizes)	SHEEN	FINISH
ECN3672RTW	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End X	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet X No Modified Depth	X No Modified Width	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle MH

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>ESCALADE RECTANGLE TOP (CONTINUED)</b>							
<b>60" x 144" 1 1/16" TOP THICKNESS</b>							
ECN60144RTW Wood	\$ 7968	58%	143 1/2	1 1/16	-	412 lbs.	18.0
<b>60" x 168"</b>							
ECN60168RTW Wood	\$ 9839	58%	167 1/4	1 1/16	-	480 lbs.	22.5
<b>60" x 192"</b>							
ECN60192RTW Wood	\$ 11144	58%	191 1/4	1 1/16	-	539 lbs.	29.0
<b>60" x 216"</b>							
ECN60216RTW Wood	\$ 12451	58%	216	1 1/16	-	647 lbs.	31.0
<b>60" x 240"</b>							
ECN60240RTW Wood	\$ 13757	58%	240	1 1/16	-	706 lbs.	34.0



• Modified depth and width are available; refer to the chart on page 22 for conference top sizing

CONFERENCE TABLE TOPS

ESCALADE

# ESCALADE BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 121 for options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width


## SAMPLE MODEL NUMBERS:

ECN3672BTW X X N MH  
 ECN60144BTW CUT-G15A X X N NM

CONFERENCE TABLE TOPS

ESCALADE

### ESCALADE BOAT TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>								
<b>1 1/16" TOP THICKNESS</b>								
ECN3672BTW Wood	\$ 3101	36	72	1 1/16	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
ECN4284BTW Wood	\$ 3475	42	84	1 1/16	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
ECN4896BTW Wood	\$ 3849	48	96	1 1/16	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
ECN48120BTW Wood	\$ 5283	48	120	1 1/16	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
ECN48144BTW Wood	\$ 6560	48	144	1 1/16	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
ECN48168BTW Wood	\$ 8098	48	168	1 1/16	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
ECN48192BTW Wood	\$ 9171	48	192	1 1/16	—	—	438 lbs.	16.2
<b>48" x 216"</b>								
ECN48216BTW Wood	\$ 10247	48	216	1 1/16	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
ECN48240BTW Wood	\$ 11324	48	240	1 1/16	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing




# ESCALADE BOAT TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	MODIFIED DEPTH (see page 22 for available sizes)	MODIFIED WIDTH (see page 22 for available sizes)	SHEEN	FINISH
ECN3672BTW	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End X	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet X No Modified Depth	X No Modified Width	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle MH

## ESCALADE BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>60" x 144" 1 1/8" TOP THICKNESS</b>							
ECN60144BTW Wood	\$ 8527	58%	144	1 1/8"	-	412 lbs.	18.0
<b>60" x 168"</b>							
ECN60168BTW Wood	\$ 10528	58%	168	1 1/8"	-	480 lbs.	22.5
<b>60" x 192"</b>							
ECN60192BTW Wood	\$ 11925	58%	192	1 1/8"	-	539 lbs.	29.0
<b>60" x 216"</b>							
ECN60216BTW Wood	\$ 13322	58%	216	1 1/8"	-	647 lbs.	31.0
<b>60" x 240"</b>							
ECN60240BTW Wood	\$ 14718	58%	240	1 1/8"	-	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing

CONFERENCE TABLE TOPS  
ESCALADE

# FLOURISH

## FLOURISH CONFERENCE TOP SPECIFICATIONS

### TOPS

- 1½" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard with profiled rim profile
- Grain direction runs left-to-right unless otherwise noted

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution

### TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen (wood models)
5. Finish/Laminate

## FLOURISH SHAPES AND SIZES



### ROUND

42" Diameter


**WOOD FINISHES**

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

**TOP SHEEN OPTIONS**

- N Matte/Satin
- R Gloss

**RIM PROFILES**



**GROMMET OPTIONS**

Conference table tops are available with grommet options to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

**Round Grommet Option, Black**

\$75 list upcharge per grommet location

G10C Center



- Reference pages 24-25 for grommet locations



**NACG10EL  
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# FLOURISH ROUND TOPS

## PRODUCT SPECIFICATIONS

- Grommet option available is G10C, reference page 129 for grommet options and upcharge
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top

## SAMPLE MODEL NUMBER:

19N42RDW G10C R TD AC

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width  
 DI Diameter

CONFERENCE TABLE TOPS

FLOURISH

### FLOURISH ROUND TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>42" ROUND</b>								
		<b>DI</b>		<b>H</b>				
<b>1 1/2" TOP THICKNESS</b>								
19N42RDW	\$ 942	42	—	1 1/2	—	—	54 lbs.	3.2
<b>42" ROUND</b>								
<b>1" TOP THICKNESS</b>								
19N42RDLW	\$ 837	42	—	1	—	—	54 lbs.	3.2

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET OPTION	SHEEN	FINISH
19N42RDW	TD Eased	G10C Center	R Gloss	AC Autumn

CONFERENCE TABLE TOPS

FLOURISH

## UNIVERSAL CONFERENCE TOP SPECIFICATIONS

### CP TOPS

- 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate)
- HPL flat rim profile

### CCW TOPS

- Veneer surfaces are 1 $\frac{3}{8}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)
- Veneer surfaces feature wood rim with 5 profile options
- Laminate/wood models are 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate) that feature wood rim with 5 profile options

### CORIAN SOLID SURFACE TOPS

- 1 $\frac{1}{2}$ " Corian solid surface
- Knife rim profile
- Grommet cutouts not available
- Available in standard or **matte** sheen

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or **gloss** sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or **gloss** sheen

### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER CP TOPS, SPECIFY:

1. **Model Number**
2. **Grommet**
3. **Laminate**


### TO ORDER CCW TOPS, SPECIFY:

1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Sheen (wood models)**
5. **Laminate Top Color/Wood Top Finish**
6. **Rim Finish (laminate/wood models)**

### TO ORDER SOLID SURFACE TOPS, SPECIFY:


1. **Model Number**
2. **Sheen**
3. **Solid Surface Color**

**UNIVERSAL SHAPES AND SIZES**




**ROUND**

24" Diameter (solid surface only)  
 30" Diameter  
 36" Diameter  
 42" Diameter  
 48" Diameter  
 54" Diameter  
 60" Diameter



**SQUARE**

30" x 30"  
 36" x 36"  
 42" x 42"  
 48" x 48"  
 54" x 54"  
 60" x 60"




**SOFT SQUARE**

(solid surface only)  
 24" x 24"  
 30" x 30"  
 36" x 36"  
 42" x 42"  
 48" x 48"  
 54" x 54"  
 60" x 60"



**RECTANGLE**

36" x 72", 42" x 84"  
 48" x 96", 120", 144", 168", 192", 216" and 240"  
 60" x 144", 168", 192", 216" and 240"



**BOAT**

36" x 72", 42" x 84"  
 48" x 96", 120", 144", 168", 192", 216" and 240"  
 60" x 144", 168", 192", 216" and 240"



**RACETRACK**

36" x 72", 42" x 84"  
 48" x 96", 120", 144", 168", 192", 216" and 240"  
 60" x 144", 168", 192", 216" and 240"

**QUICK DELIVERY MODELS**

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Sheen: Gloss

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

# UNIVERSAL

## CP TOP OPTIONS

### LAMINATE COLORS

#### WOODGRAIN LAMINATE

AC2 Autumn 2  
AD Almond  
CL Caramel  
CW Cordovan  
DW Judicial  
HN2 Honey 2  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
PB Portobello  
PT Portico  
SK Skyline  
SM Sonoma  
TF Truffle  
792 Sable  
793 Acorn

#### SOLID LAMINATE

405 Designer White  
417 Mojave  
418 Mouse  
419 Wallaby  
425 Shadow  
440 Cloud  
461 Graphite  
462 Cinder  
478 Platinum Grey  
488 Frosty White  
491 Designer White Linear  
492 Cinder Linear

### CP RIM PROFILE



Flat (E)

## CCW TOP OPTIONS

### WOOD FINISHES

AC Autumn  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

### TOP SHEEN OPTIONS

N Matte/Satin  
R Gloss

### LAMINATE COLORS

#### WOODGRAIN LAMINATE

AC2 Autumn 2  
CL Caramel  
CW Cordovan  
DW Judicial  
HN2 Honey 2  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

#### SOLID LAMINATE

405 Designer White  
417 Mojave  
418 Mouse  
419 Wallaby  
425 Shadow  
440 Cloud  
461 Graphite  
462 Cinder  
478 Platinum Grey  
488 Frosty White  
491 Designer White Linear  
492 Cinder Linear

#### PATTERN LAMINATE

809 Tungsten Evolv  
814 White Tigris  
818 Crisp Linen  
819 Flax Gauze  
820 Paloma Bisque  
821 Elemental Concrete  
822 Smoke Quarstone  
874 Bronze Legacy

### WOOD RIM

AC Autumn  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

### CCW RIM PROFILES



Radius (A)



Reed (M)



Bullnose (D)



Softened (F)



Self (J)  
(all wood models only)

## SOLID SURFACE TOP OPTIONS

### CORIAN COLORS

7101 Bisque (Grade A)  
7201 Glacier White (Grade A)  
7202 Canyon (Grade B)  
7203 Designer White (Grade B)  
7204 Silt (Grade B)  
7301 Concrete (Grade C)  
7302 Deep Night Sky (Grade C)  
7303 Deep Nocturne (Grade C)  
7305 Fossil (Grade C)

### CORIAN RIM PROFILE



## TOP SHEEN OPTIONS

R Standard  
N Matte



## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

### Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


### Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# UNIVERSAL ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 135 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter

## SAMPLE MODEL NUMBERS:

- CCW36RD2W D G10C N NM
- CCW60RD2LW F G10C 805 CL
- CP-54E G10C 461

**To You In 10 DAYS ...or Less**  
 Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



UNIVERSAL ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	30" ROUND	1 $\frac{1}{16}$ " TOP THICKNESS		DI	W	H	A	KW		
	CCW30RD2W	Wood-J Rim	\$ 650	30	-	1 $\frac{1}{16}$	-	-	33 lbs.	2.0
	CCW30RD2W	Wood-A,M,D,F Rim	1141	30	-	1 $\frac{1}{16}$	-	-	33 lbs.	2.0
	CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1141	30	-	1 $\frac{1}{16}$	-	-	33 lbs.	2.0
	CP-30E	Laminate-E Rim	373	30	-	1 $\frac{1}{16}$	-	-	33 lbs.	2.0
<b>36" ROUND</b>										
	CCW36RD2W	Wood-J Rim	\$ 764	36	-	1 $\frac{1}{16}$	-	-	56 lbs.	3.1
	CCW36RD2W	Wood-A,M,D,F Rim	1342	36	-	1 $\frac{1}{16}$	-	-	56 lbs.	3.1
	CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	1342	36	-	1 $\frac{1}{16}$	-	-	56 lbs.	3.1
	CP-36E	Laminate-E Rim	439	36	-	1 $\frac{1}{16}$	-	-	56 lbs.	3.1
<b>42" ROUND</b>										
	QCCW42RD2W	Wood-J Rim	\$ 930	42	-	1 $\frac{1}{16}$	-	-	74 lbs.	4.0
	CCW42RD2W	Wood-J Rim	930	42	-	1 $\frac{1}{16}$	-	-	74 lbs.	4.0
	CCW42RD2W	Wood-A,M,D,F Rim	1659	42	-	1 $\frac{1}{16}$	-	-	74 lbs.	4.0
	CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	1659	42	-	1 $\frac{1}{16}$	-	-	74 lbs.	4.0
	QCP-42E	Laminate-E Rim	505	42	-	1 $\frac{1}{16}$	-	-	74 lbs.	4.0
	CP-42E	Laminate-E Rim	505	42	-	1 $\frac{1}{16}$	-	-	74 lbs.	4.0
<b>48" ROUND</b>										
	CCW48RD2W	Wood-J Rim	\$ 1180	48	-	1 $\frac{1}{16}$	-	-	94 lbs.	5.1
	CCW48RD2W	Wood-A,M,D,F Rim	2052	48	-	1 $\frac{1}{16}$	-	-	94 lbs.	5.1
	CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	2052	48	-	1 $\frac{1}{16}$	-	-	94 lbs.	5.1
	CP-48E	Laminate-E Rim	578	48	-	1 $\frac{1}{16}$	-	-	79 lbs.	4.2
<b>54" ROUND</b>										
	CCW54RD2W	Wood-J Rim	\$ 1433	54	-	1 $\frac{1}{16}$	-	-	121 lbs.	6.9
	CCW54RD2W	Wood-A,M,D,F Rim	2304	54	-	1 $\frac{1}{16}$	-	-	121 lbs.	6.9
	CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	2304	54	-	1 $\frac{1}{16}$	-	-	121 lbs.	6.9
	CP-54E	Laminate-E Rim	830	54	-	1 $\frac{1}{16}$	-	-	121 lbs.	6.9
<b>60" ROUND</b>										
	CCW60RD2W	Wood-J Rim	\$ 1683	58%	-	1 $\frac{1}{16}$	-	-	150 lbs.	8.3
	CCW60RD2W	Wood-A,M,D,F Rim	2552	58%	-	1 $\frac{1}{16}$	-	-	150 lbs.	8.3
	CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	2552	58%	-	1 $\frac{1}{16}$	-	-	150 lbs.	8.3
	CP-60E	Laminate-E Rim	1081	58%	-	1 $\frac{1}{16}$	-	-	150 lbs.	8.3

# UNIVERSAL ROUND TOPS

Specify selections, left to right:

<b>BASE MODEL</b>	<b>RIM PROFILE</b> (CCW only)	<b>GROMMET/CUTOUT OPTION</b>	<b>SHEEN</b> (wood tops only)	<b>FINISH</b> (wood tops only)	<b>LAMINATE</b> (laminated or laminate/wood only)	<b>RIM FINISH</b> (laminated/wood only)
A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby	425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 792 Sable* 793 Acorn* 809 Tungsten Evolv** 814 White Tigris** 818 Crisp Linen** 819 Flax Gauze** 820 Paloma Bisque** 821 Elemental Concrete** 822 Smoke Quarstone** 874 Bronze Legacy**	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CCW36RD2W	D	G10C	N	NM		

\*Only available on laminate models  
\*\*Only available on laminate/wood models

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
<b>UNIVERSAL ROUND TOP</b>							
							
<b>30" ROUND</b>	<b>1 1/8" TOP THICKNESS</b>	<b>DI</b>	<b>H</b>				
CCW30WSRNW	Wood-J Rim	\$ 597	30	—	1 1/8	—	33 lbs. 2.0
CP-WS30E	Laminate-E Rim	319	30	—	1 1/8	—	33 lbs. 2.0
<b>36" ROUND</b>							
CCW36WSRNW	Wood-J Rim	\$ 702	36	—	1 1/8	—	42 lbs. 2.4
CP-WS36E	Laminate-E Rim	376	36	—	1 1/8	—	42 lbs. 2.4
<b>42" ROUND</b>							
CCW42WSRNW	Wood-J Rim	\$ 867	42	—	1 1/8	—	58 lbs. 3.2
CP-WS42E	Laminate-E Rim	442	42	—	1 1/8	—	58 lbs. 3.2
<b>48" ROUND</b>							
CCW48WSRNW	Wood-J Rim	\$ 1119	48	—	1 1/8	—	76 lbs. 4.2
CP-WS48E	Laminate-E Rim	516	48	—	1 1/8	—	76 lbs. 4.2
<b>UNIVERSAL CORIAN ROUND TOP</b>							
							
<b>24" ROUND</b>	<b>1 1/2" TOP THICKNESS</b>	<b>GRADE A</b>	<b>GRADE B</b>	<b>GRADE C</b>	<b>DI</b>	<b>H</b>	
10N24RDS	Corian Solid Surface	\$ 1576	\$ 1680	\$ 1816	24	—	1 1/2 — 26 lbs. 1.3
<b>30" ROUND</b>							
10N30RDS	Corian Solid Surface	\$ 2013	\$ 2176	\$ 2388	30	—	1 1/2 — 41 lbs. 1.9
<b>36" ROUND</b>							
10N36RDS	Corian Solid Surface	\$ 2510	\$ 2744	\$ 3050	36	—	1 1/2 — 59 lbs. 2.7
<b>42" ROUND</b>							
10N42RDS	Corian Solid Surface	\$ 3063	\$ 3382	\$ 3798	42	—	1 1/2 — 80 lbs. 3.5
<b>48" ROUND</b>							
10N48RDS	Corian Solid Surface	\$ 3698	\$ 4114	\$ 4658	48	—	1 1/2 — 105 lbs. 4.5
<b>54" ROUND</b>							
10N54RDS	Corian Solid Surface	\$ 4362	\$ 4889	\$ 5577	54	—	1 1/2 — 133 lbs. 5.7
<b>60" ROUND</b>							
10N60RDS	Corian Solid Surface	\$ 5086	\$ 5736	\$ 6586	58 1/2	—	1 1/2 — 165 lbs. 6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7202 Canyon (Grade B), 7203 Designer White (Grade B), 7204 Silt (Grade B), 7301 Concrete (Grade C), 7302 Deep Night Sky (Grade C), 7303 Deep Nocturne (Grade C), or 7305 Fossil (Grade C); also available in standard (R) or matte (N) sheen
- Not intended for use with adjustable height bases

# UNIVERSAL SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 135 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

- CCW5454SQW A X R CW
- CCW5454SQLW M X 461 CL
- CP-SQ54E G10C 461

### UNIVERSAL SQUARE TOP




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>30" SQUARE</b>									
<b>1<sup>1</sup>/<sub>16</sub>" TOP THICKNESS</b>									
CCW3030SQW	Wood-J Rim	\$ 650	30	30	1 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	2.0
CCW3030SQW	Wood-A,M,D,F Rim	1141	30	30	1 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	2.0
CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1141	30	30	1 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	2.0
CP-SQ30E	Laminate-E Rim	373	30	30	1 <sup>1</sup> / <sub>16</sub>	—	—	33 lbs.	2.0
<b>36" SQUARE</b>									
CCW3636SQW	Wood-J Rim	\$ 764	36	36	1 <sup>1</sup> / <sub>16</sub>	—	—	45 lbs.	2.4
CCW3636SQW	Wood-A,M,D,F Rim	1342	36	36	1 <sup>1</sup> / <sub>16</sub>	—	—	45 lbs.	2.4
CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	1342	36	36	1 <sup>1</sup> / <sub>16</sub>	—	—	45 lbs.	2.4
CP-SQ36E	Laminate-E Rim	439	36	36	1 <sup>1</sup> / <sub>16</sub>	—	—	45 lbs.	2.4
<b>42" SQUARE</b>									
CCW4242SQW	Wood-J Rim	\$ 930	42	42	1 <sup>1</sup> / <sub>16</sub>	—	—	61 lbs.	3.2
CCW4242SQW	Wood-A,M,D,F Rim	1659	42	42	1 <sup>1</sup> / <sub>16</sub>	—	—	61 lbs.	3.2
CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	1659	42	42	1 <sup>1</sup> / <sub>16</sub>	—	—	61 lbs.	3.2
CP-SQ42E	Laminate-E Rim	505	42	42	1 <sup>1</sup> / <sub>16</sub>	—	—	61 lbs.	3.2
<b>48" SQUARE</b>									
CCW4848SQW	Wood-J Rim	\$ 1180	48	48	1 <sup>1</sup> / <sub>16</sub>	—	—	79 lbs.	4.2
CCW4848SQW	Wood-A,M,D,F Rim	2052	48	48	1 <sup>1</sup> / <sub>16</sub>	—	—	79 lbs.	4.2
CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	2052	48	48	1 <sup>1</sup> / <sub>16</sub>	—	—	79 lbs.	4.2
CP-SQ48E	Laminate-E Rim	578	48	48	1 <sup>1</sup> / <sub>16</sub>	—	—	79 lbs.	4.2
<b>54" SQUARE</b>									
CCW5454SQW	Wood-J Rim	\$ 1433	54	54	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9
CCW5454SQW	Wood-A,M,D,F Rim	2304	54	54	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9
CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	2304	54	54	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9
CP-SQ54E	Laminate-E Rim	830	54	54	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9
<b>60" SQUARE</b>									
CCW6060SQW	Wood-J Rim	\$ 1683	58 <sup>1</sup> / <sub>2</sub>	58 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	150 lbs.	8.3
CCW6060SQW	Wood-A,M,D,F Rim	2552	58 <sup>1</sup> / <sub>2</sub>	58 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	150 lbs.	8.3
CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	2552	58 <sup>1</sup> / <sub>2</sub>	58 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	150 lbs.	8.3
CP-SQ60E	Laminate-E Rim	1081	58 <sup>1</sup> / <sub>2</sub>	58 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	121 lbs.	6.9

# UNIVERSAL SQUARE TOPS


Specify selections, left to right:

<b>BASE MODEL</b>	<b>RIM PROFILE</b> (CCW only)	<b>GROMMET/CUTOUT OPTION</b>	<b>SHEEN</b> (wood tops only)	<b>FINISH</b> (wood tops only)	<b>LAMINATE</b> (laminated or laminate/wood only)	<b>RIM FINISH</b> (laminated/wood only)	
CCW5454SQW	A	X	R	CW			
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center CUT-G15C Center X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby	425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 792 Sable* 793 Acorn* 809 Tungsten Evolv** 814 White Tigris** 818 Crisp Linen** 819 Flax Gauze** 820 Paloma Bisque** 821 Elemental Concrete** 822 Smoke Quarstone** 874 Bronze Legacy**	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle

\*Only available on laminate models  
\*\*Only available on laminate/wood models

UNIVERSAL SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A			
	<b>30" SQUARE</b>								
		<b>1 1/8" TOP THICKNESS</b>							
	CCW3030WSSQW	Wood-J Rim	\$ 597	30	30	1 1/8	—	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	319	30	30	1 1/8	—	33 lbs.	2.0
	<b>36" SQUARE</b>								
	CCW3636WSSQW	Wood-J Rim	\$ 702	36	36	1 1/8	—	42 lbs.	2.4
CP-WSSQ36E	Laminate-E Rim	376	36	36	1 1/8	—	42 lbs.	2.4	
<b>42" SQUARE</b>									
CCW4242WSSQW	Wood-J Rim	\$ 867	42	42	1 1/8	—	58 lbs.	3.2	
CP-WSSQ42E	Laminate-E Rim	442	42	42	1 1/8	—	58 lbs.	3.2	
<b>48" SQUARE</b>									
CCW4848WSSQW	Wood-J Rim	\$ 1119	48	48	1 1/8	—	76 lbs.	4.2	
CP-WSSQ48E	Laminate-E Rim	516	48	48	1 1/8	—	76 lbs.	4.2	

## UNIVERSAL CORIAN SOFT SQUARE TOP

UNIVERSAL CORIAN SOFT SQUARE TOP	MODEL NO./DESCRIPTION	LIST PRICE	GRADE			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
			GRADE A	GRADE B	GRADE C							
	<b>24" SOFT SQUARE</b>											
		<b>1 1/2" TOP THICKNESS</b>										
	10N2424SSQS	Corian Solid Surface	\$ 1576	\$ 1680	\$ 1816	24	24	1 1/2	—	—	38 lbs.	1.3
	<b>30" SOFT SQUARE</b>											
	10N3030SSQS	Corian Solid Surface	\$ 2013	\$ 2176	\$ 2388	30	30	1 1/2	—	—	57 lbs.	1.9
	<b>36" SOFT SQUARE</b>											
10N3636SSQS	Corian Solid Surface	\$ 2510	\$ 2744	\$ 3050	36	36	1 1/2	—	—	79 lbs.	2.7	
<b>42" SOFT SQUARE</b>												
10N4242SSQS	Corian Solid Surface	\$ 3063	\$ 3382	\$ 3798	42	42	1 1/2	—	—	105 lbs.	3.5	
<b>48" SOFT SQUARE</b>												
10N4848SSQS	Corian Solid Surface	\$ 3698	\$ 4114	\$ 4658	48	48	1 1/2	—	—	135 lbs.	4.5	
<b>54" SOFT SQUARE</b>												
10N5454SSQS	Corian Solid Surface	\$ 4362	\$ 4889	\$ 5577	54	54	1 1/2	—	—	169 lbs.	5.6	
<b>60" SOFT SQUARE</b>												
10N6060SSQS	Corian Solid Surface	\$ 5086	\$ 5736	\$ 6586	58%	58%	1 1/2	—	—	206 lbs.	6.9	

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7202 Canyon (Grade B), 7203 Designer White (Grade B), 7204 Silt (Grade B), 7301 Concrete (Grade C), 7302 Deep Night Sky (Grade C), 7303 Deep Nocturne (Grade C), or 7305 Fossil (Grade C); also available in standard (R) or matte (N) sheen
- Not intended for use with adjustable height bases

# UNIVERSAL RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 135 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

- CCW48144RT2W J CUT-G15LR R DW
- CCW48144RT2LW M CUT-G15CE CW CW

### UNIVERSAL RECTANGLE TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/16" TOP THICKNESS</b>						
CCW3672RT2W Wood-J Rim	\$ 1571	36	72	1 1/16	-	-	136 lbs.	6.3
CCW3672RT2W Wood-A,M,D,F Rim	2169	36	72	1 1/16	-	-	136 lbs.	6.3
CCW3672RT2LW Laminate/Wood-A,M,D,F Rim	2169	36	72	1 1/16	-	-	136 lbs.	6.3
CP-S72E Laminate-E Rim	610	36	72	1 1/16	-	-	136 lbs.	6.3
<b>42" x 84"</b>								
CCW4284RT2W Wood-J Rim	\$ 1872	42	84	1 1/16	-	-	180 lbs.	8.3
CCW4284RT2W Wood-A,M,D,F Rim	2582	42	84	1 1/16	-	-	180 lbs.	8.3
CCW4284RT2LW Laminate/Wood-A,M,D,F Rim	2582	42	84	1 1/16	-	-	180 lbs.	8.3
CP-S84E Laminate-E Rim	692	42	84	1 1/16	-	-	180 lbs.	8.3
<b>48" x 96"</b>								
CCW4896RT2W Wood-J Rim	\$ 2172	48	96	1 1/16	-	-	233 lbs.	10.5
CCW4896RT2W Wood-A,M,D,F Rim	2999	48	96	1 1/16	-	-	233 lbs.	10.5
CCW4896RT2LW Laminate/Wood-A,M,D,F Rim	2999	48	96	1 1/16	-	-	233 lbs.	10.5
CP-S96E Laminate-E Rim	773	48	96	1 1/16	-	-	233 lbs.	10.5
<b>48" x 120"</b>								
CCW48120RT2W Wood-J Rim	\$ 3001	48	120	1 1/16	-	-	279 lbs.	10.6
CCW48120RT2W Wood-A,M,D,F Rim	4141	48	120	1 1/16	-	-	279 lbs.	10.6
CCW48120RT2LW Laminate/Wood-A,M,D,F Rim	4141	48	120	1 1/16	-	-	279 lbs.	10.6
CP-S120E Laminate-E Rim	1109	48	120	1 1/16	-	-	279 lbs.	10.6
<b>48" x 144"</b>								
CCW48144RT2W Wood-J Rim	\$ 3742	48	144	1 1/16	-	-	332 lbs.	12.5
CCW48144RT2W Wood-A,M,D,F Rim	5162	48	144	1 1/16	-	-	332 lbs.	12.5
CCW48144RT2LW Laminate/Wood-A,M,D,F Rim	5162	48	144	1 1/16	-	-	332 lbs.	12.5
CP-S144E Laminate-E Rim	1333	48	144	1 1/16	-	-	332 lbs.	12.5


# UNIVERSAL RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminate/wood only)	RIM FINISH (laminated/wood only)
CCW48144RT2W	J	CUT-G15LR	R	DW		

\*Only available on laminate models  
\*\*Only available on laminate/wood models

## UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			CARTONED WEIGHT	CUBIC FEET
		D	W	H		
<b>48" x 168"</b>						
<b>1 1/8" TOP THICKNESS</b>						
CCW48168RT2W Wood-J Rim	\$ 4292	48	168	1 1/8	385 lbs.	14.4
CCW48168RT2W Wood-A,M,D,F Rim	5961	48	168	1 1/8	385 lbs.	14.4
CCW48168RT2LW Laminate/Wood-A,M,D,F Rim	5961	48	168	1 1/8	385 lbs.	14.4
CP-S168E Laminate-E Rim	1773	48	168	1 1/8	385 lbs.	14.4
<b>48" x 192"</b>						
CCW48192RT2W Wood-J Rim	\$ 4865	48	192	1 1/8	438 lbs.	16.3
CCW48192RT2W Wood-A,M,D,F Rim	6759	48	192	1 1/8	438 lbs.	16.3
CCW48192RT2LW Laminate/Wood-A,M,D,F Rim	6759	48	192	1 1/8	438 lbs.	16.3
CP-S192E Laminate-E Rim	2212	48	192	1 1/8	438 lbs.	16.3
<b>48" x 216"</b>						
CCW48216RT2W Wood-J Rim	\$ 5556	48	216	1 1/8	524 lbs.	20.0
CCW48216RT2W Wood-A,M,D,F Rim	7712	48	216	1 1/8	524 lbs.	20.0
CCW48216RT2LW Laminate/Wood-A,M,D,F Rim	7712	48	216	1 1/8	524 lbs.	20.0
CP-S216E Laminate-E Rim	2651	48	216	1 1/8	524 lbs.	20.0
<b>48" x 240"</b>						
CCW48240RT2W Wood-J Rim	\$ 6245	48	240	1 1/8	571 lbs.	22.0
CCW48240RT2W Wood-A,M,D,F Rim	8523	48	240	1 1/8	571 lbs.	22.0
CCW48240RT2LW Laminate/Wood-A,M,D,F Rim	8523	48	240	1 1/8	571 lbs.	22.0
CP-S240E Laminate-E Rim	3091	48	240	1 1/8	571 lbs.	22.0

# UNIVERSAL RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 135 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

- CCW60216RT2W F CUT-G16A N DW
- CCW60216RT2LW F CUT-G16A 802 MH

### UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>60" x 144"</b>		<b>1 1/8" TOP THICKNESS</b>						
CCW60144RT2W Wood-J Rim	\$ 5237	58%	144	1 1/8	-	-	412 lbs.	18.0
CCW60144RT2W Wood-A,M,D,F Rim	6888	58%	144	1 1/8	-	-	412 lbs.	18.0
CCW60144RT2LW Laminate/Wood-A,M,D,F Rim	6888	58%	144	1 1/8	-	-	412 lbs.	18.0
CP-S60144E Laminate-E Rim	1734	58%	144	1 1/8	-	-	412 lbs.	18.0
<b>60" x 168"</b>								
CCW60168RT2W Wood-J Rim	\$ 6009	58%	168	1 1/8	-	-	480 lbs.	22.5
CCW60168RT2W Wood-A,M,D,F Rim	7950	58%	168	1 1/8	-	-	480 lbs.	22.5
CCW60168RT2LW Laminate/Wood-A,M,D,F Rim	7950	58%	168	1 1/8	-	-	480 lbs.	22.5
CP-S60168E Laminate-E Rim	2306	58%	168	1 1/8	-	-	480 lbs.	22.5
<b>60" x 192"</b>								
CCW60192RT2W Wood-J Rim	\$ 6813	58%	192	1 1/8	-	-	539 lbs.	29.0
CCW60192RT2W Wood-A,M,D,F Rim	9004	58%	192	1 1/8	-	-	539 lbs.	29.0
CCW60192RT2LW Laminate/Wood-A,M,D,F Rim	9004	58%	192	1 1/8	-	-	539 lbs.	29.0
CP-S60192E Laminate-E Rim	2877	58%	192	1 1/8	-	-	539 lbs.	29.0
<b>60" x 216"</b>								
CCW60216RT2W Wood-J Rim	\$ 7777	58%	216	1 1/8	-	-	647 lbs.	31.0
CCW60216RT2W Wood-A,M,D,F Rim	10062	58%	216	1 1/8	-	-	647 lbs.	31.0
CCW60216RT2LW Laminate/Wood-A,M,D,F Rim	10062	58%	216	1 1/8	-	-	647 lbs.	31.0
CP-S60216E Laminate-E Rim	3447	58%	216	1 1/8	-	-	647 lbs.	31.0
<b>60" x 240"</b>								
CCW60240RT2W Wood-J Rim	\$ 8744	58%	240	1 1/8	-	-	706 lbs.	34.0
CCW60240RT2W Wood-A,M,D,F Rim	11117	58%	240	1 1/8	-	-	706 lbs.	34.0
CCW60240RT2LW Laminate/Wood-A,M,D,F Rim	11117	58%	240	1 1/8	-	-	706 lbs.	34.0
CP-S60240E Laminate-E Rim	4015	58%	240	1 1/8	-	-	706 lbs.	34.0



# UNIVERSAL RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION			SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminated/wood only)	RIM FINISH (laminated/wood only)
CCW60216RT2W	E	G10C	Center	CUT-G16C	Center	N	AC Autumn 2	AC Autumn
		G10E	End	CUT-G16E	End	R	AD Almond*	CL Caramel
		G10LR	Left, Right	CUT-G16LR	Left, Right		CL Caramel	CW Cordovan
		G10A	All	CUT-G16A	All		CW Cordovan	DW Judicial
		G10CE	Center, End	CUT-G16CE	Center, End		DW Judicial	HN Honey
		CUT-G15C	Center	X	No		HN2 Honey 2	IM Brighton
		CUT-G15E	End		Grommet		IM Brighton	IM Brighton
		CUT-G15LR	Left, Right				IM Brighton	MC Amber
		CUT-G15A	All				MC Amber	MH Mocha
		CUT-G15CE	Center, End				MH Mocha	NM Natural
							NM Natural	TF Truffle
							TF Truffle	
							AC2 Autumn 2	AC Autumn
							425 Shadow	CL Caramel
							440 Cloud	CW Cordovan
							461 Graphite	DW Judicial
							462 Cinder	HN Honey
							478 Platinum Grey	IM Brighton
							488 Frosty White	MC Amber
							491 Designer White Linear	MH Mocha
							492 Cinder Linear	NM Natural
							792 Sable*	TF Truffle
							793 Acorn*	
							809 Tungsten Evolv**	
							814 White Tigris**	
							818 Crisp Linen**	
							819 Flax Gauze**	
							820 Paloma Bisque**	
							821 Elemental Concrete**	
							822 Smoke Quarstone**	
							874 Bronze Legacy**	

\*Only available on laminated models  
\*\*Only available on laminated/wood models

# UNIVERSAL BOAT TOPS

## PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 135 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

- CCW48144BTW J G10A R HN
- CCW48144BTLW A X HN HN

UNIVERSAL BOAT TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>							
	CCW3672BTW	Wood-J Rim	\$ 1705	36	72	1 1/8	-	-	136 lbs.	6.3
	CCW3672BTW	Wood-A,M,D,F Rim	2355	36	72	1 1/8	-	-	136 lbs.	6.3
	CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	2355	36	72	1 1/8	-	-	136 lbs.	6.3
	CP-B72E	Laminate-E Rim	648	36	72	1 1/8	-	-	130 lbs.	6.3
	<b>42" x 84"</b>									
	CCW4284BTW	Wood-J Rim	\$ 2003	42	84	1 1/8	-	-	180 lbs.	8.3
	CCW4284BTW	Wood-A,M,D,F Rim	2764	42	84	1 1/8	-	-	180 lbs.	8.3
	CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	2764	42	84	1 1/8	-	-	180 lbs.	8.3
	CP-B84E	Laminate-E Rim	734	42	84	1 1/8	-	-	180 lbs.	8.3
	<b>48" x 96"</b>									
	CCW4896BTW	Wood-J Rim	\$ 2299	48	96	1 1/8	-	-	233 lbs.	10.5
	CCW4896BTW	Wood-A,M,D,F Rim	3173	48	96	1 1/8	-	-	233 lbs.	10.5
	CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	3173	48	96	1 1/8	-	-	233 lbs.	10.5
	CP-B96E	Laminate-E Rim	822	48	96	1 1/8	-	-	223 lbs.	10.5
	<b>48" x 120"</b>									
	CCW48120BTW	Wood-J Rim	\$ 3269	48	120	1 1/8	-	-	279 lbs.	10.6
	CCW48120BTW	Wood-A,M,D,F Rim	4514	48	120	1 1/8	-	-	279 lbs.	10.6
	CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	4514	48	120	1 1/8	-	-	279 lbs.	10.6
	CP-B120E	Laminate-E Rim	1184	48	120	1 1/8	-	-	269 lbs.	10.6
	<b>48" x 144"</b>									
	CCW48144BTW	Wood-J Rim	\$ 4001	48	144	1 1/8	-	-	332 lbs.	12.5
	CCW48144BTW	Wood-A,M,D,F Rim	5522	48	144	1 1/8	-	-	332 lbs.	12.5
	CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	5522	48	144	1 1/8	-	-	332 lbs.	12.5
	CP-B144E	Laminate-E Rim	1437	48	144	1 1/8	-	-	322 lbs.	12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top


# UNIVERSAL BOAT TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminates or laminate/wood only)	RIM FINISH (laminates/wood only)
CCW48144BTW	J	G10A	R	HN		

\*Only available on laminate models  
\*\*Only available on laminate/wood models

## UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			CARTONED WEIGHT	CUBIC FEET
		D	W	H		
<b>48" x 168"</b>						
<b>1 1/8" TOP THICKNESS</b>						
CCW48168BTW Wood-J Rim	\$ 4544	48	168	1 1/8	385 lbs.	14.3
CCW48168BTW Wood-A,M,D,F Rim	6316	48	168	1 1/8	385 lbs.	14.3
CCW48168BTLW Laminate/Wood-A,M,D,F Rim	6316	48	168	1 1/8	385 lbs.	14.3
CP-B168E Laminate-E Rim	1877	48	168	1 1/8	385 lbs.	14.3
<b>48" x 192"</b>						
CCW48192BTW Wood-J Rim	\$ 5115	48	192	1 1/8	438 lbs.	16.2
CCW48192BTW Wood-A,M,D,F Rim	7106	48	192	1 1/8	438 lbs.	16.2
CCW48192BTLW Laminate/Wood-A,M,D,F Rim	7106	48	192	1 1/8	438 lbs.	16.2
CP-B192E Laminate-E Rim	2315	48	192	1 1/8	438 lbs.	16.2
<b>48" x 216"</b>						
CCW48216BTW Wood-J Rim	\$ 5798	48	216	1 1/8	524 lbs.	20.0
CCW48216BTW Wood-A,M,D,F Rim	8054	48	216	1 1/8	524 lbs.	20.0
CCW48216BTLW Laminate/Wood-A,M,D,F Rim	8054	48	216	1 1/8	524 lbs.	20.0
CP-B216E Laminate-E Rim	2755	48	216	1 1/8	524 lbs.	20.0
<b>48" x 240"</b>						
CCW48240BTW Wood-J Rim	\$ 6481	48	240	1 1/8	571 lbs.	22.0
CCW48240BTW Wood-A,M,D,F Rim	8859	48	240	1 1/8	571 lbs.	22.0
CCW48240BTLW Laminate/Wood-A,M,D,F Rim	8859	48	240	1 1/8	571 lbs.	22.0
CP-B240E Laminate-E Rim	3192	48	240	1 1/8	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

# UNIVERSAL BOAT TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 135 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

- CCW60216BTW D X N CL
- CCW60216BTLW D X 425 MH

### UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>60" x 144"</b>		<b>1 1/16" TOP THICKNESS</b>						
CCW60144BTW Wood-J Rim	\$ 5597	58%	144	1 1/16	—	—	412 lbs.	18.0
CCW60144BTW Wood-A,M,D,F Rim	7363	58%	144	1 1/16	—	—	412 lbs.	18.0
CCW60144BTLW Laminate/Wood-A,M,D,F Rim	7363	58%	144	1 1/16	—	—	412 lbs.	18.0
CP-B60144E Laminate-E Rim	1869	58%	144	1 1/16	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
CCW60168BTW Wood-J Rim	\$ 6362	58%	168	1 1/16	—	—	480 lbs.	22.5
CCW60168BTW Wood-A,M,D,F Rim	8416	58%	168	1 1/16	—	—	480 lbs.	22.5
CCW60168BTLW Laminate/Wood-A,M,D,F Rim	8416	58%	168	1 1/16	—	—	480 lbs.	22.5
CP-B60168E Laminate-E Rim	2439	58%	168	1 1/16	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
CCW60192BTW Wood-J Rim	\$ 7164	58%	192	1 1/16	—	—	539 lbs.	29.0
CCW60192BTW Wood-A,M,D,F Rim	9461	58%	192	1 1/16	—	—	539 lbs.	29.0
CCW60192BTLW Laminate/Wood-A,M,D,F Rim	9461	58%	192	1 1/16	—	—	539 lbs.	29.0
CP-B60192E Laminate-E Rim	3009	58%	192	1 1/16	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
CCW60216BTW Wood-J Rim	\$ 8117	58%	216	1 1/16	—	—	647 lbs.	31.0
CCW60216BTW Wood-A,M,D,F Rim	10506	58%	216	1 1/16	—	—	647 lbs.	31.0
CCW60216BTLW Laminate/Wood-A,M,D,F Rim	10506	58%	216	1 1/16	—	—	647 lbs.	31.0
CP-B60216E Laminate-E Rim	3580	58%	216	1 1/16	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
CCW60240BTW Wood-J Rim	\$ 9074	58%	240	1 1/16	—	—	706 lbs.	34.0
CCW60240BTW Wood-A,M,D,F Rim	11553	58%	240	1 1/16	—	—	706 lbs.	34.0
CCW60240BTLW Laminate/Wood-A,M,D,F Rim	11553	58%	240	1 1/16	—	—	706 lbs.	34.0
CP-B60240E Laminate-E Rim	4150	58%	240	1 1/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION			SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminated/wood only)	RIM FINISH (laminated/wood only)
CCW60216BTW	D	X			N	CL		
	A Radius	G10C Center	CUT-G16C Center	N Matte/Satin	AC Autumn	AC2 Autumn 2	AC Autumn	
	D Bullnose	G10E End	CUT-G16E End	R Gloss	CL Caramel	AD Almond*	CL Caramel	
	F Softened	G10LR Left, Right	CUT-G16LR Left, Right		CW Cordovan	CL Caramel	CW Cordovan	
	M Reed	G10A All	CUT-G16A All		DW Judicial	CW Cordovan	DW Judicial	
	J Self (wood only)	G10CE Center, End	CUT-G16CE Center, End		HN Honey	DW Judicial	HN Honey	
		CUT-G15C Center	X No		IM Brighton	HN2 Honey 2	IM Brighton	
		CUT-G15E End	Grommet		MC Amber	IM Brighton	MC Amber	
		CUT-G15LR Left, Right			MH Mocha	MC Amber	MH Mocha	
		CUT-G15A All			NM Natural	MH Mocha	NM Natural	
		CUT-G15CE Center, End			TF Truffle	NM Natural	TF Truffle	
						PB Portobello*	TF Truffle	
						PT Portico*	405 Des. White	
						SK Skyline*	417 Mojave	
						SM Sonoma*	418 Mouse	
						TF Truffle	419 Wallaby	
						405 Des. White	821 Elemental Concrete**	
						417 Mojave	822 Smoke Quarstone**	
						418 Mouse	874 Bronze Legacy**	
						419 Wallaby		

\*Only available on laminated models  
 \*\*Only available on laminated/wood models

# UNIVERSAL RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 135 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## DIMENSION KEY


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR R DW  
CCW3672RC2LW A G10C CW CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

UNIVERSAL RACETRACK TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	<b>36" x 72"</b>		<b>1 1/16" TOP THICKNESS</b>							
	CCW3672RC2W	\$ 1722	36	72	1 1/16	-	-	136 lbs.	6.3	
	CCW3672RC2W	2380	36	72	1 1/16	-	-	136 lbs.	6.3	
	CCW3672RC2LW	2380	36	72	1 1/16	-	-	136 lbs.	6.3	
	CP-R72E	681	36	72	1 1/16	-	-	124 lbs.	6.3	
	<b>42" x 84"</b>									
	CCW4284RC2W	\$ 2024	42	84	1 1/16	-	-	180 lbs.	8.3	
	CCW4284RC2W	2792	42	84	1 1/16	-	-	180 lbs.	8.3	
	CCW4284RC2LW	2792	42	84	1 1/16	-	-	180 lbs.	8.3	
	CP-R84E	778	42	84	1 1/16	-	-	180 lbs.	8.3	
	<b>48" x 96"</b>									
	QCCW4896RC2W	\$ 2323	48	96	1 1/16	-	-	233 lbs.	10.5	
	CCW4896RC2W	2323	48	96	1 1/16	-	-	233 lbs.	10.5	
	CCW4896RC2W	3206	48	96	1 1/16	-	-	233 lbs.	10.5	
	CCW4896RC2LW	3206	48	96	1 1/16	-	-	233 lbs.	10.5	
	QCP-R96E	874	48	96	1 1/16	-	-	213 lbs.	10.5	
	CP-R96E	874	48	96	1 1/16	-	-	213 lbs.	10.5	
	<b>48" x 120"</b>									
	CCW48120RC2W	\$ 3301	48	120	1 1/16	-	-	279 lbs.	10.6	
	CCW48120RC2W	4558	48	120	1 1/16	-	-	279 lbs.	10.6	
	CCW48120RC2LW	4558	48	120	1 1/16	-	-	279 lbs.	10.6	
	CP-R120E	1271	48	120	1 1/16	-	-	258 lbs.	10.6	
	<b>48" x 144"</b>									
	CCW48144RC2W	\$ 4040	48	144	1 1/16	-	-	311 lbs.	12.5	
	CCW48144RC2W	5578	48	144	1 1/16	-	-	311 lbs.	12.5	
	CCW48144RC2LW	5578	48	144	1 1/16	-	-	311 lbs.	12.5	
	CP-R144E	1536	48	144	1 1/16	-	-	311 lbs.	12.5	

# UNIVERSAL RACETRACK TOPS

Specify selections, left to right:

<b>BASE MODEL</b>	<b>RIM PROFILE</b> (CCW only)	<b>GROMMET/CUTOUT</b> <b>OPTION</b>	<b>SHOEN</b> (wood tops only)	<b>FINISH</b> (wood tops only)	<b>LAMINATE</b> (laminated or laminate/wood only)	<b>RIM FINISH</b> (laminated/wood only)
A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet	N Matte/Satin R Gloss	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 425 AD Almond* 440 CL Caramel 461 CW Cordovan 462 DW Judicial 478 HN2 Honey 2 488 IM Brighton 491 MC Amber 492 MH Mocha 792 NM Natural 793 PB Portobello* 809 PT Portico* 814 SK Skyline* 818 SM Sonoma* 819 TF Truffle 820 405 Des. White 821 417 Mojave 822 418 Mouse 874 419 Wallaby	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle  Tungsten Evolv** White Tigris** Crisp Linen** Flax Gauze** Paloma Bisque** Elemental Concrete** Smoke Quarstone** Bronze Legacy**
CCW3672RC2W	F	G10LR	R	DW		

\*Only available on laminate models  
\*\*Only available on laminate/wood models

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A KW		
<b>UNIVERSAL RACETRACK TOP (CONTINUED)</b>							
<b>48" x 168" 1 1/8" TOP THICKNESS</b>							
CCW48168RC2W	\$ 4591	48	168	1 1/8	-	365 lbs.	14.4
CCW48168RC2W	6380	48	168	1 1/8	-	365 lbs.	14.4
CCW48168RC2LW	6380	48	168	1 1/8	-	365 lbs.	14.4
CP-R168E	1975	48	168	1 1/8	-	385 lbs.	14.3
<b>48" x 192"</b>							
CCW48192RC2W	\$ 5167	48	192	1 1/8	-	418 lbs.	16.3
CCW48192RC2W	7177	48	192	1 1/8	-	418 lbs.	16.3
CCW48192RC2LW	7177	48	192	1 1/8	-	418 lbs.	16.3
CP-R192E	2415	48	192	1 1/8	-	438 lbs.	16.2
<b>48" x 216"</b>							
CCW48216RC2W	\$ 5857	48	216	1 1/8	-	524 lbs.	20.0
CCW48216RC2W	8136	48	216	1 1/8	-	524 lbs.	20.0
CCW48216RC2LW	8136	48	216	1 1/8	-	524 lbs.	20.0
CP-R216E	2853	48	216	1 1/8	-	524 lbs.	20.0
<b>48" x 240"</b>							
CCW48240RC2W	\$ 6547	48	240	1 1/8	-	571 lbs.	22.0
CCW48240RC2W	8947	48	240	1 1/8	-	571 lbs.	22.0
CCW48240RC2LW	8947	48	240	1 1/8	-	571 lbs.	22.0
CP-R240E	3291	48	240	1 1/8	-	571 lbs.	22.0

# UNIVERSAL RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 135 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A N AC  
 CCW60240RC2LW A CUT-G16A 403 CW

### UNIVERSAL RACETRACK TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>60" x 144"</b>		<b>1 1/16" TOP THICKNESS</b>						
CCW60144RC2W Wood-J Rim	\$ 5653	58%	144	1 1/16"	-	-	412 lbs.	18.0
CCW60144RC2W Wood-A,M,D,F Rim	7437	58%	144	1 1/16"	-	-	412 lbs.	18.0
CCW60144RC2LW Laminate/Wood-A,M,D,F Rim	7437	58%	144	1 1/16"	-	-	412 lbs.	18.0
CP-R60144E Laminate-E Rim	1998	58%	144	1 1/16"	-	-	412 lbs.	18.0
<b>60" x 168"</b>								
CCW60168RC2W Wood-J Rim	\$ 6427	58%	168	1 1/16"	-	-	480 lbs.	22.5
CCW60168RC2W Wood-A,M,D,F Rim	8501	58%	168	1 1/16"	-	-	480 lbs.	22.5
CCW60168RC2LW Laminate/Wood-A,M,D,F Rim	8501	58%	168	1 1/16"	-	-	480 lbs.	22.5
CP-R60168E Laminate-E Rim	2569	58%	168	1 1/16"	-	-	480 lbs.	22.5
<b>60" x 192"</b>								
CCW60192RC2W Wood-J Rim	\$ 7234	58%	192	1 1/16"	-	-	539 lbs.	29.0
CCW60192RC2W Wood-A,M,D,F Rim	9558	58%	192	1 1/16"	-	-	539 lbs.	29.0
CCW60192RC2LW Laminate/Wood-A,M,D,F Rim	9558	58%	192	1 1/16"	-	-	539 lbs.	29.0
CP-R60192E Laminate-E Rim	3138	58%	192	1 1/16"	-	-	539 lbs.	29.0
<b>60" x 216"</b>								
CCW60216RC2W Wood-J Rim	\$ 8199	58%	216	1 1/16"	-	-	647 lbs.	31.0
CCW60216RC2W Wood-A,M,D,F Rim	10613	58%	216	1 1/16"	-	-	647 lbs.	31.0
CCW60216RC2LW Laminate/Wood-A,M,D,F Rim	10613	58%	216	1 1/16"	-	-	647 lbs.	31.0
CP-R60216E Laminate-E Rim	3709	58%	216	1 1/16"	-	-	647 lbs.	31.0
<b>60" x 240"</b>								
CCW60240RC2W Wood-J Rim	\$ 9164	58%	240	1 1/16"	-	-	706 lbs.	34.0
CCW60240RC2W Wood-A,M,D,F Rim	11669	58%	240	1 1/16"	-	-	706 lbs.	34.0
CCW60240RC2LW Laminate/Wood-A,M,D,F Rim	11669	58%	240	1 1/16"	-	-	706 lbs.	34.0
CP-R60240E Laminate-E Rim	4281	58%	240	1 1/16"	-	-	706 lbs.	34.0



# UNIVERSAL RACETRACK TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminated/wood only)	RIM FINISH (laminated/wood only)
CCW60240RC2W	J	CUT-G16A	N	AC		

\*Only available on laminated models  
 \*\*Only available on laminated/wood models

## WAVEWORKS CONFERENCE TOP SPECIFICATIONS

### TOPS

- Veneer surfaces are 1 $\frac{3}{8}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile
- Laminate surfaces are 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with 6 rim profile options
- Laminate surfaces feature a 3mm PVC rim
- Laminate/wood models are 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate) that feature wood rim with 6 rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6" increments. See component section for specific models
- See page 22 for modified size options

### FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in matte/satin or gloss sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in matte/satin or gloss sheen


### POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

### TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Top Sheen (wood models)**
8. **Laminate Top Color/Wood Top Finish**
9. **Wood Rim Finish (combo models)**

**WAVEWORKS SHAPES AND SIZES**



**ROUND**

30" Diameter  
 36" Diameter  
 42" Diameter  
 48" Diameter  
 54" Diameter  
 60" Diameter




**SQUARE**

30" x 30"  
 36" x 36"  
 42" x 42"  
 48" x 48"  
 54" x 54"  
 60" x 60"




**RECTANGLE**

36" x 72", 42" x 84"  
 48" x 96", 120", 144", 168", 192", 216" and 240"  
 60" x 144", 168", 192", 216" and 240"



**BOAT**

36" x 72", 42" x 84"  
 48" x 96", 120", 144", 168", 192", 216" and 240"  
 60" x 144", 168", 192", 216" and 240"



**RACETRACK**

36" x 72", 42" x 84"  
 48" x 96", 120", 144", 168", 192", 216" and 240"  
 60" x 144", 168", 192", 216" and 240"

# WAVEWORKS

## WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

## TOP SHEEN OPTIONS

N	Matte/Satin
R	Gloss

## LAMINATE COLORS

### WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico*
SK	Skyline*
SM	Sonoma
TF	Truffle
792	Sable
793	Acorn*

### SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

### PATTERN LAMINATE

809	Tungsten Evolv
814	White Tigris
818	Crisp Linen
819	Flax Gauze
820	Paloma Bisque
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

\*Not available on laminate/wood models

• CSL available; see page 8 for program details and upcharge

## RIM PROFILES

### PVC RIM

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
CL	Caramel	418	Mouse
CW	Cordovan	419	Wallaby
DW	Judicial	425	Shadow
HN2	Honey 2	440	Cloud
IM	Brighton	461	Graphite
MC	Amber	462	Cinder
MH	Mocha	478	Platinum Grey
NM	Natural	488	Frosty White
PB	Portobello	491	Designer White Linear
PT	Portico	492	Cinder Linear
SK	Skyline	792	Sable
SM	Sonoma	793	Acorn
TF	Truffle		

### PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

### WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)\*



Zip Wood (Z)



Concave Wood (C)\*



Step Wood (T)\*



Softened PVC (V)



Reed PVC (N)

\*Not recommended with SM Sonoma

## GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

### Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 24-25 for grommet locations




**NACG10EL**  
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 582 for pricing and details


### Cutout Option for 1 Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 26-27 for cutout locations of CUT-G15




**NACG15AELPGS, NACG15AELHCS,  
NACG15AELPGB, NACG15AELHCB,  
NACG15AELPGW, and NACG15AELHCW**  
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 586 for pricing and details


### Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 28-29 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



**NACG162ELS, NACG162ELHS,  
NACG162ELB, and NACG162ELHB**  
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 589 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

# WAVEWORKS ROUND TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 155 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim  
 L Laminate Unit

## SAMPLE MODEL NUMBERS:


WW48RDW R X N MH  
 WW48RDL V MH G10C MH  
 WW48RDLW R X MH MH

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width  
 DI Diameter

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS ROUND TOP</b>		<b>30" ROUND</b>		<b>1<sup>1</sup>/<sub>16</sub>" TOP THICKNESS</b>				
		<b>DI</b>		<b>H</b>				
WWN30RDW	Wood	\$ 1217	30 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	33 lbs. 2.0	
WWN30RDLW	Laminate/Wood	1217	30 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	33 lbs. 2.0	
WWN30RDL	Laminate	716	30 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	33 lbs. 2.0	
<b>36" ROUND</b>								
WWN36RDW	Wood	\$ 1432	36 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	40 lbs. 2.4	
WWN36RDLW	Laminate/Wood	1432	36 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	40 lbs. 2.4	
WWN36RDL	Laminate	843	36 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	40 lbs. 2.4	
<b>42" ROUND</b>								
WWN42RDW	Wood	\$ 1738	42 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	54 lbs. 3.2	
WWN42RDLW	Laminate/Wood	1738	42 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	54 lbs. 3.2	
WWN42RDL	Laminate	1154	42 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	54 lbs. 3.2	
<b>48" ROUND</b>								
WWN48RDW	Wood	\$ 2120	48 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	79 lbs. 4.2	
WWN48RDLW	Laminate/Wood	2120	48 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	79 lbs. 4.2	
WWN48RDL	Laminate	1539	48 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	79 lbs. 4.2	
<b>54" ROUND</b>								
WWN54RDW	Wood	\$ 2360	54 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	121 lbs. 6.9	
WWN54RDLW	Laminate/Wood	2360	54 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	121 lbs. 6.9	
WWN54RDL	Laminate	1779	54 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	121 lbs. 6.9	
<b>60" ROUND</b>								
WWN60RDW	Wood	\$ 2598	58 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	150 lbs. 8.3	
WWN60RDLW	Laminate/Wood	2598	58 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	150 lbs. 8.3	
WWN60RDL	Laminate	2020	58 <sup>1</sup> / <sub>16</sub>	—	1 <sup>1</sup> / <sub>16</sub>	—	150 lbs. 8.3	


• Zip profile does not run out on round tops



**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 154-155

WAVEWORKS ROUND TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A			
	<b>30" ROUND</b>								
		<b>1 1/16" TOP THICKNESS</b>							
	WW30RDW	Wood	\$ 1115	30 1/16"	—	1 1/16"	—	33 lbs.	2.0
	WW30RDLW	Laminate/Wood	1115	30 1/16"	—	1 1/16"	—	33 lbs.	2.0
	WW30RDL	Laminate	613	30 1/16"	—	1 1/16"	—	33 lbs.	2.0
		<b>36" ROUND</b>							
	WW36RDW	Wood	\$ 1311	36 1/16"	—	1 1/16"	—	42 lbs.	3.0
	WW36RDLW	Laminate/Wood	1311	36 1/16"	—	1 1/16"	—	42 lbs.	3.0
	WW36RDL	Laminate	722	36 1/16"	—	1 1/16"	—	42 lbs.	3.0
	<b>42" ROUND</b>								
WW42RDW	Wood	\$ 1619	42 1/16"	—	1 1/16"	—	58 lbs.	3.8	
WW42RDLW	Laminate/Wood	1619	42 1/16"	—	1 1/16"	—	58 lbs.	3.8	
WW42RDL	Laminate	1032	42 1/16"	—	1 1/16"	—	58 lbs.	3.8	
	<b>48" ROUND</b>								
WW48RDW	Wood	\$ 2000	48 1/16"	—	1 1/16"	—	76 lbs.	4.5	
WW48RDLW	Laminate/Wood	2000	48 1/16"	—	1 1/16"	—	76 lbs.	4.5	
WW48RDL	Laminate	1418	48 1/16"	—	1 1/16"	—	76 lbs.	4.5	

• Zip profile does not run out on round tops

# WAVEWORKS SQUARE TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 155 for grommet options and upcharge
- Reference pages 24-27 for grommet and cutout locations
- Reference pages 38-59 for table base guide

## BASE MODEL KEY


W Wood Unit  
 LW Laminate Top/Wood Rim  
 L Laminate Unit

## SAMPLE MODEL NUMBERS:

WW4848SQW F X N MH  
 WW4848SQL V 480 X MH  
 WW4848SQLW F G10C 805 MH

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS SQUARE TOP</b>								
								
<b>30" SQUARE 1 1/8" TOP THICKNESS</b>								
WWN3030SQW Wood	\$ 1217	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
WWN3030SQLW Laminate/Wood	1217	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
WWN3030SQL Laminate	716	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
<b>36" SQUARE</b>								
WWN3636SQW Wood	\$ 1432	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
WWN3636SQLW Laminate/Wood	1432	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
WWN3636SQL Laminate	843	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
<b>42" SQUARE</b>								
WWN4242SQW Wood	\$ 1738	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
WWN4242SQLW Laminate/Wood	1738	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
WWN4242SQL Laminate	1154	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
<b>48" SQUARE</b>								
WWN4848SQW Wood	\$ 2120	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5
WWN4848SQLW Laminate/Wood	2120	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5
WWN4848SQL Laminate	1539	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5
<b>54" SQUARE</b>								
WWN5454SQW Wood	\$ 2360	54 1/8"	54 1/8"	1 1/8"	—	—	121 lbs.	6.9
WWN5454SQLW Laminate/Wood	2360	54 1/8"	54 1/8"	1 1/8"	—	—	121 lbs.	6.9
WWN5454SQL Laminate	1779	54 1/8"	54 1/8"	1 1/8"	—	—	121 lbs.	6.9
<b>60" SQUARE</b>								
WWN6060SQW Wood	\$ 2598	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3
WWN6060SQLW Laminate/Wood	2598	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3
WWN6060SQL Laminate	2020	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3




**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 154-155

**WAVEWORKS SQUARE TOP**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
		D	W	H	A				
<b>30" SQUARE</b>		<b>1 1/16" TOP THICKNESS</b>							
WW3030SQW	Wood	\$ 1115	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
WW3030SQLW	Laminate/Wood	1115	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
WW3030SQL	Laminate	613	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
<b>36" SQUARE</b>									
WW3636SQW	Wood	\$ 1311	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
WW3636SQLW	Laminate/Wood	1311	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
WW3636SQL	Laminate	722	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
<b>42" SQUARE</b>									
WW4242SQW	Wood	\$ 1619	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
WW4242SQLW	Laminate/Wood	1619	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
WW4242SQL	Laminate	1032	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
<b>48" SQUARE</b>									
WW4848SQW	Wood	\$ 2000	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
WW4848SQLW	Laminate/Wood	2000	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
WW4848SQL	Laminate	1418	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5

# WAVEWORKS RECTANGLE TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 155 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY


W Wood Unit  
 LW Laminate Top/Wood Rim  
 L Laminate Unit

## SAMPLE MODEL NUMBERS:

WWN3672RT2W P CUT-G16C X R NM  
 WWN3672RT2LW P X X 480 NM  
 WWN3672RT2L V 462 X G10LR HN2

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

WAVEWORKS RECTANGLE TOP	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	<b>36" x 72"</b>								
		<b>1 1/8" TOP THICKNESS</b>							
	WWN3672RT2W	Wood	\$ 2234	36	72	1 1/8	-	-	136 lbs. 6.3
	WWN3672RT2LW	Laminate/Wood	2234	36	72	1 1/8	-	-	136 lbs. 6.3
	WWN3672RT2L	Laminate	1653	36	72	1 1/8	-	-	136 lbs. 6.3
	<b>42" x 84"</b>								
	WWN4284RT2W	Wood	\$ 2635	42	84	1 1/8	-	-	180 lbs. 8.3
	WWN4284RT2LW	Laminate/Wood	2635	42	84	1 1/8	-	-	180 lbs. 8.3
	WWN4284RT2L	Laminate	2057	42	84	1 1/8	-	-	180 lbs. 8.3
	<b>48" x 96"</b>								
	WWN4896RT2W	Wood	\$ 3036	48	96	1 1/8	-	-	233 lbs. 10.5
	WWN4896RT2LW	Laminate/Wood	3036	48	96	1 1/8	-	-	233 lbs. 10.5
	WWN4896RT2L	Laminate	2465	48	96	1 1/8	-	-	233 lbs. 10.5
	<b>48" x 120"</b>								
	WWN48120RT2W	Wood	\$ 4147	48	120	1 1/8	-	-	279 lbs. 10.6
	WWN48120RT2LW	Laminate/Wood	4147	48	120	1 1/8	-	-	279 lbs. 10.6
	WWN48120RT2L	Laminate	3584	48	120	1 1/8	-	-	279 lbs. 10.6
	<b>48" x 144"</b>								
	WWN48144RT2W	Wood	\$ 5136	48	144	1 1/8	-	-	332 lbs. 12.5
	WWN48144RT2LW	Laminate/Wood	5136	48	144	1 1/8	-	-	332 lbs. 12.5
	WWN48144RT2L	Laminate	4585	48	144	1 1/8	-	-	332 lbs. 12.5
	<b>48" x 168"</b>								
	WWN48168RT2W	Wood	\$ 5914	48	168	1 1/8	-	-	385 lbs. 14.3
	WWN48168RT2LW	Laminate/Wood	5914	48	168	1 1/8	-	-	385 lbs. 14.3
	WWN48168RT2L	Laminate	5368	48	168	1 1/8	-	-	385 lbs. 14.3
	<b>48" x 192"</b>								
	WWN48192RT2W	Wood	\$ 6687	48	192	1 1/8	-	-	438 lbs. 16.2
	WWN48192RT2LW	Laminate/Wood	6687	48	192	1 1/8	-	-	438 lbs. 16.2
	WWN48192RT2L	Laminate	6150	48	192	1 1/8	-	-	438 lbs. 16.2


- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS RECTANGLE TOPS

## TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 154-155

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS RECTANGLE TOP (CONTINUED)</b>								
								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
WWN48216RT2W Wood	\$ 7461	48	216	1 1/8	—	—	524 lbs.	20.0
WWN48216RT2LW Laminate/Wood	7461	48	216	1 1/8	—	—	524 lbs.	20.0
WWN48216RT2L Laminate	6934	48	216	1 1/8	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
WWN48240RT2W Wood	\$ 8235	48	240	1 1/8	—	—	571 lbs.	22.0
WWN48240RT2LW Laminate/Wood	8235	48	240	1 1/8	—	—	571 lbs.	22.0
WWN48240RT2L Laminate	7720	48	240	1 1/8	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
WWN60144RT2W Wood	\$ 6679	58 3/4	144	1 1/8	—	—	412 lbs.	18.0
WWN60144RT2LW Laminate/Wood	6679	58 3/4	144	1 1/8	—	—	412 lbs.	18.0
WWN60144RT2L Laminate	5961	58 3/4	144	1 1/8	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
WWN60168RT2W Wood	\$ 7688	58 3/4	168	1 1/8	—	—	480 lbs.	22.5
WWN60168RT2LW Laminate/Wood	7688	58 3/4	168	1 1/8	—	—	480 lbs.	22.5
WWN60168RT2L Laminate	6980	58 3/4	168	1 1/8	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
WWN60192RT2W Wood	\$ 8692	58 3/4	192	1 1/8	—	—	539 lbs.	29.0
WWN60192RT2LW Laminate/Wood	8692	58 3/4	192	1 1/8	—	—	539 lbs.	29.0
WWN60192RT2L Laminate	7994	58 3/4	192	1 1/8	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
WWN60216RT2W Wood	\$ 9700	58 3/4	216	1 1/8	—	—	647 lbs.	31.0
WWN60216RT2LW Laminate/Wood	9700	58 3/4	216	1 1/8	—	—	647 lbs.	31.0
WWN60216RT2L Laminate	9016	58 3/4	216	1 1/8	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
WWN60240RT2W Wood	\$ 10706	58 3/4	240	1 1/8	—	—	706 lbs.	34.0
WWN60240RT2LW Laminate/Wood	10706	58 3/4	240	1 1/8	—	—	706 lbs.	34.0
WWN60240RT2L Laminate	10037	58 3/4	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS BOAT TOPS

## PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 155 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim  
 L Laminate Unit


## SAMPLE MODEL NUMBERS:

WWN3672BTW P CUT-G16C X R NM  
 WWN3672BTLW P X X 480 NM  
 WWN3672BTL V 480 X X CW

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

### WAVEWORKS BOAT TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
WWN3672BTW	\$ 2412	36	72	1 1/8	—	—	136 lbs.	6.3
WWN3672BTLW	2412	36	72	1 1/8	—	—	136 lbs.	6.3
WWN3672BTL	1839	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
WWN4284BTW	\$ 2809	42	84	1 1/8	—	—	180 lbs.	8.3
WWN4284BTLW	2809	42	84	1 1/8	—	—	180 lbs.	8.3
WWN4284BTL	2240	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
WWN4896BTW	\$ 3206	48	96	1 1/8	—	—	233 lbs.	10.5
WWN4896BTLW	3206	48	96	1 1/8	—	—	233 lbs.	10.5
WWN4896BTL	2642	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
WWN48120BTW	\$ 4506	48	120	1 1/8	—	—	279 lbs.	10.6
WWN48120BTLW	4506	48	120	1 1/8	—	—	279 lbs.	10.6
WWN48120BTL	3953	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
WWN48144BTW	\$ 5485	48	144	1 1/8	—	—	332 lbs.	12.5
WWN48144BTLW	5485	48	144	1 1/8	—	—	332 lbs.	12.5
WWN48144BTL	4943	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
WWN48168BTW	\$ 6254	48	168	1 1/8	—	—	385 lbs.	14.3
WWN48168BTLW	6254	48	168	1 1/8	—	—	385 lbs.	14.3
WWN48168BTL	5720	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
WWN48192BTW	\$ 7022	48	192	1 1/8	—	—	438 lbs.	16.2
WWN48192BTLW	7022	48	192	1 1/8	—	—	438 lbs.	16.2
WWN48192BTL	6493	48	192	1 1/8	—	—	438 lbs.	16.2


- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 154-155

**WAVEWORKS BOAT TOP  
(CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>48" x 216"</b>		<b>1 1/16" TOP THICKNESS</b>						
WWN48216BTW Wood	\$ 7787	48	216	1 1/16	—	—	524 lbs.	20.0
WWN48216BTLW Laminate/Wood	7787	48	216	1 1/16	—	—	524 lbs.	20.0
WWN48216BTL Laminate	7256	48	216	1 1/16	—	—	524 lbs.	20.0
<b>48" x 240"</b>								
WWN48240BTW Wood	\$ 8554	48	240	1 1/16	—	—	571 lbs.	22.0
WWN48240BTLW Laminate/Wood	8554	48	240	1 1/16	—	—	571 lbs.	22.0
WWN48240BTL Laminate	8040	48	240	1 1/16	—	—	571 lbs.	22.0
<b>60" x 144"</b>								
WWN60144BTW Wood	\$ 7131	58 3/8	144	1 1/16	—	—	412 lbs.	18.0
WWN60144BTLW Laminate/Wood	7131	58 3/8	144	1 1/16	—	—	412 lbs.	18.0
WWN60144BTL Laminate	6423	58 3/8	144	1 1/16	—	—	412 lbs.	18.0
<b>60" x 168"</b>								
WWN60168BTW Wood	\$ 8131	58 3/8	168	1 1/16	—	—	480 lbs.	22.5
WWN60168BTLW Laminate/Wood	8131	58 3/8	168	1 1/16	—	—	480 lbs.	22.5
WWN60168BTL Laminate	7435	58 3/8	168	1 1/16	—	—	480 lbs.	22.5
<b>60" x 192"</b>								
WWN60192BTW Wood	\$ 9129	58 3/8	192	1 1/16	—	—	539 lbs.	29.0
WWN60192BTLW Laminate/Wood	9129	58 3/8	192	1 1/16	—	—	539 lbs.	29.0
WWN60192BTL Laminate	8441	58 3/8	192	1 1/16	—	—	539 lbs.	29.0
<b>60" x 216"</b>								
WWN60216BTW Wood	\$ 10124	58 3/8	216	1 1/16	—	—	647 lbs.	31.0
WWN60216BTLW Laminate/Wood	10124	58 3/8	216	1 1/16	—	—	647 lbs.	31.0
WWN60216BTL Laminate	9434	58 3/8	216	1 1/16	—	—	647 lbs.	31.0
<b>60" x 240"</b>								
WWN60240BTW Wood	\$ 11120	58 3/8	240	1 1/16	—	—	706 lbs.	34.0
WWN60240BTLW Laminate/Wood	11120	58 3/8	240	1 1/16	—	—	706 lbs.	34.0
WWN60240BTL Laminate	10452	58 3/8	240	1 1/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

# WAVEWORKS RACETRACK TOPS

## PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 155 for grommet options and upcharge
- Reference pages 24-29 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 38-59 for table base guide

## BASE MODEL KEY

W Wood Unit  
 LW Laminate Top/Wood Rim  
 L Laminate Unit

## SAMPLE MODEL NUMBERS:

WWN3672RC2W P CUT-G16C X R NM  
 WWN3672RC2LW P X X 480 NM  
 WWN3672RC2L N CW X G10C CW

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

### WAVEWORKS RACETRACK TOP




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>36" x 72"</b>		<b>1 1/8" TOP THICKNESS</b>						
WWN3672RC2W Wood	\$ 2437	36	72	1 1/8	—	—	136 lbs.	6.3
WWN3672RC2LW Laminate/Wood	2437	36	72	1 1/8	—	—	136 lbs.	6.3
WWN3672RC2L Laminate	1858	36	72	1 1/8	—	—	136 lbs.	6.3
<b>42" x 84"</b>								
WWN4284RC2W Wood	\$ 2838	42	84	1 1/8	—	—	180 lbs.	8.3
WWN4284RC2LW Laminate/Wood	2838	42	84	1 1/8	—	—	180 lbs.	8.3
WWN4284RC2L Laminate	2263	42	84	1 1/8	—	—	180 lbs.	8.3
<b>48" x 96"</b>								
WWN4896RC2W Wood	\$ 3240	48	96	1 1/8	—	—	233 lbs.	10.5
WWN4896RC2LW Laminate/Wood	3240	48	96	1 1/8	—	—	233 lbs.	10.5
WWN4896RC2L Laminate	2668	48	96	1 1/8	—	—	233 lbs.	10.5
<b>48" x 120"</b>								
WWN48120RC2W Wood	\$ 4551	48	120	1 1/8	—	—	279 lbs.	10.6
WWN48120RC2LW Laminate/Wood	4551	48	120	1 1/8	—	—	279 lbs.	10.6
WWN48120RC2L Laminate	3992	48	120	1 1/8	—	—	279 lbs.	10.6
<b>48" x 144"</b>								
WWN48144RC2W Wood	\$ 5540	48	144	1 1/8	—	—	332 lbs.	12.5
WWN48144RC2LW Laminate/Wood	5540	48	144	1 1/8	—	—	332 lbs.	12.5
WWN48144RC2L Laminate	4991	48	144	1 1/8	—	—	332 lbs.	12.5
<b>48" x 168"</b>								
WWN48168RC2W Wood	\$ 6318	48	168	1 1/8	—	—	385 lbs.	14.3
WWN48168RC2LW Laminate/Wood	6318	48	168	1 1/8	—	—	385 lbs.	14.3
WWN48168RC2L Laminate	5778	48	168	1 1/8	—	—	385 lbs.	14.3
<b>48" x 192"</b>								
WWN48192RC2W Wood	\$ 7093	48	192	1 1/8	—	—	438 lbs.	16.2
WWN48192RC2LW Laminate/Wood	7093	48	192	1 1/8	—	—	438 lbs.	16.2
WWN48192RC2L Laminate	6559	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

**TO ORDER, SPECIFY:**

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 154-155

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WAVEWORKS RACETRACK TOP (CONTINUED)</b>								
								
<b>48" x 216" 1 1/8" TOP THICKNESS</b>								
WWN48216RC2W Wood	\$ 7867	48	216	1 1/8	-	-	524 lbs.	20.0
WWN48216RC2LW Laminate/Wood	7867	48	216	1 1/8	-	-	524 lbs.	20.0
WWN48216RC2L Laminate	7329	48	216	1 1/8	-	-	524 lbs.	20.0
<b>48" x 240"</b>								
WWN48240RC2W Wood	\$ 8640	48	240	1 1/8	-	-	571 lbs.	22.0
WWN48240RC2LW Laminate/Wood	8640	48	240	1 1/8	-	-	571 lbs.	22.0
WWN48240RC2L Laminate	8121	48	240	1 1/8	-	-	571 lbs.	22.0
<b>60" x 144"</b>								
WWN60144RC2W Wood	\$ 7202	58%	144	1 1/8	-	-	412 lbs.	18.0
WWN60144RC2LW Laminate/Wood	7202	58%	144	1 1/8	-	-	412 lbs.	18.0
WWN60144RC2L Laminate	6488	58%	144	1 1/8	-	-	412 lbs.	18.0
<b>60" x 168"</b>								
WWN60168RC2W Wood	\$ 8214	58%	168	1 1/8	-	-	480 lbs.	22.5
WWN60168RC2LW Laminate/Wood	8214	58%	168	1 1/8	-	-	480 lbs.	22.5
WWN60168RC2L Laminate	7510	58%	168	1 1/8	-	-	480 lbs.	22.5
<b>60" x 192"</b>								
WWN60192RC2W Wood	\$ 9221	58%	192	1 1/8	-	-	539 lbs.	29.0
WWN60192RC2LW Laminate/Wood	9221	58%	192	1 1/8	-	-	539 lbs.	29.0
WWN60192RC2L Laminate	8526	58%	192	1 1/8	-	-	539 lbs.	29.0
<b>60" x 216"</b>								
WWN60216RC2W Wood	\$ 10225	58%	216	1 1/8	-	-	647 lbs.	31.0
WWN60216RC2LW Laminate/Wood	10225	58%	216	1 1/8	-	-	647 lbs.	31.0
WWN60216RC2L Laminate	9530	58%	216	1 1/8	-	-	647 lbs.	31.0
<b>60" x 240"</b>								
WWN60240RC2W Wood	\$ 11230	58%	240	1 1/8	-	-	706 lbs.	34.0
WWN60240RC2LW Laminate/Wood	11230	58%	240	1 1/8	-	-	706 lbs.	34.0
WWN60240RC2L Laminate	10558	58%	240	1 1/8	-	-	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 22 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

CONFERENCE TABLE TOPS  
WAVEWORKS

CONFERENCE TABLE TOPS

WAVEWORKS