

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

SIZES

- 18" deep in widths of 30"-72"
- 24" deep in widths of 30"-72"
- 30" deep in widths of 48"-72"

TOPS

- Veneer surfaces are 1 $\frac{3}{8}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim
- Laminate surfaces are 1 $\frac{3}{8}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate)

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm PVC rim or a wood rim with 6 rim profile options

GROMMET OPTIONS

- Cutout option for (G17) 1 Touch Pivoting Power Grommet
- Round black nylon grommet (G1) available
- Racetrack zinc grommet (G11) available in 4 colors
- Wire/data managers are available for additional cable management, see page 602 for accessories
- Undersurface wire managers available, see page 602 for accessories

BASES

- Reference page 408 for base matrix requirements
- See pages 412-417 for base options available

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

TOP SHEEN OPTIONS

N	Matte/Satin
R	Gloss

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico*
SK	Skyline*
SM	Sonoma
TF	Truffle
792	Sable
793	Acorn*

SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

809	Tungsten Evolv
814	White Tigris
818	Crisp Linen
819	Flax Gauze
820	Paloma Bisque
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

*Not available on laminate/wood models

• CSL available; see page 8 for program details and upcharge

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

RIM PROFILE OPTIONS

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened PVC (V)



Reed PVC (N)

*Not recommended with SM Sonoma


WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon

\$25 list for each grommet


- G1L Left
- G1R Right
- G1LR Left & Right
- G1C Center
- G1A Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet


- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNA Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$30 list for each grommet


- G11PLL Left
- G11PLR Right
- G11PLLR Left & Right
- G11PLC Center
- G11PLA Left, Right & Center



Racetrack Grommet, Cinder

\$30 list for each grommet


- G11MBL Left
- G11MBR Right
- G11MBLR Left & Right
- G11MBC Center
- G11MBA Left, Right & Center




Cutout Option for 1 Touch Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G17L Left
- CUT-G17R Right
- CUT-G17LR Left & Right
- CUT-G17C Center
- CUT-G17LC Left & Center
- CUT-G17RC Right & Center
- CUT-G17A Left, Right & Center




• Reference page 280 in the Casegoods Book 2 Price List for cutout locations of CUT-G17




NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 590 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 590 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 590 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section


WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X (No Wire Manager)

Specify locations and color option
Comes attached to worksurface
\$40 list for each location

Locations:

- D1B Back \$40 list
- D1L Left \$40 list
- D1R Right \$40 list
- D1LR Left & Right \$80 list
- D1BL Back & Left \$80 list
- D1BR Back & Right \$80 list



Colors:

- 403 Chamois
- 405 Designer White
- 419 Wallaby
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 478 Platinum Grey
- 485 Dark Chocolate

Sample Option Selections:

- D1B425 Wire Manager on Back in Shadow, \$40 list
- D1BL403 Wire Manager on Back and Left in Chamois, \$80 list

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 280 in the Caseloads Book 2 Price List for grommet locations
- Refer to page 395 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 453 in the Caseloads Book 2 Price List for support options
- Refer to pages 577-608 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

- W Wood Top/Wood Rim
- LW Laminate Top/Wood Rim
- L Laminate Top/PVC Rim
- LL TFL Top/PVC Rim

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

RECTANGULAR WORKSURFACE 18" DEPTH	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	1 $\frac{3}{16}$ " TOP THICKNESS								
	WWN1872WSSDW Wood	\$ 797	18 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN1872WSSDLW Laminate/Wood	797	18 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN1872WSSDL Laminate	503	18 $\frac{3}{8}$	71 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	57 lbs.	2.3
	WWN1866WSSDW Wood	\$ 773	18 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	52 lbs.	2.2
	WWN1866WSSDLW Laminate/Wood	773	18 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	52 lbs.	2.2
	WWN1866WSSDL Laminate	476	18 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	52 lbs.	2.2
	WWN1860WSSDW Wood	\$ 753	18 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	48 lbs.	2.0
	WWN1860WSSDLW Laminate/Wood	753	18 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	48 lbs.	2.0
	WWN1860WSSDL Laminate	457	18 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	48 lbs.	2.0
	WWN1854WSSDW Wood	\$ 736	18 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	43 lbs.	1.8
	WWN1854WSSDLW Laminate/Wood	736	18 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	43 lbs.	1.8
	WWN1854WSSDL Laminate	418	18 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	43 lbs.	1.8
	WWN1848WSSDW Wood	\$ 723	18 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	38 lbs.	1.6
	WWN1848WSSDLW Laminate/Wood	723	18 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	38 lbs.	1.6
	WWN1848WSSDL Laminate	388	18 $\frac{3}{8}$	48 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	38 lbs.	1.6
	WWN1842WSSDW Wood	\$ 695	18 $\frac{3}{8}$	42 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	34 lbs.	1.5
	WWN1842WSSDLW Laminate/Wood	695	18 $\frac{3}{8}$	42 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	34 lbs.	1.5
	WWN1842WSSDL Laminate	362	18 $\frac{3}{8}$	42 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	34 lbs.	1.5
	WWN1836WSSDW Wood	\$ 676	18 $\frac{3}{8}$	36 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	29 lbs.	1.3
	WWN1836WSSDLW Laminate/Wood	676	18 $\frac{3}{8}$	36 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	29 lbs.	1.3
	WWN1836WSSDL Laminate	340	18 $\frac{3}{8}$	36 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	29 lbs.	1.3
	WWN1830WSSDW Wood	\$ 660	18 $\frac{3}{8}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	24 lbs.	1.1
	WWN1830WSSDLW Laminate/Wood	660	18 $\frac{3}{8}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	24 lbs.	1.1
	WWN1830WSSDL Laminate	317	18 $\frac{3}{8}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	24 lbs.	1.1

- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 418

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminite models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminite/wood models)

SAMPLE MODEL NUMBERS:

WWN1848WSSDW	M	F	X	D1BL403	X	45½	N	MH
WWN1848WSSDL	M	V420	X	D1L420	X	45	420	
WWN1848WSSDLW	M	F	X	D1B420	X	X	MH	MH

For options, see pages 394-395

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)									
1½" TOP THICKNESS									
WW1872WSSDW Wood	\$ 679	18½	71½	1½	—	—	57 lbs.	2.3	
WW1872WSSDLW Laminate/Wood	679	18½	71½	1½	—	—	57 lbs.	2.3	
WW1872WSSDL Laminate	387	18½	71½	1½	—	—	57 lbs.	2.3	
WW1872WSSDLL TFL	310	18½	71½	1½	—	—	57 lbs.	2.3	
WW1866WSSDW Wood	\$ 653	18½	66	1½	—	—	52 lbs.	2.2	
WW1866WSSDLW Laminate/Wood	653	18½	66	1½	—	—	52 lbs.	2.2	
WW1866WSSDL Laminate	359	18½	66	1½	—	—	52 lbs.	2.2	
WW1866WSSDLL TFL	287	18½	66	1½	—	—	52 lbs.	2.2	
WW1860WSSDW Wood	\$ 634	18½	60	1½	—	—	48 lbs.	2.0	
WW1860WSSDLW Laminate/Wood	634	18½	60	1½	—	—	48 lbs.	2.0	
WW1860WSSDL Laminate	341	18½	60	1½	—	—	48 lbs.	2.0	
WW1860WSSDLL TFL	273	18½	60	1½	—	—	48 lbs.	2.0	
WW1854WSSDW Wood	\$ 618	18½	54	1½	—	—	43 lbs.	1.8	
WW1854WSSDLW Laminate/Wood	618	18½	54	1½	—	—	43 lbs.	1.8	
WW1854WSSDL Laminate	302	18½	54	1½	—	—	43 lbs.	1.8	
WW1854WSSDLL TFL	241	18½	54	1½	—	—	43 lbs.	1.8	
WW1848WSSDW Wood	\$ 605	18½	48½	1½	—	—	38 lbs.	1.6	
WW1848WSSDLW Laminate/Wood	605	18½	48½	1½	—	—	38 lbs.	1.6	
WW1848WSSDL Laminate	272	18½	48½	1½	—	—	38 lbs.	1.6	
WW1848WSSDLL TFL	217	18½	48½	1½	—	—	38 lbs.	1.6	



- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ½" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 418

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 280 in the Caseloads Book 2 Price List for grommet locations
- Refer to page 395 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 453 in the Caseloads Book 2 Price List for support options
- Refer to pages 577-608 for accessories
- If specifying wood, you must specify the same finish for all options


BASE MODEL KEY

- W Wood Top/Wood Rim
- LW Laminate Top/Wood Rim
- L Laminate Top/PVC Rim
- LL TFL Top/PVC Rim

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)									
1$\frac{3}{16}$" TOP THICKNESS (CONTINUED)									
	WW1842WSSDW Wood	\$ 577	18 $\frac{1}{2}$	42 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	34 lbs.	1.5
	WW1842WSSDLW Laminate/Wood	577	18 $\frac{1}{2}$	42 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	34 lbs.	1.5
	WW1842WSSDL Laminate	246	18 $\frac{1}{2}$	42 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	34 lbs.	1.5
	WW1842WSSDLL TFL	197	18 $\frac{1}{2}$	42 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	34 lbs.	1.5
<hr/>									
	WW1836WSSDW Wood	\$ 556	18 $\frac{1}{2}$	36 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	29 lbs.	1.3
	WW1836WSSDLW Laminate/Wood	556	18 $\frac{1}{2}$	36 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	29 lbs.	1.3
	WW1836WSSDL Laminate	224	18 $\frac{1}{2}$	36 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	29 lbs.	1.3
	WW1836WSSDLL TFL	179	18 $\frac{1}{2}$	36 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	29 lbs.	1.3
<hr/>									
	WW1830WSSDW Wood	\$ 541	18 $\frac{1}{2}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	24 lbs.	1.1
	WW1830WSSDLW Laminate/Wood	541	18 $\frac{1}{2}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	24 lbs.	1.1
	WW1830WSSDL Laminate	202	18 $\frac{1}{2}$	30 $\frac{1}{2}$	1 $\frac{3}{16}$	—	—	24 lbs.	1.1
	WW1830WSSDLL TFL	162	18 $\frac{1}{2}$	30 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	24 lbs.	1.1



- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Caseloads Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 418

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminite models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminite/wood models)

SAMPLE MODEL NUMBERS:

WW1842WSSDW	M	F	X	D1BL403	X	39%	N	MH
WW1842WSSDL	M	V420	X	D1L420	X	39	420	
WW1842WSSDLW	M	F	X	D1B420	X	X	MH	MH

For options, see pages 394-395

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
RECTANGULAR WORKSURFACE 24" DEPTH							
1 1/8" TOP THICKNESS							
WWN2472WSSDW Wood	\$ 857	24	71 1/8"	1 1/8"	-	85 lbs.	3.2
WWN2472WSSDLW Laminate/Wood	857	24	71 1/8"	1 1/8"	-	85 lbs.	3.2
WWN2472WSSDL Laminate	541	24	71 1/8"	1 1/8"	-	85 lbs.	3.2
WWN2466WSSDW Wood	\$ 831	24	66"	1 1/8"	-	81 lbs.	3.0
WWN2466WSSDLW Laminate/Wood	831	24	66"	1 1/8"	-	81 lbs.	3.0
WWN2466WSSDL Laminate	511	24	66"	1 1/8"	-	81 lbs.	3.0
WWN2460WSSDW Wood	\$ 809	24	60"	1 1/8"	-	76 lbs.	2.8
WWN2460WSSDLW Laminate/Wood	809	24	60"	1 1/8"	-	76 lbs.	2.8
WWN2460WSSDL Laminate	492	24	60"	1 1/8"	-	76 lbs.	2.8
WWN2454WSSDW Wood	\$ 792	24	54"	1 1/8"	-	74 lbs.	2.5
WWN2454WSSDLW Laminate/Wood	792	24	54"	1 1/8"	-	74 lbs.	2.5
WWN2454WSSDL Laminate	450	24	54"	1 1/8"	-	74 lbs.	2.5
WWN2448WSSDW Wood	\$ 778	24	48 1/8"	1 1/8"	-	67 lbs.	2.3
WWN2448WSSDLW Laminate/Wood	778	24	48 1/8"	1 1/8"	-	67 lbs.	2.3
WWN2448WSSDL Laminate	418	24	48 1/8"	1 1/8"	-	67 lbs.	2.3
WWN2442WSSDW Wood	\$ 749	24	42 1/8"	1 1/8"	-	65 lbs.	2.0
WWN2442WSSDLW Laminate/Wood	749	24	42 1/8"	1 1/8"	-	65 lbs.	2.0
WWN2442WSSDL Laminate	389	24	42 1/8"	1 1/8"	-	65 lbs.	2.0
WWN2436WSSDW Wood	\$ 725	24	36 1/8"	1 1/8"	-	63 lbs.	1.8
WWN2436WSSDLW Laminate/Wood	725	24	36 1/8"	1 1/8"	-	63 lbs.	1.8
WWN2436WSSDL Laminate	365	24	36 1/8"	1 1/8"	-	63 lbs.	1.8
WWN2430WSSDW Wood	\$ 711	24	30 1/8"	1 1/8"	-	61 lbs.	1.5
WWN2430WSSDLW Laminate/Wood	711	24	30 1/8"	1 1/8"	-	61 lbs.	1.5
WWN2430WSSDL Laminate	341	24	30 1/8"	1 1/8"	-	61 lbs.	1.5



- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Caseloads Book 2 Price List
- Worksurfaces can be ordered in 1/8" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 418

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 280 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 395 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 453 in the Casegoods Book 2 Price List for support options
- Refer to pages 577-608 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

- W Wood Top/Wood Rim
- LW Laminate Top/Wood Rim
- L Laminate Top/PVC Rim
- LL TFL Top/PVC Rim

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	1$\frac{3}{8}$" TOP THICKNESS								
	WW2472WSSDW Wood	\$ 729	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDLW Laminate/Wood	729	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDL Laminate	417	24	71 $\frac{1}{8}$	1 $\frac{3}{8}$	—	—	85 lbs.	3.2
	WW2472WSSDLL TFL	334	24	71 $\frac{1}{8}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW2466WSSDW Wood	\$ 701	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2466WSSDLW Laminate/Wood	701	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2466WSSDL Laminate	387	24	66	1 $\frac{3}{8}$	—	—	81 lbs.	3.0
	WW2466WSSDLL TFL	310	24	66	1 $\frac{1}{2}$	—	—	81 lbs.	3.0
	WW2460WSSDW Wood	\$ 682	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSDLW Laminate/Wood	682	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSDL Laminate	366	24	60	1 $\frac{3}{8}$	—	—	76 lbs.	2.8
	WW2460WSSDLL TFL	293	24	60	1 $\frac{1}{2}$	—	—	76 lbs.	2.8
	WW2454WSSDW Wood	\$ 663	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSDLW Laminate/Wood	663	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSDL Laminate	324	24	54	1 $\frac{3}{8}$	—	—	74 lbs.	2.5
	WW2454WSSDLL TFL	260	24	54	1 $\frac{1}{2}$	—	—	74 lbs.	2.5
	WW2448WSSDW Wood	\$ 649	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSDLW Laminate/Wood	649	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	WW2448WSSDL Laminate	294	24	48 $\frac{1}{2}$	1 $\frac{3}{8}$	—	—	67 lbs.	2.3
	QWW2448WSSDLL TFL	236	24	48$\frac{1}{2}$	1$\frac{1}{2}$	—	—	67 lbs.	2.3
	WW2448WSSDLL TFL	236	24	48 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	67 lbs.	2.3

- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 418

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminite models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminite/wood models)

SAMPLE MODEL NUMBERS:

WW2448WSSDW	M	F	X	D1BL403	X	45½	N	MH
WW2448WSSDL	M	V420	X	D1L420	X	45	420	
WW2448WSSDLW	M	F	X	D1B420	X	X	MH	MH

For options, see pages 394-395

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)							
1½" TOP THICKNESS (CONTINUED)							
WW2442WSSDW Wood	\$ 620	24	42½	1½	—	65 lbs.	2.0
WW2442WSSDLW Laminate/Wood	620	24	42½	1½	—	65 lbs.	2.0
WW2442WSSDL Laminate	264	24	42½	1½	—	65 lbs.	2.0
WW2442WSSDLL TFL	211	24	42½	1½	—	65 lbs.	2.0
WW2436WSSDW Wood	\$ 597	24	36½	1½	—	63 lbs.	1.8
WW2436WSSDLW Laminate/Wood	597	24	36½	1½	—	63 lbs.	1.8
WW2436WSSDL Laminate	241	24	36½	1½	—	63 lbs.	1.8
WW2436WSSDLL TFL	192	24	36½	1½	—	63 lbs.	1.8
WW2430WSSDW Wood	\$ 581	24	30½	1½	—	61 lbs.	1.5
WW2430WSSDLW Laminate/Wood	581	24	30½	1½	—	61 lbs.	1.5
WW2430WSSDL Laminate	216	24	30½	1½	—	61 lbs.	1.5
WW2430WSSDLL TFL	173	24	30½	1½	—	61 lbs.	1.5



- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 418

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 280 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 395 for grommet upcharge
- Unsupported 1 $\frac{1}{8}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 453 in the Casegoods Book 2 Price List for support options
- Refer to pages 577-608 for accessories
- If specifying wood, you must specify the same finish for all options


BASE MODEL KEY

- W Wood Top/Wood Rim
- LW Laminate Top/Wood Rim
- L Laminate Top/PVC Rim
- LL TFL Top/PVC Rim

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
RECTANGULAR WORKSURFACE 30" DEPTH								
1$\frac{1}{8}$" TOP THICKNESS								
WWN3072WSSDW Wood	\$ 943	30 $\frac{1}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
WWN3072WSSDLW Laminate/Wood	943	30 $\frac{1}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
WWN3072WSSDL Laminate	623	30 $\frac{1}{8}$	71 $\frac{1}{8}$	1 $\frac{1}{8}$	—	—	95 lbs.	4.0
WWN3066WSSDW Wood	\$ 914	30 $\frac{1}{8}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
WWN3066WSSDLW Laminate/Wood	914	30 $\frac{1}{8}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
WWN3066WSSDL Laminate	582	30 $\frac{1}{8}$	66	1 $\frac{1}{8}$	—	—	88 lbs.	3.7
WWN3060WSSDW Wood	\$ 895	30 $\frac{1}{8}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
WWN3060WSSDLW Laminate/Wood	895	30 $\frac{1}{8}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
WWN3060WSSDL Laminate	541	30 $\frac{1}{8}$	60	1 $\frac{1}{8}$	—	—	81 lbs.	3.3
WWN3054WSSDW Wood	\$ 879	30 $\frac{1}{8}$	54	1 $\frac{1}{8}$	—	—	74 lbs.	3.0
WWN3054WSSDLW Laminate/Wood	879	30 $\frac{1}{8}$	54	1 $\frac{1}{8}$	—	—	74 lbs.	3.0
WWN3054WSSDL Laminate	508	30 $\frac{1}{8}$	54	1 $\frac{1}{8}$	—	—	74 lbs.	3.0
WWN3048WSSDW Wood	\$ 863	30 $\frac{1}{8}$	48	1 $\frac{1}{8}$	—	—	67 lbs.	2.7
WWN3048WSSDLW Laminate/Wood	863	30 $\frac{1}{8}$	48	1 $\frac{1}{8}$	—	—	67 lbs.	2.7
WWN3048WSSDL Laminate	473	30 $\frac{1}{8}$	48	1 $\frac{1}{8}$	—	—	67 lbs.	2.7



- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- For undersurface wire manager, see page 418

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminite models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminite/wood models)

SAMPLE MODEL NUMBERS:

WWN3048WSSDW	M	F	X	D1BL403	X	45½	N	MH
WWN3048WSSDL	M	V420	X	D1L420	X	45	420	
WWN3048WSSDLW	M	F	X	D1B420	X	X	MH	MH

For options, see pages 394-395

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
		D	W	H	A		
RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)							
1½" TOP THICKNESS							
WW3072WSSDW Wood	\$ 816	30½	71½	1½	-	95 lbs.	4.0
WW3072WSSDLW Laminate/Wood	816	30½	71½	1½	-	95 lbs.	4.0
WW3072WSSDL Laminate	499	30½	71½	1½	-	95 lbs.	4.0
WW3072WSSDLL TFL	399	30½	71½	1½	-	95 lbs.	4.0
WW3066WSSDW Wood	\$ 786	30½	66	1½	-	88 lbs.	3.7
WW3066WSSDLW Laminate/Wood	786	30½	66	1½	-	88 lbs.	3.7
WW3066WSSDL Laminate	458	30½	66	1½	-	88 lbs.	3.7
WW3066WSSDLL TFL	366	30½	66	1½	-	88 lbs.	3.7
WW3060WSSDW Wood	\$ 768	30½	60	1½	-	81 lbs.	3.3
WW3060WSSDLW Laminate/Wood	768	30½	60	1½	-	81 lbs.	3.3
WW3060WSSDL Laminate	417	30½	60	1½	-	81 lbs.	3.3
WW3060WSSDLL TFL	334	30½	60	1½	-	81 lbs.	3.3
WW3054WSSDW Wood	\$ 751	30½	54	1½	-	74 lbs.	3.0
WW3054WSSDLW Laminate/Wood	751	30½	54	1½	-	74 lbs.	3.0
WW3054WSSDL Laminate	384	30½	54	1½	-	74 lbs.	3.0
WW3054WSSDLL TFL	307	30½	54	1½	-	74 lbs.	3.0
WW3048WSSDW Wood	\$ 735	30½	48	1½	-	67 lbs.	2.7
WW3048WSSDLW Laminate/Wood	735	30½	48	1½	-	67 lbs.	2.7
WW3048WSSDL Laminate	349	30½	48	1½	-	67 lbs.	2.7
WW3048WSSDLL TFL	279	30½	48	1½	-	67 lbs.	2.7



- Reference page 408 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ½" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 418
- For undersurface wire manager, see page 418

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 280 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 395 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; unsupported 1 $\frac{1}{2}$ " worksurface spans should not exceed 60"; see page 453 in the Casegoods Book 2 Price List for support options
- Refer to pages 577-608 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

- W Wood Top/Wood Rim
- LW Laminate Top/Wood Rim
- L Laminate Top/PVC Rim
- LL TFL Top/PVC Rim

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
CONCAVE WORKSURFACE										
1$\frac{1}{16}$" THICKNESS										
	WWN2472WSCCRDW	Wood	\$ 1152	24	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	85 lbs.	3.2
	WWN2472WSCCRDLW	Laminate/Wood	1152	24	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	85 lbs.	3.2
	WWN2472WSCCRDL	Laminate	636	24	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	85 lbs.	3.2
1$\frac{3}{16}$" THICKNESS										
	WWN2466WSCCRDW	Wood	\$ 1079	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.0
	WWN2466WSCCRDLW	Laminate/Wood	1079	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.0
	WWN2466WSCCRDL	Laminate	597	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.0
	WWN2460WSCCRDW	Wood	\$ 1026	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	2.8
	WWN2460WSCCRDLW	Laminate/Wood	1026	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	2.8
	WWN2460WSCCRDL	Laminate	575	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	2.8
1$\frac{1}{2}$" THICKNESS										
	WW2472WSCCRDW	Wood	\$ 1023	24	71 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW2472WSCCRDLW	Laminate/Wood	1023	24	71 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW2472WSCCRDL	Laminate	511	24	71 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW2472WSCCRDLL	TFL	410	24	71 $\frac{1}{16}$	1 $\frac{1}{2}$	—	—	85 lbs.	3.2
	WW2466WSCCRDW	Wood	\$ 952	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.0
	WW2466WSCCRDLW	Laminate/Wood	952	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.0
	WW2466WSCCRDL	Laminate	473	24	66	1 $\frac{3}{16}$	—	—	81 lbs.	3.0
	WW2466WSCCRDLL	TFL	379	24	66	1 $\frac{1}{2}$	—	—	81 lbs.	3.0
	WW2460WSCCRDW	Wood	\$ 896	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	2.8
	WW2460WSCCRDLW	Laminate/Wood	896	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	2.8
	WW2460WSCCRDL	Laminate	451	24	60	1 $\frac{3}{16}$	—	—	76 lbs.	2.8
	WW2460WSCCRDLL	TFL	361	24	60	1 $\frac{1}{2}$	—	—	76 lbs.	2.8

- For use with 23" deep pedestals or for table desking applications
- Wire manager locations: back, right or left, or back and left, or back and right; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in $\frac{1}{8}$ " increments in depth to 9" minimum at no upcharge
- When ordering a worksurface with a size modification, specify desired depth
- For additional worksurface support, specify Undersurface Support Rail, see page 418
- For undersurface wire manager, see page 418

TO ORDER, SPECIFY:


1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminated models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Worksurface Sheen (wood models)
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminated/wood models)

SAMPLE MODEL NUMBERS:

WWN2472WSCCRDW	M	F	X	X	23½	R	MH
WWN2472WSCCRDLW	M	F	X	D1L420	X	420	MH
WWN2472WSCCRDL	M	V	420	X	X	420	

For options, see pages 394-395

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
HALF ROUND WORKSURFACE									
1½" TOP THICKNESS									
WWN60WSHRDW Wood	\$ 840	30	60	1½	—	—	69 lbs.	2.8	
WWN60WSHRDLW Laminate/Wood	840	30	60	1½	—	—	69 lbs.	2.8	
WWN60WSHRDL Laminate	534	30	60	1½	—	—	69 lbs.	2.8	
1" TOP THICKNESS									
WWN48WSHRDW Wood	\$ 721	24	48½	1" —	—	—	57 lbs.	2.3	
WWN48WSHRDLW Laminate/Wood	721	24	48½	1" —	—	—	57 lbs.	2.3	
WWN48WSHRDL Laminate	465	24	48½	1" —	—	—	57 lbs.	2.3	
1½" TOP THICKNESS									
WW60WSHRDW Wood	\$ 714	30	60	1½	—	—	69 lbs.	2.8	
WW60WSHRDLW Laminate/Wood	714	30	60	1½	—	—	69 lbs.	2.8	
WW60WSHRDL Laminate	409	30	60	1½	—	—	69 lbs.	2.8	
WW60WSHRDLL TFL	327	30	60	1½	—	—	69 lbs.	2.8	
1" TOP THICKNESS									
WW48WSHRDW Wood	\$ 593	24	48½	1" —	—	—	57 lbs.	2.3	
WW48WSHRDLW Laminate/Wood	593	24	48½	1" —	—	—	57 lbs.	2.3	
WW48WSHRDL Laminate	341	24	48½	1" —	—	—	57 lbs.	2.3	
WW48WSHRDLL TFL	273	24	48½	1" —	—	—	57 lbs.	2.3	



- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 395 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 457 in the Casegoods Book 2 Price List
- Modified width and depth not available on this shape
- For undersurface wire manager, see page 418

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)


BASE MODEL KEY

- W Wood Unit
- LW Laminate Top/Wood Rim
- L Laminate Unit
- LL TFL Unit

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

QUARTER ROUND WORKSURFACE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
1 1/8" TOP THICKNESS								
WWN2424WSQRW Wood	\$ 711	24	24	1 1/8	—	—	25 lbs.	1.1
WWN2424WSQRLW Laminate/Wood	711	24	24	1 1/8	—	—	25 lbs.	1.1
WWN2424WSQRL Laminate	457	24	24	1 1/8	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces								
WWN3030WSQRW Wood	\$ 828	30 1/8	30 1/8	1 1/8	—	—	33 lbs.	2.0
WWN3030WSQRLW Laminate/Wood	828	30 1/8	30 1/8	1 1/8	—	—	33 lbs.	2.0
WWN3030WSQRL Laminate	525	30 1/8	30 1/8	1 1/8	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces								
WWN3024WSQRW Wood	\$ 1160	30 1/8	24	1 1/8	—	—	33 lbs.	2.0
WWN3024WSQRLW Laminate/Wood	1160	30 1/8	24	1 1/8	—	—	33 lbs.	2.0
WWN3024WSQRL Laminate	775	30 1/8	24	1 1/8	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right								
WWN2430WSQRW Wood	\$ 1160	24	30 1/8	1 1/8	—	—	33 lbs.	2.0
WWN2430WSQRLW Laminate/Wood	1160	24	30 1/8	1 1/8	—	—	33 lbs.	2.0
WWN2430WSQRL Laminate	775	24	30 1/8	1 1/8	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right								
• Rim profile on radius edge of worksurface								
• Grommet option not available								
• Worksurface uses flat brackets to attach to other worksurfaces and does not require a base								

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. PVC Rim Color (laminite models)
4. Worksurface Sheen (wood models)
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW R N HN
 WWN2424WSQRL V 403 403
 WWN2424WSQRLW R 403 HN

For options, see pages 394-395

QUARTER ROUND WORKSURFACE (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
1 3/16" TOP THICKNESS									
WW2424WSQRW	Wood	\$ 581	24	24	1 3/16	—	—	25 lbs.	1.1
WW2424WSQRLW	Laminate/Wood	581	24	24	1 3/16	—	—	25 lbs.	1.1
WW2424WSQRL	Laminate	332	24	24	1 3/16	—	—	25 lbs.	1.1
WW2424WSQRL	TFL	266	24	24	1 3/16	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WW3030WSQRW	Wood	\$ 698	30 1/2	30 1/2	1 3/16	—	—	33 lbs.	2.0
WW3030WSQRLW	Laminate/Wood	698	30 1/2	30 1/2	1 3/16	—	—	33 lbs.	2.0
WW3030WSQRL	Laminate	400	30 1/2	30 1/2	1 3/16	—	—	33 lbs.	2.0
WW3030WSQRL	TFL	320	30 1/2	30 1/2	1 3/16	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WW3024WSQRW	Wood	\$ 1063	30 1/2	24	1 3/16	—	—	33 lbs.	2.0
WW3024WSQRLW	Laminate/Wood	1063	30 1/2	24	1 3/16	—	—	33 lbs.	2.0
WW3024WSQRL	Laminate	668	30 1/2	24	1 3/16	—	—	33 lbs.	2.0
WW3024WSQRL	TFL	535	30 1/2	24	1 3/16	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WW2430WSQRW	Wood	\$ 1063	24	30 1/2	1 3/16	—	—	33 lbs.	2.0
WW2430WSQRLW	Laminate/Wood	1063	24	30 1/2	1 3/16	—	—	33 lbs.	2.0
WW2430WSQRL	Laminate	668	24	30 1/2	1 3/16	—	—	33 lbs.	2.0
WW2430WSQRL	TFL	535	24	30 1/2	1 3/16	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
• Rim profile on radius edge of worksurface									
• Grommet option not available									
• Worksurface uses flat brackets to attach to other worksurfaces and does not require a base									